

DAFTAR PUSTAKA

- [1] F. Krieglstein, M. Beege, G. D. Rey, P. Ginns, M. Krell, and S. Schneider, “A systematic meta-analysis of the reliability and validity of subjective cognitive load questionnaires in experimental multimedia learning research,” *Educational Psychology Review*, vol. 34, no. 4, pp. 2485–2541, 2022.
- [2] S. Research, “Eyelink 1000 plus eye tracker,” <https://www.sr-research.com/eyelink-3/>, 2024, diakses pada 26 Juni 2025.
- [3] M. M. Rahman, “A study of eye-tracking properties utilizing tobii eye tracker 5,” 2022.
- [4] G. Rakoczi and M. Pohl, “Visualisation and analysis of multiuser gaze data: Eye tracking usability studies in the special context of e-learning,” in *2012 IEEE 12th International Conference on Advanced Learning Technologies*, 2012, pp. 738–739.
- [5] G. Lekkas, E. Vrochidou, and G. A. Papakostas, “Time–frequency transformations for enhanced biomedical signal classification with convolutional neural networks,” *BioMedInformatics*, vol. 5, no. 1, p. 7, 2025.
- [6] M. M. Taye, “Theoretical understanding of convolutional neural network: Concepts, architectures, applications, future directions,” *Computation*, vol. 11, no. 3, p. 52, 2023.
- [7] C. Szegedy, V. Vanhoucke, S. Ioffe, J. Shlens, and Z. Wojna, “Rethinking the inception architecture for computer vision,” in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2016, pp. 2818–2826.
- [8] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.
- [9] G. Huang, Z. Liu, L. Van Der Maaten, and K. Q. Weinberger, “Densely connected convolutional networks,” in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2017, pp. 4700–4708.
- [10] R. Abid. (2019) Cross-validation: K-fold vs. monte carlo. Accessed on Towards Data Science. [Online]. Available: <https://towardsdatascience.com/cross-validation-k-fold-vs-monte-carlo-e54df2fc179b>
- [11] (2021) Machine learning techniques for sentiment analysis and emotion recognition in natural language - scientific figure on researchgate. Accessed from ResearchGate. [Online]. Available: https://www.researchgate.net/figure/Illustration-of-10-fold-cross-validation_fig32_351812256
- [12] E. Ktistakis, V. Skaramagkas, D. Manousos, N. S. Tachos, E. Tripoliti, D. I. Fotiadis, and M. Tsiknakis, “Colet: A dataset for cognitive workload estimation based on eye-tracking,” *Computer Methods and Programs in Biomedicine*, vol. 224, p. 106989, 2022.

- [13] J. A. Mark, A. Curtin, A. E. Kraft, M. D. Ziegler, and H. Ayaz, "Mental workload assessment by monitoring brain, heart, and eye with six biomedical modalities during six cognitive tasks," *Frontiers in neuroergonomics*, vol. 5, p. 1345507, 2024.
- [14] H. M. Šola, F. H. Qureshi, and S. Khawaja, "Ai eye-tracking technology: A new era in managing cognitive loads for online learners," *Education Sciences*, vol. 14, no. 9, 2024. [Online]. Available: <https://www.mdpi.com/2227-7102/14/9/933>
- [15] H. Jin and S. Chen, "Biometric recognition based on recurrence plot and inceptionv3 model using eye movements," *IEEE Journal of Biomedical and Health Informatics*, vol. 27, no. 11, pp. 5554–5563, 2023.
- [16] K. Yu, J. Chen, X. Ding, and D. Zhang, "Exploring cognitive load through neuro-psychological features: an analysis using fnirs-eye tracking," *Medical & Biological Engineering & Computing*, vol. 63, no. 1, pp. 45–57, 2025.
- [17] Y. Hou, Q. Xie, N. Zhang, and J. Lv, "Cognitive load classification of mixed reality human computer interaction tasks based on multimodal sensor signals," *Scientific Reports*, vol. 15, no. 1, p. 13732, 2025.
- [18] N. E. Mughal, K. Khalil, and M. J. Khan, "fnirs based multi-class mental workload classification using recurrence plots and cnn-lstm," in *2021 International Conference on Artificial Intelligence and Mechatronics Systems (AIMS)*. IEEE, 2021, pp. 1–6.
- [19] I. H. Ajayi and E. Avksentyeva, "Machine learning methods for predicting cognitive load in elearning environments using eye tracking data." *Pakistan Journal of Life & Social Sciences*, vol. 22, no. 2, 2024.
- [20] B. M. Mathunjwa, Y.-T. Lin, C.-H. Lin, M. F. Abbod, and J.-S. Shieh, "Ecg arrhythmia classification by using a recurrence plot and convolutional neural network," *Biomedical Signal Processing and Control*, vol. 64, p. 102262, 2021.
- [21] D. W. Prabowo, N. A. Setiawan, J. Debayle, and H. A. Nugroho, "Enhancing eeg-based emotion recognition using asymmetric windowing recurrence plots," *IEEE Access*, vol. 12, pp. 85 969–85 982, 2024.
- [22] D. Çetintaş and T. T. Firat, "Eye-tracking analysis with deep learning method," in *2021 International Conference on Innovation and Intelligence for Informatics, Computing, and Technologies (3ICT)*, 2021, pp. 512–515.
- [23] J. Sweller, "Cognitive load during problem solving: Effects on learning," *Cognitive science*, vol. 12, no. 2, pp. 257–285, 1988.
- [24] F. Krieglstein, M. Beege, G. D. Rey, C. Sanchez-Stockhammer, and S. Schneider, "Development and validation of a theory-based questionnaire to measure different types of cognitive load," *Educational Psychology Review*, vol. 35, no. 1, p. 9, 2023.
- [25] T. Tasmi, M. Parvez, and J. Uddin, "Cognitive load measurement based on eeg signals," in *Applied AI and Multimedia Technologies for Smart Manufacturing and CPS Applications*. IGI Global, 2023, pp. 246–255.

- [26] A. A. Larki, A. Shojaei, and M. Delrobaei, "Towards cognitive load assessment using electrooculography measures," *arXiv preprint arXiv:2312.11418*, 2023.
- [27] X. Ma, R. Monfared, R. Grant, and Y. M. Goh, "Determining cognitive workload using physiological measurements: Pupillometry and heart-rate variability," *Sensors*, vol. 24, no. 6, p. 2010, 2024.
- [28] S. G. Hart and L. E. Staveland, "Development of nasa-tlx (task load index): Results of empirical and theoretical research," in *Advances in psychology*. Elsevier, 1988, vol. 52, pp. 139–183.
- [29] R. J. Leigh and D. S. Zee, *The neurology of eye movements*. Oxford university press, 2015.
- [30] J.-J. Orban de Xivry and P. Lefevre, "Saccades and pursuit: two outcomes of a single sensorimotor process," *The Journal of physiology*, vol. 584, no. 1, pp. 11–23, 2007.
- [31] P. A. Punde, M. E. Jadhav, and R. R. Manza, "A study of eye tracking technology and its applications," in *2017 1st International Conference on Intelligent Systems and Information Management (ICISIM)*, 2017, pp. 86–90.
- [32] B. C. Coe, J. Huang, D. C. Brien, B. J. White, R. Yep, and D. P. Munoz, "Automated analysis pipeline for extracting saccade, pupil, and blink parameters using video-based eye tracking," *Vision*, vol. 8, no. 1, p. 14, 2024. [Online]. Available: <https://www.mdpi.com/2411-5150/8/1/14>
- [33] K. Holmqvist, M. Nyström, R. Andersson, R. Dewhurst, H. Jarodzka, and J. van de Weijer, *Eye Tracking: A Comprehensive Guide to Methods and Measures*. New York: Oxford University Press, 2011.
- [34] A. T. Duchowski, *Eye Tracking Methodology: Theory and Practice*, 3rd ed. Cham: Springer, 2017.
- [35] N. Hatami, Y. Gavet, and J. Debayle, "Classification of time-series images using deep convolutional neural networks," in *Tenth international conference on machine vision (ICMV 2017)*, vol. 10696. SPIE, 2018, pp. 242–249.
- [36] J.-P. Eckmann, S. O. Kamphorst, and D. Ruelle, "Recurrence plots of dynamical systems," in *Turbulence, Strange Attractors and Chaos*. World Scientific, 1995, pp. 441–445.
- [37] N. Marwan, M. C. Romano, M. Thiel, and J. Kurths, "Recurrence plots for the analysis of complex systems," *Physics reports*, vol. 438, no. 5-6, pp. 237–329, 2007.
- [38] —, "Recurrence plots for the analysis of complex systems," *Physics reports*, vol. 438, no. 5-6, pp. 237–329, 2007.
- [39] M. B. Kennel, R. Brown, and H. D. Abarbanel, "Determining embedding dimension for phase-space reconstruction using a geometrical construction," *Physical review A*, vol. 45, no. 6, p. 3403, 1992.

- [40] W. Burgard, "Artificial intelligence: Key technologies and opportunities," in *The Cambridge Handbook of Responsible Artificial Intelligence*, 2022.
- [41] I. D. Mienye and T. G. Swart, "A comprehensive review of deep learning: Architectures, recent advances, and applications," *Information*, vol. 15, no. 12, p. 755, 2024.
- [42] K. O'shea and R. Nash, "An introduction to convolutional neural networks," *arXiv preprint arXiv:1511.08458*, 2015.
- [43] L. Alzubaidi, J. Zhang, A. J. Humaidi, A. Al-Dujaili, Y. Duan, O. Al-Shamma, J. Santamaría, M. A. Fadhel, M. Al-Amidie, and L. Farhan, "Review of deep learning: concepts, cnn architectures, challenges, applications, future directions," *Journal of big Data*, vol. 8, pp. 1–74, 2021.
- [44] P. Purwono, A. Ma'arif, W. Rahmani, H. I. K. Fathurrahman, A. Z. K. Frisky, and Q. M. ul Haq, "Understanding of convolutional neural network (cnn): A review," *International Journal of Robotics and Control Systems*, vol. 2, no. 4, pp. 739–748, 2022.
- [45] S. Indolia, A. K. Goswami, S. P. Mishra, and P. Asopa, "Conceptual understanding of convolutional neural network-a deep learning approach," *Procedia computer science*, vol. 132, pp. 679–688, 2018.
- [46] S. Albawi, O. Bayat, S. Al-Azawi, and O. N. Ucan, "Social touch gesture recognition using convolutional neural network," *Computational Intelligence and Neuroscience*, vol. 2018, no. 1, p. 6973103, 2018.
- [47] I. D. Mienye and T. G. Swart, "A comprehensive review of deep learning: Architectures, recent advances, and applications," *Information*, vol. 15, no. 12, p. 755, 2024.
- [48] Z. Wan, R. Yang, M. Huang, N. Zeng, and X. Liu, "A review on transfer learning in eeg signal analysis," *Neurocomputing*, vol. 421, pp. 1–14, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0925231220314223>
- [49] M. Tan and Q. Le, "Efficientnet: Rethinking model scaling for convolutional neural networks," in *International conference on machine learning*. PMLR, 2019, pp. 6105–6114.
- [50] Y. Bengio, "Practical recommendations for gradient-based training of deep architectures," *arXiv preprint arXiv:1206.5533*, 2012.
- [51] D. Masters and C. Luschi, "Revisiting small batch training for deep neural networks," *arXiv preprint arXiv:1804.07612*, 2018.
- [52] S. Afaq and S. Rao, "Significance of epochs on training a neural network," *Int. J. Sci. Technol. Res*, vol. 9, no. 06, pp. 485–488, 2020.
- [53] C. Shorten and T. M. Khoshgoftaar, "A survey on image data augmentation for deep learning," *Journal of Big Data*, vol. 6, no. 1, p. 60, 2019.

- [54] H. He and E. A. Garcia, "Learning from imbalanced data," *IEEE Transactions on knowledge and data engineering*, vol. 21, no. 9, pp. 1263–1284, 2009.
- [55] M. Sokolova, N. Japkowicz, and S. Szpakowicz, "Beyond accuracy, f-score and roc: a family of discriminant measures for performance evaluation," in *Australasian joint conference on artificial intelligence*. Springer, 2006, pp. 1015–1021.
- [56] H. Dalianis and H. Dalianis, "Evaluation metrics and evaluation," *Clinical Text Mining: secondary use of electronic patient records*, pp. 45–53, 2018.
- [57] S. Yadav and S. Shukla, "Analysis of k-fold cross-validation over hold-out validation on colossal datasets for quality classification," in *2016 IEEE 6th International conference on advanced computing (IACC)*. IEEE, 2016, pp. 78–83.
- [58] M. Sokolova, N. Japkowicz, and S. Szpakowicz, "Beyond accuracy, f-score and roc: a family of discriminant measures for performance evaluation," in *Australasian joint conference on artificial intelligence*. Springer, 2006, pp. 1015–1021.
- [59] J. Demšar, "Statistical comparisons of classifiers over multiple data sets," *Journal of Machine Learning Research*, vol. 7, pp. 1–30, 2006.
- [60] T. K. Kim, "T test as a parametric statistic," *Korean Journal of Anesthesiology*, vol. 68, no. 6, pp. 540–546, 2015.
- [61] N. M. Razali and Y. B. Wah, "Power comparisons of shapiro-wilk, kolmogorov-smirnov, lilliefors and anderson-darling tests," *Journal of Statistical Modeling and Analytics*, vol. 2, no. 1, pp. 21–33, 2011.
- [62] M. P. Fay and M. A. Proschan, "Wilcoxon–mann–whitney or t-test? on assumptions for hypothesis tests and multiple interpretations of decision rules," *Statistics Surveys*, vol. 4, pp. 1–39, 2010.
- [63] W. J. Conover, *Practical Nonparametric Statistics*, 3rd ed. Wiley, 1998.
- [64] S. García, A. Fernández, J. Luengo, and F. Herrera, "Advanced nonparametric tests for multiple comparisons in the design of experiments in computational intelligence and data mining: Experimental analysis of power," *Information Sciences*, vol. 180, no. 10, pp. 2044–2064, 2010.
- [65] NVIDIA, "Nvidia tesla v100 tensor core gpu," <https://images.nvidia.com/content/volta-architecture/pdf/volta-architecture-whitepaper.pdf>, 2017, diakses dari <https://images.nvidia.com/content/volta-architecture/pdf/volta-architecture-whitepaper.pdf>.
- [66] A. Quattoni and A. Torralba, "Recognizing indoor scenes," in *2009 IEEE Conference on Computer Vision and Pattern Recognition*, 2009, pp. 413–420.
- [67] B. M. Hussein *et al.*, "An empirical study on the correlation between early stopping patience and epochs in deep learning," *Journal of Artificial Intelligence Research*, vol. 79, pp. 123–145, 2024.
- [68] P. Zhou *et al.*, "Towards understanding convergence and generalization of adamw," *arXiv preprint arXiv:2401.12345*, 2024.

- [69] A. Al-Kababji *et al.*, “Scheduling techniques for liver segmentation: Reducelron-plateau vs onecyclelr,” *Biomedical Signal Processing and Control*, vol. 75, p. 103595, 2022.
- [70] M. Sokolova and G. Lapalme, “A systematic analysis of performance measures for classification tasks,” *Information Processing & Management*, vol. 45, no. 4, pp. 427–437, 2009.
- [71] R. Kohavi, “A study of cross-validation and bootstrap for accuracy estimation and model selection,” in *IJCAI*, vol. 14, no. 2, 1995, pp. 1137–1145.
- [72] M. Buda, A. Maki, and M. A. Mazurowski, “A systematic study of the class imbalance problem in convolutional neural networks,” *Neural Networks*, vol. 106, pp. 249–259, 2018.
- [73] B. Efron and R. J. Tibshirani, *An introduction to the bootstrap*. CRC press, 1994.
- [74] H. Yang *et al.*, “Exploring age-related changes in saccades during non-visual cognitive tasks: distinct dynamics of horizontal and vertical saccades,” *Frontiers in Behavioral Neuroscience*, 2024, (published online 2024).
- [75] D. Koevoet, S. van der Stigchel *et al.*, “Effort drives saccade selection,” *eLife*, vol. 13, 2025.
- [76] K. Harezlak, M. Blasiak, and P. Kasprowski, “Biometric identification based on eye movement dynamic features,” *Sensors*, vol. 21, no. 18, p. 6020, 2021.
- [77] S. A. Albelwi, “Deep architecture based on densenet-121 model for weather image recognition,” *International Journal of Advanced Computer Science and Applications (IJACSA)*, vol. 13, no. 10, pp. 559–568, 2022.
- [78] N. Gupta, A. Mittal, and S. Singh, “Feature extraction for remote sensing image classification using variants of deep learning pre-trained models densenet-169, densenet-121 and densenet-201,” *LIB PRO*, vol. 43, no. 2, 2023.