

DAFTAR PUSTAKA

- [1] A. Maulana dan A. Purnomo, “KAJIAN KENYAMANAN TERMAL DAN KENYAMANAN VISUAL BERDASARKAN STANDAR PADA RUANG KULIAH DI PRODI PENDIDIKAN TEKNIK BANGUNAN UNIVERSITAS NEGERI JAKARTA,” vol. 2, 2024.
- [2] N. L. Latifah, *Fisika Bangunan 1*, 1 ed. Jakarta: GRIYA KREASI, 2015.
- [3] Ministry of Energy and Mineral Resources, “Handbook of Energy & Economic Statistics of Indonesia 2024,” Ministry of Energy and Mineral Resources, Republic of Indonesia, Jakarta, Government Report, 2025.
- [4] I. Inayaturrakhman dan A. F. Sudarma, “Analisis Studi Konsumsi Energi Sistem Tata Udara Passive Chilled Beam dan Active Chilled Beam Pada Gedung Perkantoran di Indonesia,” *J. Tek. Mesin*, vol. 12, no. 1, hlm. 101999, Agu 2022, doi: 10.1016/j.seta.2022.101999.
- [5] L. D. Hung Anh dan Z. Pásztor, “An overview of factors influencing thermal conductivity of building insulation materials,” *J. Build. Eng.*, vol. 44, hlm. 102604, Des 2021, doi: 10.1016/j.job.2021.102604.
- [6] S. E. Selkowitz, “Window system design and operation has a major impact on energy use in buildings as well as on occupants’ thermal and visual comfort,” Lawrence Berkeley National Laboratory, Berkeley, CA, Technical Report LBNL-20459, 1986.
- [7] S. A. Moghaddam, C. Serra, M. Gameiro Da Silva, dan N. Simões, “Comprehensive Review and Analysis of Glazing Systems towards Nearly Zero-Energy Buildings: Energy Performance, Thermal Comfort, Cost-Effectiveness, and Environmental Impact Perspectives,” *Energies*, vol. 16, no. 17, hlm. 6283, Agu 2023, doi: 10.3390/en16176283.
- [8] R. Mi dkk., “A Clear, Strong, and Thermally Insulated Transparent Wood for Energy Efficient Windows,” *Adv. Funct. Mater.*, vol. 30, no. 1, Jan 2020, doi: 10.1002/adfm.201907511.
- [9] T. K. Bechgaard, O. Gulbiten, J. C. Mauro, Y. Hu, dan M. Bauchy, “Temperature-Modulated Differential Scanning Calorimetry Analysis of High-Temperature Silicate Glasses”.
- [10] L. K. Hendinata, N. A. Siddiq, S. S. Utami, A. I. R. Fikri, M. A. Suprpto, dan R. Prilia, “Delignified wood biocomposites as sustainable and transparent materials for passive cooling applications,” *Wood Mater. Sci. Eng.*, vol. 19, no. 2, hlm. 291–301, Mar 2024, doi: 10.1080/17480272.2023.2240295.



- [11] A. Seeboth dan D. Löttsch, Ed., *Thermochromic and Thermotropic Materials*, 0 ed. Jenny Stanford Publishing, 2013. doi: 10.1201/b16299.
- [12] Alibaba.com, “35C Colorless to Colored Temperature Activated Powder Thermochromic Pigment Thermo Pigments for Resin Plastic.” [Daring]. Tersedia pada: https://www.alibaba.com/product-detail/35C-Colorless-to-Colored-Temperature-Activated_1601277539587.html
- [13] T. Cheng, K. Cao, Y. Jing, H. Wang, dan Y. Wu, “Transparent and Efficient Wood-Based Triboelectric Nanogenerators for Energy Harvesting and Self-Powered Sensing,” *Polymers*, vol. 16, no. 9, hlm. 1208, Apr 2024, doi: 10.3390/polym16091208.
- [14] M. Li *dkk.*, “Construction and mechanism analysis of flame-retardant, energy-storage and transparent bio-based composites based on natural cellulose template,” *Int. J. Biol. Macromol.*, vol. 263, hlm. 130317, Apr 2024, doi: 10.1016/j.ijbiomac.2024.130317.
- [15] S. Liu *dkk.*, “Self-Densified Optically Transparent VO₂ Thermochromic Wood Film for Smart Windows,” *ACS Appl. Mater. Interfaces*, vol. 13, no. 19, hlm. 22495–22504, Mei 2021, doi: 10.1021/acsami.1c03803.
- [16] S. Liu *dkk.*, “Bioinspired thermochromic transparent hydrogel wood with advanced optical regulation abilities and mechanical properties for windows,” *Appl. Energy*, vol. 297, hlm. 117207, Sep 2021, doi: 10.1016/j.apenergy.2021.117207.
- [17] Y. Du *dkk.*, “Perovskite-Coated Thermochromic Transparent Wood: A Novel Material for Smart Windows in Energy-Efficient and Sustainable Buildings,” *ACS Appl. Mater. Interfaces*, vol. 15, no. 42, hlm. 49665–49677, Okt 2023, doi: 10.1021/acsami.3c11706.
- [18] L. Civan, S. Kurama, E. Ayas, dan Y. Ç. Mutlu, “Control of temperature changes in daily life with thermochromic green pigments,” *Mater. Lett.*, vol. 272, hlm. 127846, Agu 2020, doi: 10.1016/j.matlet.2020.127846.
- [19] R. M. Rowell, Ed., *Handbook of wood chemistry and wood composites*. Boca Raton, Fla.: Taylor & Francis, 2005.
- [20] C. Chen dan L. Hu, “Nanoscale Ion Regulation in Wood-Based Structures and Their Device Applications,” *Adv. Mater.*, vol. 33, no. 28, hlm. 2002890, Jul 2021, doi: 10.1002/adma.202002890.
- [21] P. Li, J. Ren, Z. Jiang, L. Huang, C. Wu, dan W. Wu, “Review on the preparation of fuels and chemicals based on lignin,” *RSC Adv.*, vol. 12, no. 17, hlm. 10289–10305, 2022, doi: 10.1039/D2RA01341J.



- [22] G. Beckham, *Lignin Valorization: Emerging Approaches*, 1st ed. dalam Issn Series. London: Royal Society of Chemistry, The, 2018.
- [23] K. Cheng dan C. Hagiopol, *Natural polyphenols from wood: tannin and lignin -an industrial perspective*. Amsterdam: Elsevier, 2021.
- [24] L. Kron, “Hardwood delignification: Understanding chemistry and mass transport fundamentals,” Licentiate Thesis, Department of Chemistry and Chemical Engineering, Chalmers University of Technology, Gothenburg, Sweden, 2024.
- [25] J. Li, C. Chen, J. Y. Zhu, A. J. Ragauskas, dan L. Hu, “In Situ Wood Delignification toward Sustainable Applications,” *Acc. Mater. Res.*, vol. 2, no. 8, hlm. 606–620, Agu 2021, doi: 10.1021/accountsmr.1c00075.
- [26] H. S. Yaddanapudi, N. Hickerson, S. Saini, dan A. Tiwari, “Fabrication and characterization of transparent wood for next generation smart building applications,” *Vacuum*, vol. 146, hlm. 649–654, Des 2017, doi: 10.1016/j.vacuum.2017.01.016.
- [27] A. AL-AZZAWI, *LIGHT AND OPTICS: principles and practices*. S.l.: CRC PRESS, 2019.
- [28] E. Hecht, *Optics*, 4th ed. San Francisco: Addison-Wesley, 2002.
- [29] F. L. Pedrotti, L. M. Pedrotti, dan L. S. Pedrotti, *Introduction to Optics*., 3 ed. Cambridge University Press, 2017. doi: 10.1017/9781108552493.
- [30] C. Guillén, “Luminous Transmittance and Color Rendering Characteristics of Evaporated Chalcopyrite Thin Films for Semitransparent Photovoltaics,” *Solids*, vol. 5, no. 1, hlm. 98–109, Feb 2024, doi: 10.3390/solids5010007.
- [31] “Ophthalmic optics – Uncut finished spectacle lenses – Part 3: Transmittance specifications and test methods.” International Organization for Standardization, Geneva, Switzerland, Oktober 2013.
- [32] H. Semat dan R. Katz, “Physics [complete work]”.
- [33] C. F. Bohren dan D. R. Huffman, *Absorption and scattering of light by small particles*. dalam A Wiley-Interscience publication. New York: Wiley-CH Verlag GmbH & Co KGaA, 2004. doi: 10.1002/9783527618156.
- [34] M. G. Davies, *Building Heat Transfer*, 1 ed. Wiley, 2004. doi: 10.1002/0470020555.
- [35] V. Bohac, “Thermal properties of materials and their characterization by classic and transient methods,” dalam *2017 11th International Conference on Measurement*, Smolenice, Slovakia: IEEE, Mei 2017, hlm. 53–62. doi: 10.23919/MEASUREMENT.2017.7983535.



- [36] ell Bl, B. Stephen, dan K. M. ell, “Concepts in Thermal Physics”.
- [37] E. Ghanbari, S. J. Picken, dan J. H. Van Esch, “Analysis of differential scanning calorimetry (DSC): determining the transition temperatures, and enthalpy and heat capacity changes in multicomponent systems by analytical model fitting,” *J. Therm. Anal. Calorim.*, vol. 148, no. 22, hlm. 12393–12409, Nov 2023, doi: 10.1007/s10973-023-12356-1.
- [38] Q. Zheng *dkk.*, “Understanding Glass through Differential Scanning Calorimetry,” *Chem. Rev.*, vol. 119, no. 13, hlm. 7848–7939, Jul 2019, doi: 10.1021/acs.chemrev.8b00510.
- [39] A. Raudino, M. G. Sarpietro, dan M. Pannuzzo, “Differential scanning calorimetry (DSC): theoretical fundamentals,” dalam *Drug-Biomembrane Interaction Studies*, Elsevier, 2013, hlm. 127–168. doi: 10.1533/9781908818348.127.
- [40] M. Ferrara dan M. Bengisu, *Materials that Change Color: Smart Materials, Intelligent Design*. dalam SpringerBriefs in Applied Sciences and Technology. Cham: Springer International Publishing, 2014. doi: 10.1007/978-3-319-00290-3.
- [41] R. C. Gonzalez dan R. E. Woods, *Digital image processing*, Fourth edition, Global edition. New York: Pearson, 2017.
- [42] “RECOMMENDATION ITU-R BT.601-7 – Studio encoding parameters of digital television for standard 4:3 and wide-screen 16:9 aspect ratios”.
- [43] Y. Li, Q. Fu, S. Yu, M. Yan, dan L. Berglund, “Optically Transparent Wood from a Nanoporous Cellulosic Template: Combining Functional and Structural Performance,” *Biomacromolecules*, vol. 17, no. 4, hlm. 1358–1364, Apr 2016, doi: 10.1021/acs.biomac.6b00145.
- [44] K. E. O. Foster, R. Jones, G. M. Miyake, dan W. V. Sruhar, “Mechanics, optics, and thermodynamics of water transport in chemically modified transparent wood composites,” *Compos. Sci. Technol.*, vol. 208, hlm. 108737, Mei 2021, doi: 10.1016/j.compscitech.2021.108737.
- [45] P. Terzopoulou, E. C. Vouvoudi, dan D. S. Achilias, “Delignification as a Key Strategy for Advanced Wood-Based Materials: Chemistry, Delignification Parameters, and Emerging Applications,” *Forests*, vol. 16, no. 6, hlm. 993, Jun 2025, doi: 10.3390/fl16060993.
- [46] Y. Murakami *dkk.*, “Color Correction in Whole Slide Digital Pathology,” *Color Imaging Conf.*, vol. 20, no. 1, hlm. 253–258, Jan 2012, doi: 10.2352/CIC.2012.20.1.art00045.



- [47] T. Palomar dan E. Enríquez, “Evaluation of the interaction of solar radiation with colored glasses and its thermal behavior,” *J. Non-Cryst. Solids*, vol. 579, hlm. 121376, Mar 2022, doi: 10.1016/j.jnoncrysol.2021.121376.
- [48] S. Ma, W. Liu, Y. Zhao, Z. Yan, dan N. Gao, “Curing Behavior and Thermal Properties of Autocatalytic Cycloaliphatic Epoxy,” *J. Macromol. Sci. Part A*, vol. 49, no. 1, hlm. 81–84, Jan 2012, doi: 10.1080/10601325.2012.630971.
- [49] C. Montanari, Y. Li, H. Chen, M. Yan, dan L. A. Berglund, “Transparent Wood for Thermal Energy Storage and Reversible Optical Transmittance,” *ACS Appl. Mater. Interfaces*, vol. 11, no. 22, hlm. 20465–20472, Jun 2019, doi: 10.1021/acsami.9b05525.

