

BIBLIOGRAPHY

- Abedian, M. A., Farrokhi, F., & Rasouli, R. (2018). Settlement Evaluation of a Concrete Face Rock-Fill Dam (CFRD) Using a Back-Analysis Method Based on Measurement Results (A Case Study of Siah-Bisheh Dam). *Journal of Engineering and Technological Sciences*, 50(4), 516 – 533. <https://doi.org/10.5614/j.eng.technol.sci.2018.50.4.5>
- Ameratunga, J., Sivakugan, N., & Das, B. M. (2016). *Correlations of Soil and Rock Properties in Geotechnical Engineering*. India: Springer.
- Asadzadeh, M. & Soroush, A. (2009). Direct Shear Testing on a Rockfill Material. *Arabian Journal for Science and Engineering*, 34(2B), 379 – 396. [https://doi.org/10.1061/40862\(194\)19](https://doi.org/10.1061/40862(194)19)
- ASCE/SEI 7-16. (2017). *Minimum Design Loads and Associated Criteria for Buildings and Other Structures*. American Society of Civil Engineers.
- ASTM D2487-11. (2011). *Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System)*. ASTM International.
- ASTM D5519-94. (1994). *Standard Test Method for Particle Size Analysis of Natural and Man-Made Riprap Materials*. ASTM International.
- ASTM D7012-14. (2014). *Standard Test Methods for Compressive Strength and Elastic Moduli of Intact Rock Core Specimens under Varying States of Stress and Temperatures*. ASTM International.
- Balai Keamanan Bendungan. (2008). *Analisis Dinamik Bendungan Urugan*. Jakarta: Direktorat Jenderal Sumber Daya Air.
- Balai Keamanan Bendungan. (2011). *Pedoman Desain dan Konstruksi Bendungan Urugan Batu Membran Beton*. Jakarta: Direktorat Jenderal Sumber Daya Air.
- Barton, N. & Choubey, V. (1977). The Shear Strength of Rock Joints in Theory and Practice. *Rock Mechanics*, 10 (1-2), 1 – 54. <https://doi.org/10.1007/BF01261801>
- Barton, N. & Kjærnsli, B. (1981). Shear Strength of Rockfill. *Journal of the Geotechnical Engineering Division*, 107(7), 873 – 891. <http://doi.org/10.1061/AJGEB6.0001167>
- Barton, N. R. (2008). Shear Strength of Rockfill, Interfaces and Rock Joints, and their Points of Contact in Rock Dump Design. In: Fourie, A. (ed) *Rock Dumps 2008*. *Australian Centre for Geomechanics*, 3 – 17. https://papers.acg.uwa.edu.au/p/802_1_Barton/
- Barton, N. (2016). Non-Linear Shear Strength for Rock, Rock Joints, Rockfill, and Interfaces. *Innovative Infrastructure Solutions*, 1(30), 1 – 19. <http://doi.org/10.1007/s41062-016-0011-1>
- Beene, R. R. W., & Pritchett, E. C. (1985). The R. D. Bailey Dam — A Concrete-Faced, Earth-Rockfill. In J. B. Cooke and J. L. Sherard (Eds.), *Concrete Face Rockfill Dams: Design, Construction, and Performance*. New York: American Society of Civil Engineers, 163 – 172.
- Bieniawski, Z. T. (1993). Classification of Rock Masses for Engineering: The RMR System and Future Trends. *Pergamon Press*, 22, 553 – 572. <https://doi.org/10.1016/B978-0-08-042066-0.50028-8>



- Casinader, R., & Watt, R. E. (1985). Concrete Face Rockfill Dams of The Winneke Project. In J. B. Cooke & J. L. Sherard (Eds.), *Concrete face rockfill dams: Design, construction, and performance*. New York: American Society of Civil Engineers, 140 – 162.
- Chen, S., He, Q., & Cao, J. (2018). Seepage Simulation of High CFRD based on Generalized Equivalent Continuum Model. *Water Science and Engineering*. 11(2), 250–257. <https://doi.org/10.1016/j.wse.2018.10.004>
- Chen, Y., Hu, R., Lu, W., Li, D., & Zhou, C. (2011). Modeling Coupled Processes of Non-Steady Seepage Flow and Non-Linear Deformation for a Concrete Face Rockfill Dam. *Computers and Geotechnics*, 89(13-14), 1333–1351. <https://doi.org/10.1016/j.compstruc.2011.03.012>
- Clements, R. P. (1984). Post-Construction Deformation of Rockfill Dams. *Journal of Geotechnical Engineering*. 110(7), 821 – 840. [https://doi.org/10.1061/\(ASCE\)0733-9410\(1984\)110:7\(821\)](https://doi.org/10.1061/(ASCE)0733-9410(1984)110:7(821))
- Cooke, J. B. (1984). Progress in Rockfill Dams. *Journal Geotechnique Engineering*, 110, 1381–1414. [https://doi.org/10.1061/\(ASCE\)0733-9410\(1984\)110:10\(1381\)](https://doi.org/10.1061/(ASCE)0733-9410(1984)110:10(1381))
- Das, B. M. & Sobhan, K. (2018). *Principles of Geotechnical Engineering, 9th Edition*. Boston: Cengage Learning.
- Fisher, R. V. & Schmincke, H.-U. (1984). *Pyroclastic Rocks*. Springer-Verlag.
- Geostudio. (2024). *Dynamic Earthquake Modeling with GeoStudio*. Calgary: Geo-Slope International Ltd.
- Geostudio. (2015). *Seepage Modeling with Seep/W*. Calgary: Geo-Slope International Ltd.
- Ghanbari, E., Abdolazadeh, N., and Hamidi, A., 2013. A Study of the Rockfill Material Behaviour in Large-Scale Tests. *Civil Engineering Infrastructures Journal*. 46(2), 125 – 143. <https://doi.org/10.7508/cej.2013.02.002>
- Hacelas, J., Ramirez, C. A., & Regalado, G. (1985). Construction and performance of Salvajina Dam. In J. B. Cooke and J. L. Sherard (Eds.), *Concrete face rockfill dams: Design, construction, and performance*. New York: American Society of Civil Engineers, 281 – 300.
- Hardiyatmo, H. C. (2017). *Mekanika Tanah I*. Yogyakarta: Gadjah Mada University Press
- Hardiyatmo, H. C. (2018). *Mekanika Tanah II*. Yogyakarta: Gadjah Mada University Press
- Hunter, G. & Fell, R. (2003). Rockfill Modulus and Settlement of Concrete Face Rockfill Dams. *Journal of Geotechnical and Geoenvironmental Engineering*, 129(10), 909 – 917. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2003\)129:10\(909\)](https://doi.org/10.1061/(ASCE)1090-0241(2003)129:10(909))
- Hoek, E. & Brown, E. T. (1980). Empirical Strength Criterion for Rock Masses. *Journal of the Geotechnical Engineering Division*, 106(9), 1013 – 1035. <https://doi.org/10.1061/AJGEB6.0001029>
- Hoek, E. & Brown, E. T. (1997). Practical Estimates of Rock Mass Strength. *International Journal of Rock Mechanics and Mining Sciences*, 34(8), 1165 – 1186. [https://doi.org/10.1016/S1365-1609\(97\)80069-X](https://doi.org/10.1016/S1365-1609(97)80069-X)
- Hoek, E. & Brown, E. T. (2019). The Hoek–Brown Failure Criterion and GSI – 2018 Edition. *Journal of Rock Mechanics and Geotechnical Engineering*, 11(3), 445 – 463. <https://doi.org/10.1016/j.jrmge.2018.08.001>



- Hoek, E. & Diederichs, M. S. (2006). Empirical Estimation of Rock Mass Modulus. *International Journal of Rock Mechanics and Mining Sciences*, 43, 203 – 215. <https://doi.org/10.1016/j.ijrmms.2005.06.005>
- Hoek, E. (1994). Strength of Rock and Rock Masses. *ISRM News Journal*, 2(2), 4 – 16.
- Hoek, E., Carranza-Torres, C., & Corkum, B. (2002). Hoek-Brown Failure Criterion 2002 Edition. *NARMS-TAC Conference*, 1, 267 – 273.
- Honkanadavar, N. P. & Sharma, K. G. (2016). Modeling the Triaxial Behaviour of Riverbed and Blasted Quarried Rockfill Materials using Hardening Soil Model. *Journal of Rock Mechanics and Geotechnical Engineering*, 8(3), 350 – 365. <https://doi.org/10.1016/j.jrmge.2015.09.007>
- ICOLD. (1993). *Rockfill Dams with Concrete Face Bulletin 92*. Paris: International Commission on Large Dams.
- ICOLD. (2010). *Concrete Face Rockfill Dams Bulletin 141*. Paris: International Commission on Large Dams.
- ICOLD. (2010). *Selecting Seismic Parameters for Large Dams Guidelines Bulletin 168*, Paris: International Commission on Large Dams.
- Kim, Y.-S., Seo, M.-W., Lee, C.-W., & Kang, G.-C. (2014). Deformation Characteristic During Construction and After Impoundment of the CFRD-Type Daegok Dam, Korea. *Engineering Geology*, 178, 1 – 14. <https://doi.org/10.1016/j.enggeo.2014.06.009>
- Kurniawati, T., Suryo, E. A., & Zaika, Y. (2024). Settlement of Dam During and End of Construction using Numerical Analysis. *Rekayasa Sipil*, 18(3), 195 – 201. <https://doi.org/10.21776/ub.rekayasasipil.2024.018.03.4>
- Leps, T. M. (1970). Review of Shearing Strength of Rockfill. *Journal of the Soil Mechanics and Foundations Division*, 96(SM4), 1159 – 1170. <https://doi.org/10.1061/JSFEAQ.0001433>
- Look, B. G. (2014). *Handbook of Geotechnical Investigation and Design Tables, Second Edition*. London: CRC Press.
- Mackenzie, P. R., & McDonald, L. A. (1985). Mangrove Creek Dam: Use of soft rock for rockfill. In J. B. Cooke and J. L. Sherard (Eds.), *Concrete Face Rockfill Dams: Design, Construction, and Performance*. New York: American Society of Civil Engineers, 208–230.
- Mahendra, F. H. M. (2020). Karakteristik Massa Batuan Formasi Kebo-Butak di Kecamatan Gedangsari dan Ngawen, Kabupaten Gunungkidul, Yogyakarta. *Master Thesis*. Gadjah Mada University.
- Makdisi, F. I. & Seed, H. B. (1978). A Simplified Procedure for Estimating Earthquake-Induced Deformations in Dams and Embankments. Report No. UCB/EERC-77/19. *Earthquake Engineering Research Center*. University of California.
- Marsal, R. J. (1969). *Mechanical Properties of Rockfill and Gravel Materials*. Mexico: International Society for Soil Mechanics and Geotechnical Engineering.
- Mittal, S. C., Sayeed, I., Hedge, U. V., & Raja, S. (2021). *Challenges in Execution of Concrete Face Rock-Fill Dams in Emerging Economies*. New Delhi: ICOLD Symposium on Sustainable Development of Dams and River Basins.



- Muliaprasanti, A. A. (2024). Analisis Stabilitas dan Rembesan Bendungan Pengelak (Studi Kasus: Pembangunan Bendungan Bener, Purworejo, Jawa Tengah). *Bachelor Thesis*. Gadjah Mada University.
- Newmark, N. M. (1965). Effects of Earthquakes on Dams and Embankments. *Geotechnique*, 15(2), 139 – 160. <https://doi.org/10.1680/geot.1965.15.2.139>
- Octaviarini, I. S. (2021). Analisis Rembesan dan Stabilitas Lereng untuk Evaluasi Keamanan Bendungan Pidekso. *Bachelor Thesis*. Gadjah Mada University.
- Oldecop, L. A. & Alonso, E. E. (2001). A Model for Rockfill Compressibility. *Geotechnique*, 51(2), 127 – 139. <https://doi.org/10.1680/geot.2001.51.2.127>
- Ozkuzukiran, S., Ozkan, M. Y., Ozyazicioglu, M., & Yildiz, G. S. (2006). Settlement Behaviour of a Concrete Faced Rock-fill Dam. *Geotechnical and Geological Engineering*, 24, 1665 – 1678. <https://doi.org/10.1007/s10706-005-5180-1>
- Pd T-14-2004-A. (2004). *Analisis Stabilitas Bendungan Tipe Urugan Akibat Beban Gempa*. Jakarta: Departemen Permukiman dan Prasarana Wilayah.
- Peng, J., Tang, Z., Xu, C., Hou, D., Huang, Q., & Feng, J. (2022). Determination of Basic Friction Angle of Three Planar Rock Joints. *Arabian Journal of Geosciences*, 15(885), 1 – 10. <https://doi.org/10.1007/s12517-022-10205-3>
- Pratomo, D. A. P., Suharyanto, & Atmojo, P. S. (2021). Deformasi Bendungan Cirata berdasarkan Analisis Data Instrumen Patok Geser. *Jurnal Teknik*, 19(2), 96 – 106. <https://doi.org/10.37031/jt.v19i2.166>
- Quiñones-Rozo, C. (2010). Lugeon Test Interpretation, Revisited. In: Collaborative management of integrated watersheds: *Proceedings of the 30th Annual Conference of the U.S. Society on Dams*. Sacramento, CA, 405 – 414.
- Rahardjo, W., Rumidi, S., and Rosidi, H.M.D. (1995). Peta Geologi Lembar Yogyakarta, Jawa, Pusat Penelitian dan Pengembangan Geologi, Bandung
- Sari, M. (2023). Evaluation of Stability in Rock-Fill Dams by Numerical Analysis Methods: a case study (Gümüşhane-Midi Dam, Türkiye). *Baltica*, 36(2), 89 – 99. <http://doi.org/10.5200/baltica.2023.2.1>
- D, N. D. S. (2020). Analisis Keamanan Bendungan Bener terhadap Aspek Geoteknik. *Bachelor Thesis*. Gadjah Mada University.
- Seed, H. B. & Idriss, I. M. (1970). Soil Moduli and Damping Factors for Dynamic Response Analyses. Report No. EERC 70-10, *Earthquake Engineering Research Center*, University of California.
- Seed, H. B. & Martin, G. R. (1966). The Seismic Coefficient in Earth Dam Design. *Journal of the Soil Mechanics and Foundations Division*, 92(SM3), 25 – 58. <https://doi.org/10.1061/JSFEAQ.0000871>
- Seed, H. B., Wong, R. T., Idriss, I. M., & Tokimatsu, K. (1984). Moduli and Damping Factors for Dynamic Analyses of Cohesionless Soils. Report No. UCB/EERC-84/14, *Earthquake Engineering Research Center*, University of California.
- Seequent Limited. (2022). *Stability Modeling with GeoStudio*. New Zealand: Seequent Limited, The Bentley Subsurface Company.
- Seequent Limited. (2024). *Stress-Strain Modeling with GeoStudio*. New Zealand: Seequent Limited, The Bentley Subsurface Company.



- Sierra, J. M., Ramirez, C. A., & Hacas, J. E. (1985). Design features of Salvajina Dam. In J. B. Cooke and J. L. Sherard (Eds.), *Concrete face rockfill dams: Design, construction, and performance*. New York: American Society of Civil Engineers, 266–280.
- Smesnik, M., Krstic, S., & Verdianz, M., (2019). Determination of Rockfill Shear Parameters for Dam Stability Analysis of an Embankment Dam. In: *Proceedings of the XVII ECSMGE 2019*. <http://doi.org/10.32075/17ECSMGE-2019-0975>
- SNI 1726:2019. (2019). *Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Non Gedung*. Jakarta: Badan Standardisasi Nasional.
- SNI 8062:2015. (2015). *Tata Cara Desain Tubuh Bendungan Tipe Urugan*. Jakarta: Badan Standardisasi Nasional.
- SNI 8064:2016. (2016). *Metode Analisis Stabilitas Lereng Statik Bendungan Tipe Urugan*. Jakarta: Badan Standardisasi Nasional.
- SNI 8065:2016. (2016). *Metode Analisis dan Cara Pengendalian Rembesan Air untuk Bendungan Tipe Urugan*. Jakarta: Badan Standardisasi Nasional.
- SNI 8460:2017. (2017). *Persyaratan Perancangan Geoteknik*. Jakarta: Badan Standardisasi Nasional.
- Tosun, H. (2021). Total Risk and Seismic Stability of Existing Large CFRDs in Turkey. *Proceedings of the 6th International Conference on Civil Structural and Transportation Engineering (ICCSTE'21)*.
- U.S. Department of the Interior, Bureau of Reclamation. (1998). *Earth manual: Part 1, Third edition*. Denver, CO: U.S. Government Printing Office.
- Ulusay, R. & Hudson, J. A. (2007). *The Complete ISRM Suggested Methods for Rock Characterization, Testing and Monitoring: 1974-2006*. International Society for Rock Mechanics.
- Varadarajan, A., Sharma, K. G., Venkatachalam, K., & Gupta, A. K. (2003). Testing and Modeling of Two Rockfill Materials. *Journal of Geotechnical and Geoenvironmental Engineering*, 129(3), 206 – 218. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2003\)129:3\(206\)](https://doi.org/10.1061/(ASCE)1090-0241(2003)129:3(206))
- Westergaard, H. M. (1933). Water Pressures on Dams during Earthquakes. *Transactions of the American Society of Civil Engineers*, 98, 418 – 433. <https://doi.org/10.1061/TACEAT.0004496>
- Xing, H.-F., Gong, X.-N., Zhou, X.-G., & Fu, H.-F. (2006). Construction of concrete-faced rockfill dams with weak rocks. *Journal of Geotechnical and Geoenvironmental Engineering*, 132(6), 778 – 785. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2006\)132:6\(778\)](https://doi.org/10.1061/(ASCE)1090-0241(2006)132:6(778))
- Zhou, W., Hua, J. J., Chang, X. L., & Zhou, C. B. (2011). Settlement Analysis of the Shuibuya Concrete-Face Rockfill Dam. *Computers and Geotechnics*, 38(2), 269 – 280. <https://doi.org/10.1016/j.compgeo.2010.10.004>