



DAFTAR PUSTAKA

- ACLS Training Center. (2024). Hemodynamically Unstable Patients: IV Fluid therapy & Management. ACLS Training Center. Available from: Hemodynamically unstable patients: IV fluid therapy & management (acls.net) [accessed on 15 Okt 2024]
- Akavipat, P., Thinkharmprop, J., Thinkhamprop, B., Sriraj, W. (2019). Acute physiology and chronic health evaluation (APACHE) II score – The clinical predictor in neurosurgical intensive care. (2019). *Acta Clin Croat*, 58(1): 50-56
- Ardiansyah, F., Widyastuti, Y., Jufan, A.Y. (2021). Identifikasi faktor risiko kematian di ICU RSUP Dr Sardjito. *UGM Repository*
- Baggett, K.H. et al. (2024) ‘Acute kidney injury in hospitalized children with proteinuria: A Multicenter retrospective analysis’, *PLOS ONE*, 19(3). doi:10.1371/journal.pone.0298463.
- Bai, J., Li, Y., Zhou, L., Xu, Q. and Wang, X. (2025) ‘Urinary proteinuria as a predictor of acute kidney injury in critically ill patients: diagnostic performance and limitations’, *BMC Pharmacology and Toxicology*, 26(1), pp. 45–53.
- Baskoro, R., & Fitriani, C. (2014). Acute kidney injury sebagai faktor predictor kematian pasien di ICU RSUP Dr Sardjito. *UGM Repository*
- Chang, C., Chien, Y., Kao, M., Lin, H., Chen, Y., Wu, M. (2021). Pre-operative proteinuria, postoperative acute kidney injury and mortality. *Eur J Anaesthesiol*, 38: 702-14
- Charan, J. & Biswas, T. (2013). How to calculate sample size for different designs in medical research? *Indian J Psych Med*, 35(2)
- Chaudri, I., Moffitt, R., Taub, E., Annadi, R.R., Hoai, M., Bolotova, O., Yoo, J., Dhaliwal, S., Sahib, H., Daccuei, F., Hajagos, J., Saltz, M., Saltz, J., Mallipattu, S.K., Koraisly, F.M. (2020). Association of proteinuria and hematuria with acute kidney injury and mortality in hospitalized patients with COVID-19. *Kidney Blood Pres Res*, 45:1018-32



- Chawla, L. S., Eggers, P. W., Star, R. A., & Kimmel, P. L. (2017). Acute kidney injury and chronic kidney disease as interconnected syndromes. *New England Journal of Medicine*, 376(1), 11–20. <https://doi.org/10.1056/NEJMra1611391>
- Chen, T.K., Knicely, D.H. and Grams, M.E. (2019) ‘Chronic Kidney Disease Diagnosis and Management: A Review’, *JAMA*, 322(13), pp. 1294–1304.
- Coca, S., Jammalamadaka, D., Sint, K., Philbrook, H.T., Shlipak, M.G., Zappitelli, M., Devarajan, P., Hashim, S., Garg, A.X., Parikh, C.R. (2012). Preoperative proteinuria predicts acute kidney injury in patients undergoing cardiac surgery. *J Thorac Cardiovasc Surg*, 143:495-502
- D’Aguilar, Sasha-Kay & Skandhan, Amith. (2020). *Proteinuria: A Guide to Diagnosis and Assessment*. 4. 3-9. 10.17140/IMOJ-4-112.
- Dahlan, M.S. (2013). *Statistik untuk Kedokteran untuk Kesehatan: Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi dengan Menggunakan SPSS*. Jakarta: Salemba Medika
- Danziger, J., Chen, K. P., Lee, J., Feng, M., Mark, R. G., Celi, L. A., & Mukamal, K. J. (2016). Obesity, acute kidney injury, and mortality in critical illness. *Crit Care Med*, 44(2), 328–334. <https://doi.org/10.1097/CCM.0000000000001398>
- Darmon, M., Ostermann, M., Cerda, J., Goldstein, S., Kanji, S., Liu, K. D., et al. (2014). Proteinuria in critically ill patients: Incidence, characterization and association with mortality. *Intensive Care Medicine*, 40(3), 346–354. <https://doi.org/10.1007/s00134-013-3186-7>
- Fukuda, H., Koshikawa, M., Hirayama, K., Goto, T. and Fujii, T. (2020) ‘Urinary biomarkers and tubular damage in patients with proteinuria’, *BMC Nephrology*, 21(1), p. 12.
- Golestaneh, L. et al. (2025) ‘Sex, acute kidney injury, and age: A prospective cohort study’, *American Journal of Kidney Diseases*, 85(3). doi:10.1053/j.ajkd.2024.10.003.
- Grams, M. E., Astor, B. C., Bash, L. D., Matsushita, K., Wang, Y., & Coresh, J. (2010). Albuminuria and estimated glomerular filtration rate independently



- associated with acute kidney injury. *JASN*, 21(10), 1757–1764
- Haase, M., Kellum, J.A. and Ronco, C. (2012) ‘Subclinical Aki—an emerging syndrome with important consequences’, *Nature Reviews Nephrology*, 8(12), pp. 735–739. doi:10.1038/nrneph.2012.197.
- Haider, M.Z. & Aslam, A. (2023). *Proteinuria*. Treasure Island (FL): StatPearls Publishing
- Haider, M.Z. (2023) ‘Proteinuria: Etiology’, *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK564390/>
- Hall, J.E. & Hall, M.E. (2021). *Guyton and Hall Textbook of Medical Physiology*. Philadelphia: Elsevier, 14th ed
- Han, S.S. *et al.* (2014) ‘Proteinuria and hematuria are associated with acute kidney injury and mortality in critically ill patients: A retrospective observational study’, *BMC Nephrology*, 15(1). doi:10.1186/1471-2369-15-93.
- Herawati, S. (2023). Proper sampling and analysis of urine. Departemen Patologi Klinis Fakultas Kedokteran Universitas Udayana/RSUP Prof Dr IGNG Ngoerah Denpasar
- Hidayat, H., Pradian, E. and Kestriani, N.D. (2020) ‘Angka Kejadian, Lama Rawat, Dan Mortalitas Pasien acute kidney injury di ICU RSUP dr. Hasan Sadikin Bandung’, *Jurnal Anestesi Perioperatif*, 8(2), pp. 108–118. doi:10.15851/jap.v8n2.2054.
- Hidayat, S., Lubis, H., & Suhardinata, H. (2020). Acute kidney injury in sepsis patients admitted to intensive care unit: Prevalence and outcomes. *Jurnal Kedokteran Indonesia*, 70(3), 112–118.
- Hoste, E. A. J., Bagshaw, S. M., Bellomo, R., Cely, C. M., Colman, R., Cruz, D. N., *et al.* (2015). Epidemiology of acute kidney injury in critically ill patients: The multinational AKI-EPI study. *Intensive Care Medicine*, 41(8), 1411–1423. <https://doi.org/10.1007/s00134-015-3934-7>
- Hu, J., Chen, R., Liu, S., Yu, X., Zou, J., & Ding, X. (2012). Proteinuria and acute kidney injury in severe burns: A cohort study. *Critical Care*, 16(5), R172. <https://doi.org/10.1186/cc11646>
- Hu, J.Y. *et al.* (2012) ‘Relation between proteinuria and acute kidney injury in



- patients with severe burns', *Critical Care*, 16(5). doi:10.1186/cc11649.
- Huang, T. M., Wu, V. C., Young, G. H., Lin, Y. F., Shiao, C. C., Wu, P. C., Li, W. Y., Yu, H. Y., Hu, F. C., Lin, J. W., Chen, Y. S., Lin, Y. H., Wang, S. S., Hsu, R. B., Chang, F. C., Chou, N. K., Chu, T. S., Yeh, Y. C., Tsai, P. R., Huang, J. W., ... (2010). Preoperative proteinuria predicts adverse renal outcomes after coronary artery bypass grafting. *JASN*, 22(1), 156–163. <https://doi.org/10.1681/ASN.2010050553>
- Jiang, W., Chen, Z., Xu, J., et al. (2023) 'Proteinuria is a risk factor for acute kidney injury after cardiac surgery in patients with stages 3-4 chronic kidney disease: a case control study', *BMC Cardiovascular Disorders*, 23, 77.
- Jiang, W., Chen, Z., Xu, J., Luo, Z., Teng, J., Ding, X., Zhao, S., & Xu, X. (2023). Proteinuria is a risk factor for acute kidney injury after cardiac surgery in patients with stages 3–4 chronic kidney disease: A case control study. *BMC Cardiovascular Disorders*, 23(1): 77
- KDIGO GGA. (2012). Kidney International Supplements: KDIGO Clinical Practice Guideline for Acute Kidney Injury. *Int Soc Nephrol*, 2(1)
- KDIGO. (2012) 'Summary of recommendation statements', *Kidney International Supplements*, 2(1), pp. 8–12. doi:10.1038/kisup.2012.7.
- Khuweldi, M.A., Skinner, D.I., Vasconcellos, K. (2020). The incidence and outcomes of patients with acute kidney injury in a multidisciplinary intensive care unit di Durban, South Africa. *SAJCC*, 36(2): 80-84
- Khwaja, A. (2012). KDIGO clinical practice guidelines for acute kidney injury. *Nephron Clinical Practice*, 120(4), c179–c184. <https://doi.org/10.1159/000339789>
- Kidney Disease: Improving Global Outcomes (KDIGO). (2012). KDIGO clinical practice guideline for acute kidney injury. *Kidney International Supplements*, 2(1), 1–138.
- Levey, A.S., Coresh, J., Tighiouart, H., Greene, T., Inker, L.A. (2020). Measured and estimated glomerular filtration rate: Current status and future directions. *Nat Rev Nephrol*, 16(1): 51-64
- Li, S., Chuang, C., Yang, W., Lin, S. (2015). Proteinuria predicts postcardiotomy



- acute kidney injury in patients with preserved glomerular filtration rate. *J Thorac Cardiovasc Surg*, 149: 849-9
- Loutradis, C. *et al.* (2021) 'Acute kidney injury is more common in men than women after accounting for socioeconomic status, ethnicity, alcohol intake and smoking history', *Biology of Sex Differences*, 12(1). doi:10.1186/s13293-021-00373-4.
- Loutradis, C., Pickup, L., Law, J. P., Dasgupta, I., Townend, J. N., Cockwell, P., Sharif, A., Sarafidis, P., & Ferro, C. J. (2021). Acute kidney injury is more common in men than women after accounting for socioeconomic status, ethnicity, alcohol intake and smoking history. *Biol Sex Differ*, 12(1): 30. <https://doi.org/10.1186/s13293-021-00373-4>
- Luft, F. C. (2021). *Biomarkers and predicting acute kidney injury. Acta Physiologica* 231(1), e13479
- Lydia, A., Rebecca, R. V., Sedono, R. and Mansjoer, A. (2020) 'Factors Associated with Mortality of Intensive Care Unit Patients with Acute Kidney Injury at Cipto Mangunkusumo National Central General Hospital', *Acta Medica Indonesiana*, 51(4), p. 324. Available at: <https://actamedindones.org/index.php/ijim/article/view/1366> (Accessed: 4 September 2025).
- Lydia, A., Rebecca, R.V., Sedono, R., Mansjoer. (2019). Factors associated with mortality of intensive care unit patients with acute kidney injury at Cipto Mangunkusumo National Central General Hospital. *Acta Med Indones – Indones J Intern Med*, 51(4)
- Lydia, A., Yuliana, S., & Hidayati, N. (2019). Acute kidney injury in critically ill septic patients: Experience from Hasan Sadikin Hospital. *Indonesian Journal of Internal Medicine*, 51(4), 298–305.
- Makris, K., & Spanou, L. (2016). Acute Kidney Injury: Definition, Pathophysiology and Clinical Phenotypes. *Acute Kidney Injury*.
- Marshall, J., Bosco, L., Adhikari, N.K., Connolly, J.V., Dorman, T., Fowler, R.A., Meyfroidt, G., Nakagawa, S., Pelosi, P., Vincent, J., Vollman, K., Zimmerman, J. (2017). What is an intensive care unit? A report of the task



- force of the World Federation of Societies of Intensive and Critical Care Medicine. *J Crit Care*, 37: 270-276
- Mercado, M., Smith, D., Guard, E.L. (2019). Acute kidney injury: Diagnosis and management. *Am Fam Physician*, 100(11): 687-694
- Neugarten, J., & Golestaneh, L. (2018). *Female sex reduces the risk of hospital-associated acute kidney injury: A meta-analysis. BMC Nephrology*, 19(1), 314. <https://doi.org/10.1186/s12882-018-1122-z> PubMed+1
- Neugarten, J., Sandilya, S., Singh, B., & Golestaneh, L. (2022). *Sex differences in acute kidney injury. Seminars in Nephrology*, 42(3), 208–218. <https://doi.org/10.1016/j.semnephrol.2022.05.006>
- Neyra, J.A. et al. (2015) ‘Association of de Novo Dipstick Albuminuria with severe acute kidney injury in critically ill septic patients’, *Nephron Clinical Practice*, 128(3–4), pp. 373–380. doi:10.1159/000368902.
- Noman, R.N., Gupta, N., Varacallo, M. (2024). *Physiology Albumin*. Treasure Island (FL): StatPearls Publishing
- Ostermann, M. et al. (2024) ‘Biomarkers in acute kidney injury’, *Annals of Intensive Care*, 14(1). doi:10.1186/s13613-024-01360-9.
- Pan, Y. et al. (2024) ‘Animal models of membranous nephropathy: More choices and higher similarity’, *Frontiers in Immunology*, 15. doi:10.3389/fimmu.2024.1412826.
- Pannu, N., Rewa, O., & Bagshaw, S. M. (2019). Proteinuria in critical illness: Mechanisms and clinical relevance. *Nature Reviews Nephrology*, 15(5), 301–315. <https://doi.org/10.1038/s41581-019-0121-9>
- Parikh, C.R., Lu, J.C., Coca, S.G., Devarajan, P. (2010). Tubular proteinuria in acute kidney injury: A critical evaluation of current status and future promise. *Annals of Clinical Biochemistry*, 47: 301-12
- Parikh, C.R., Mansour, S.G. and Coca, S.G. (2023) ‘Clinical application of biomarkers for acute kidney injury: moving toward precision medicine’, *Nature Reviews Nephrology*, 19(2), pp. 110–124.
- Park, S. (2022) ‘Transiently Observed Trace Albuminuria on Urine Dipstick’, *Frontiers in Cardiovascular Medicine*, 2022. Available at:



<https://www.frontiersin.org/articles/10.3389/fcvm.2022.882599/full>

- Pickkers, P., Darmon, M., Hoste, E., Joannidis, M., Legrand, M., Ostermann, M., Prowle, J. R., Schneider, A., & Schetz, M. (2021). Acute kidney injury in the critically ill: An updated review on pathophysiology and management. *Intensive Care Medicine*, 47(8), 835–850
- Post, E.H. & Vincent, J.L. (2018). Renal autoregulation and blood pressure management in circulatory shock. *Crit Care*, 22(81)
- Prasad RM, Bali A, Tikaria R. (2023). *Microalbuminuria*. Treasure Island (FL): StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK563255/> [Accessed on 26 August 2023]
- Ratanasrimetha, Praveen & Quirich, Miguel & Phisitkul, Sorot. (2018). Renal functional reserve. *The Southwest Respiratory and Critical Care Chronicles*. 6. 26. 10.12746/swrccc.v6i25.481.
- Rogers, J., & Cadogan, M. (2023). Dipstick Urinalysis. *Life in The Fastlane*. Available from: <https://litfl.com/dipstick-urinalysis/> [Accessed on 31 March 2024]
- Ronco C, Bellasi A, Di Lullo L. Cardiorenal Syndrome: An Overview. *Adv Chronic Kidney Dis*. 2018 Sep;25(5):382-390. doi: 10.1053/j.ackd.2018.08.004. PMID: 30309455.
- Ronco, C., Bellomo, R., & Kellum, J. A. (2019). Acute kidney injury. *The Lancet*, 394(10212), 1949–1964
- Samimaghani *et al.* (2011) 'Acute Kidney Injury in Intensive Care Unit Incidence, Risk Factors and Mortality Rate', *Saudi Journal of Kidney Diseases and Transplantation*, 22(3), pp. 419–427.
- Schaeffner, E. (2017). Determining the glomerular filtration rate—an overview. *Journal of Renal Nutrition*, 27(6), 375–380.
- Schaub, J.A. & Parikh, C.R. (2016). Biomarkers of acute kidney injury and associations with short- and long-term outcomes. *F1000Research*, 5(F1000 Faculty Rev):986. Available from: <https://doi.org/10.12688/f1000research.7998.1> [accessed on 15 April 2024]



- Sharma, A., Gupta, N., Srivastava, D. (2018). Carotid intima-media thickness, flow-mediated dilatation and proteinuria in patients of human immunodeficiency virus-positive patients: A case-control study. *Fam Med Prim Rev*, 7. 10.4103/jfmpe.jfmpe_34_17.
- Shepherd, E. (2017). Specimen collection 2: obtaining a catheter specimen of urine. *Nursing Times*, 113(8): 29-31
- Sysmex Corporation. (2016). *Fully Automated Urine Chemistry Analyzer UC-3500 General Information*. Japan: Sysmex Corporation
- Tian, Y. *et al.* (2022) 'Dynamic apache II score to predict the outcome of Intensive Care Unit Patients', *Frontiers in Medicine*, 8. doi:10.3389/fmed.2021.744907.
- University of Miami Health System. (2024). *Hemodynamic Instability*. Available from: [https://umiamihealth.org/treatments-and-services/pediatrics/critical-care-\(pediatrics\)/hemodynamic-instability](https://umiamihealth.org/treatments-and-services/pediatrics/critical-care-(pediatrics)/hemodynamic-instability) [accessed on 15 Okt 2024]
- UPTD Pasuruan. (2017). Pengambilan Sampel Darah Vena dengan Spuit. UPTD Kesehatan Puskesmas Raci Kabupaten Pasuruan. Available from: https://pkmraci.pasuruankab.go.id/download/file/8_1_2_1_5_SOP_PENGAMBILAN_SAMPEL_DARAH_VENA.pdf [accessed on 14 April 2024]
- Vaidya, V. S., Ozer, J. S., Dieterle, F., Collings, F. B., Ramirez, V., Troth, S., Muniappa, N., Thudium, D., Gerhold, D., Holder, D. J., Bobadilla, N. A., Marrer, E., Perentes, E., Cordier, A., Vonderscher, J., Maurer, G., Goering, P. L., Sistare, F. D., & Bonventre, J. V. (2010). Kidney injury molecule-1 outperforms traditional *biomarkers* of kidney injury in preclinical *biomarker* qualification studies. *Nature Biotechnology*, 28(5), 478–485
- Wahed, A., & Dasgupta, A. (2015). Monoclonal gammopathy and its detection. *Hematology and Coagulation*, 117–132. doi:10.1016/b978-0-12-800241-4.00007-3
- Wen, Y., Parikh, C.R. (2021). Current concepts and advances in *biomarkers* of acute kidney injury. *Crit Rev Clin Lab Sci*. Jul 4;58(5):354–68.
- Yeter, H.H., Yildirim, T., Eyupoglu, N.D., Pasayev, T., Aslan, A.T. (2019). Mild to moderate proteinuria is a heralding sign for acute kidney injury and



- mortality for intensive care unit patients. *Turk J Med Sci*, 49(2): 543-48
- Yokota, L. G., Sampaio, B. M., Rocha, E. P., Balbi, A. L., Sousa Prado, I. R., & Ponce, D. (2018). Acute kidney injury in elderly patients: narrative review on incidence, risk factors, and mortality. *Int J Nephrol Renovasc Dis*, 11: 217–224. <https://doi.org/10.2147/IJNRD.S170203>
- Zhang, W., Zhang, Y., Zhang, L. et al. (2023) ‘Proteinuria is a risk factor for acute kidney injury after cardiac surgery in patients with stages 3-4 chronic kidney disease’, *BMC Cardiovascular Disorders*, 23, 31. doi:10.1186/s12872-023-03102-4
- Zhou, J., Chen, L.Z., Liu, Y. et al. (2012) ‘Relation between proteinuria and acute kidney injury in patients with severe burns’, *Burns*, 38(8), pp. 1162–1168. doi:10.1016/j.burns.2012.07.015
- Zou, C., Wang, C., Lu, L. (2022). Advances in the study of subclinical AKI biomarkers. *Front Physiol*, 13: 960059