

DAFTAR PUSTAKA

- Azarifar, D., Badalkhani, O., and Abbasi, Y., 2016, Silica-Modified Magnetite Fe₃O₄ Nanoparticles Grafted with Sulfamic Acid Functional Groups: an Efficient Heterogeneous Catalyst for the Synthesis of 3,4-Dihydropyrimidin-2(1H)-one and Tetrahydrobenzo[b]pyran Derivatives, *J. Sulphur Chem.*, 37(6), 656-673.
- Bagherzadeh, M., Haghdoost, M. M., Moghaddam, F. M., Foroushani, B. K., Saryazdi, S., and Payab, E., 2013, Mn (III) Complex Supported on Fe₃O₄ Nanoparticles: Magnetically Separable Nanocatalyst For Selective Oxidation Of Thiols To Disulfides, *J. Coord. Chem*, 66(17), 3025-3036.
- Barbosa, S. L., Ottone, M., Santos, M. C., Junior, G. C., Lima, C. D., Glososki, G. C., Lopes, N. P., and Klein, S. I., 2015, Benzyl Benzoate and Dibenzyl Ether From of Benzoic Acid and Benzyl Alcohol Under Microwave Irradiation Using A SiO₂-SO₃H Catalyst, *Catal. Commun*, 68, 97-100.
- Boltjes, A., and Dömling, A., 2019, The Groebke-Blackburn-Bienaymé Reaction, *Eur. J. Org. Chem*, 2019(42), 7007-7049.
- Campanati, M., Fornasari, G., and Vaccari, A., 2003, Fundamentals in The Preparation of Heterogeneous Catalysts, *Catal. Today*, 77(4), 299-314.
- Chithra, P.G. and Tharayil, N.J., 2008, A Comparative Study Of Bronsted Acidity of Tin Phosphate and Chromotropic Acid Anchored Tin Phosphate, *Orient. J. Chem.*, 24(2), 635-640.
- Demir, A.Y.Ş.E., Topkaya, R. and Baykal, A., 2013, Green Synthesis of Superparamagnetic Fe₃O₄ Nanoparticles with Maltose: Its Magnetic Investigation, *Polyhedron*, 65, 282-287.
- Doustkhah, E., Lin, J., Rostamnia, S., Len, C., Luque, R., Luo, X., Bando, Y., Wu, K. C-W., Kim, H-J., Yamauchi, Y., and Ide, Y, 2019, Development of Sulfonic-Acid-Functionalized Mesoporous Materials: Synthesis and Catalytic Applications, *Chem. Eur. J.*, 25(7), 1614-1635.
- Fang, D., He, F., Liu, X., Qi, K., Xie, J., Li, F., and Yu, C, 2018, Low Temperature NH₃-Scr of No Over An Unexpected Mn-Based Catalyst: Promotional Effect Of Mg Doping, *Appl. Surf. Sci*, 427, 45-55.
- Gholamzadeh, P., Ziarani, G. M., Lashgari, N., Badiiei, A., and Asadiatouei, P., 2014, Silica Functionalized Propyl Sulfonic Acid (SiO₂-Pr-SO₃h): An Efficient Catalyst In Organic Reactions, *J. Mol. Catal. A Chem*, 391, 208-222.
- Hakimi, F., Taghvaei, M., and Golrasan, E., 2023, Synthesis of Benzoxazole Derivatives Using Fe₃O₄@SiO₂-SO₃H Nanoparticles As A Useful and Reusable Heterogeneous Catalyst Without Using A Solvent, *Adv. J. Chem., Sect. A*, 6(2), 188-197.

- Han, X., Ma, C., Wu, Z., and Huang, G., 2016, Zinc Iodide Catalyzed Synthesis Of 3-Aminoimidazo [1,2-A] Pyridines From 2-Aminopyridines and α -Amino Carbonyl Compounds, *Synth*, 48(03), 351-356.
- Harry, N. A., Saranya, S., Ujwaldev, S. M., and Anilkumar, G., 2019, Recent Advances and Prospects In Nickel-Catalyzed C–H Activation, *Catal. Sci. Technol.*, 9(8), 1726-1743.
- Jalani, H.B. and Jeong, J.H., 2022, p-Toluenesulfonic Acid Catalyzed, Isocyanide-Free, Groebke–Blackburn–Bienayme (Gbb) Type Multicomponent Synthesis of 3-Anilino-Imdazo[1,2-a]Pyridines, *J. Heterocycl. Chem*, 59(7),1266-1271.
- Kargar, P. G., Noorian, M., Chamani, E., Bagherzade, G., and Kiani, Z., 2022, Retracted Article: Synthesis, Characterization And Cytotoxicity Evaluation Of A Novel Magnetic Nanocomposite with Iron Oxide Deposited on Cellulose Nanofibers with Nickel (Fe₃O₄@NFC@ONSM-Ni), *RSC adv.*, 11(28), 17413-17430.
- Karimi, F., Tighsazzadeh, B., Asadi, B., Mohammadpoor-Baltork, I., Layeghi, M., Mirkhani, V., Tangestaninejad, S., and Moghadam, M., 2022, 3-(Propylthio) Propane-1-Sulfonic Acid Immobilized on Functionalized Magnetic Nanoparticles As An Efficient Catalyst for One-Pot Synthesis of Dihydropyridinone [1,5-a] Pyrimidine and Tetrahydropyridinone [5,1-b] Quinazolinone Derivatives, *RSC adv*, 12(34), 22180-22187.
- Kunarti, E.S., Roto, R., Pradipta, A.R., and Budi, I.S., 2017, Fe₃O₄/SiO₂/TiO₂ Core-Shell Nanoparticles As Catalyst For Photoreduction of Ag (I) Ions, *Orient. J. Chem.*, 33(4), 1933-1940.
- Kurteva, V., 2021, Recent Progress In Metal-Free Direct Synthesis of Imidazo[1, 2-a]Pyridines, *ACS omega*, 6(51), 35173-35185.
- Lazzarini, A., Colaiezzi, R., Gabriele, F., and Crucianelli, M., 2021, Support–Activity Relationship In Heterogeneous Catalysis for Biomass Valorization and Fine-Chemicals Production, *Materials*, 14(22), 6796.
- Lee, J.S., Myung Cha, J., Young Yoon, H., Lee, J.K. and Keun Kim, Y., 2015, Magnetic Multi-granule Nanoclusters: A Model System That Exhibits Universal Size Effect of Magnetic Coercivity, *Sci. Rep.*, 5, 1-7.
- Li, H., Gao, S., Xie, W. H., He, L. N., and Li, H. R., 2024, Brønsted Acid-Functionalized Silica-Coated Magnetic Catalyst For The Preparation of Polyol Ricinoleates, *Biomass Convers Biorefin*, 14(13), 15061-15068.
- Li, W., Wang, J. and Yang, Y., 2024, Tailoring the Active Species Distribution of Heterogeneous Catalyst for Regulating the Chain Structure of Nascent Polyethylene, *ChemCatChem*, 16(8), 202300812.
- Li, Z., Pan, Z., and Wang, Y., 2020, Preparation of Ternary Amino-Functionalized Magnetic Nano-Sized Illite-Smectite Clay For Adsorption of Pb (II) Ions In Aqueous Solution, *Environ. Sci. Pollut. Res.*, 27, 11683-11696.

- Ma, Ying-Xia, Wen-Jie Shao, Wen Sun, Ya-Lan Kou, Xin Li, and Hai-Peng Yang 2018, One-Step Fabrication of B-Cyclodextrin Modified Magnetic Graphene Oxide Nanohybrids For Adsorption of Pb (Ii), Cu (Ii) and Methylene Blue In Aqueous Solutions, *Appl. Surf. Sci.*, 459, 544-553.
- Maridevaru, M. C., Sorrentino, A., Aljafari, B., and Ananand, S., 2022, Composites for Aqueous-Mediated Heterogeneously Catalyzed Degradation and Mineralization of Water Pollutants On TiO₂-A Review, *J. Compos. Sci.*, 6(11), 350.
- Nemati, F., Heravi, M. M., and Rad, R. S., 2012, Nano-Fe₃O₄ Encapsulated-Silica Particles Bearing Sulfonic Acid Groups As A Magnetically Separable Catalyst For Highly Efficient Knoevenagel Condensation And Michael Addition Reactions of Aromatic Aldehydes With 1,3-Cyclic Diketones, *Chin. J. Catal.*, 33(11-12), 1825-1831.
- Peng, G. W., Ding, D. X., Xiao, F. Z., Wang, X. L., Hun, N., Wang, Y. D., and Cao, Z., 2014, Adsorption of Uranium Ions From Aqueous Solution By Amine-Group Functionalized Magnetic Fe₃O₄ Nanoparticle, *J. Radioanal. Nucl. Chem.*, 301, 781-788.
- Rahmayanti, M., and Santosa, S. J., 2020, Modified Humic Acid From Peat Soils With Magnetite (Ha-Fe₃O₄) By Using Sonochemical Technology For Gold Recovery. *Jurnal Bahan Alam Terbarukan*, 9(2), 81–87.
- Rakić, V., and Damjanović, L., 2013, *Temperature-Programmed Desorption (TPD) Methods. In Calorimetry and Thermal Methods in Catalysis*, Heidelberg: Springer Berlin Heidelberg, Berlin.
- Rostamnia, S., Lamei, K., Mohammadquli, M., Sheykhan, M., and Heydari, A., 2012, Nanomagnetically Modified Sulfuric acid (γ -Fe₂O₃@SiO₂-OSO₃H): An Efficient, Fast, and Reusable Green Catalyst For The Ugi-Like Groebke-Blackburn-Bienaymé Three-Component Reaction Under Solvent-Free Conditions, *Tetrahedron Lett.*, 53(39), 5257-5260.
- Schlögl, R., 2015, Heterogeneous Catalysis, *Angew. Chem., Int. Ed. Engl.*, 54(11), 3465-3520.
- Setianingsih, T., dan Sutarno, 2018, *Prinsip Dasar dan Aplikasi Metode Difraksi Sinar-X untuk Karakterisasi Material*, UB press, Malang.
- Shareef, S., Khizr, M., Sahoo, S. C., and Khan, M. M., 2021, Microwave Assisted Novel One-Pot Three-Component Reaction For Synthesis of 3-Aminoimidazopyridines Using Molecular Iodine, *Tetrahedron Lett.*, 84, 153452.
- Shiri, L., Narimani, H., and Kazemi, M., 2018, Synthesis and Characterization of Sulfamic Acid Supported on Fe₃O₄ Nanoparticles: A Green, Versatile and Magnetically Separable Acidic Catalyst For Oxidation Reactions and Knoevenagel Condensation, *Appl. Organomet. Chem.*, 32(1), 3927.

- Testa, M. L., and La Parola, V., 2021, Sulfonic Acid-Functionalized Inorganic Materials As Efficient Catalysts In Various Applications: A Minireview. *Catal*, 11(10), 1143.
- Villa, S., Riani, P., Locardi, F., and Canepa, F., 2016, Functionalization of Fe₃O₄ NPs By Silanization: Use of Amine (APTES) and Thiol (MPTMS) Silanes and Their Physical Characterization, *Mater*, 9(10), 826.
- Yadav, A., Patil, P., Chandam, D., Jadhav, S., Ghule, A., Hangirgekar, S., and Sankpal, S., 2021, Fe₃O₄@SiO₂-SO₃H-DABCO: A Novel Magnetically Retrievable Bifunctional Catalyst for Ecofriendly Synthesis of Diheteroarylmethanes, *J. Mol. Struct.*, 1245, 130960.
- Yurdakul, Ş., and Badoğlu, S., 2009, FT-IR Spectra, Vibrational Assignments, and Density Functional Calculations of Imidazo[1,2-*a*]Pyridine Molecule and Its Zn (II) Halide Complexes, *Struct. Chem*, 20(3), 423-434.
- Zabeti, M., Daud, W.M.A.W., and Aroua, M.K., 2009, Activity of Solid Catalysts For Biodiesel Production: A review, *Fuel Process. Technol.*, 90(6), 770-777.
- Zeng, Y., Zhou, Y., Kong, L., Zhou, T., and Shi, G., 2013, A Novel Composite of SiO₂-Coated Graphene Oxide and Molecularly Imprinted Polymers For Electrochemical Sensing Dopamine, *Biosens. Bioelectron*, 45, 25-33.