

REFERENCES

- Abdel, S.M., 2017, Microbial biosynthesis, *Food Biosynthesis*, 2, 25-54.
- Abraham, E.P., and Chain, E., 1988, An enzyme from bacteria able to destroy penicillin 1940. *Rev. Infect. Dis.* 10, 677–678.
- Agarwal, G., Chang, L.S., Soejarto, D.D., and Kinghorn, A.D. 2021, Update on phytochemical and biological studies on rocaglate derivatives from *Aglaia* species. *Planta Med.*, 87(12/13), 937-948.
- Awang, K., Loong, X.M., Leong, K.H., Supratman, U., Litaudon, M., Mukhtar, M. R., and Mohamad, K., 2012, Triterpenes and steroids from the leaves of *Aglaia eximia* (Meliaceae), *Fitoterapia*, 83, 1391–1395.
- Aydogan, C., 2020, Liquid chromatography-high resolution mass spectrometry for the analysis of bioactive natural products, *Stud. Nat. Prod. Chem.*, 66, 331-353.
- Bartlett, J.G., Gilbert, D.N., and Spellberg, B., 2013, Seven ways to preserve the Miracle of antibiotics, *Clin. Infect. Dis.* 56, 1445–1450.
- Brader, G., Vajrodaya, S., Greger, H., Bacher, M., Kalchhauser, H., and Hofer, O., 1998, Bisamides, lignans, triterpenes, and insecticidal cyclopenta benzofurans from *Aglaia* species, *Natural Products*, 61, 1482–1490.
- Bueno, P.L., Still, P.C., Naman, C.B., Ren, Y., Pan, L., and Chai, H.B., 2014, Investigation of Vietnamese plants for potential anticancer agents, *Phytochem. Rev.*, 13, 727–739.
- Christopher, J.L., 2022, Global burden of bacterial antimicrobial resistance, *Antimicrobial Resistance Collaborators*, 399, 629-655.
- Cooper, M.A., and Shlaes, D., 2011, Fix the antibiotics pipeline, *Nature* 472, 32.
- Dalimunthe, A., Hasibuan, P.A.Z., Nufus, H., Muhammad, M., and Satria, D., 2022, Antioxidant activity of alkaloid fractions and compounds from *Litsea cubeba* Lour. Fruits. Rasayan, *J. Chem.*, 15, 1553–1556.
- Dhey, A.K., Andriani, E.R., Mardawati, B., Annisa, B.N., Kristiana, R., Permatasari, V., and Haryadi, W., 2023, Isolation and activity test of antioxidant, antibacterial, and cytotoxic compounds from the stem bark of *Aglaia foveolata* Pannell, *Pharmacia*, 70, 1329-1334.
- Haris, M., and Shakeel, A., 2021, Sustainable crop production and improvement through bio-prospecting of fungi, *Fungi Sus. Agri. Envi.*, 16, 407-428.
- Harneti, D., and Supratman, U., 2021, Phytochemistry and biological activities of *Aglaia* species, *Phytochemistry*, 181.

- Huang, P.Q., Deng, J.W., and Li, Y., 2022, Terpenoids from the twigs and leaves of *Aglaia elaeagnoidea* and their chemotaxonomic significance, *Biochemical Systematics and Ecology*, 103.
- Hu, J., Li, G.F., Xu, F.M., Li, Q., Lv, T., Peng, T.F., and Gong, W., 2024, Antibacterial lanostane triterpenoids from *Ganoderma tsugae*, *J. Asian Nat. Prod. Res.*, 26(5), 541-547.
- Johnson, A.P., 2011, Methicillin-resistant *Staphylococcus aureus*: The European landscape, *J. Antimicrob. Chemother.* 66, 43–48.
- Killewo, J., and Bazeyo, W., 2025, Historical and Future Perspectives of One Health University Networks, *Int. Ency. Pub.*, 6, 712-724.
- Kumarasamy, K.K., 2010, Emergence of a new antibiotic resistance mechanism in India, Pakistan, and the UK: A molecular, biological, and epidemiological study, *Lancet Infect. Dis.* 10, 597–602.
- Ma, C., Lu, J., Ren, M., Wang, Q., Li, C., Xi, X., & Liu, Z., 2023, Rapid identification of α -glucosidase inhibitors from *Poria* using spectrum-effect, component knock-out, and molecular docking technique, *Front. Nutr.*, 10, 1089829.
- Müller, R., and Wink, J., 2014, Future potential for anti-infectives from bacteria - How to exploit biodiversity and genomic potential, *Int. J. Med. Microbiol.* 304, 3–13.
- Newman, D.J., and Cragg, G.M., 2020, Natural Products as Sources of New Drugs over the Nearly Four Decades from 01/1981 to 09/2019, *J. Nat. Prod.* 83, 770–803.
- Nkanwen, E.R.S., Gojayev, A.S., Wabo, H.K., Bankeu, J.J.K., Iqbal, M.C., Guliyev, A.A., and Tane, P., 2013, Lanostane-type triterpenoid and steroid from the stem bark of *Klainedoxa gabonensis*, *Fitoterapia*, 86, 108-114.
- Noorjahan, A., and Aiyamperumal, B., 2021, Fungal endophytes from seaweeds and bio-potential applications in agriculture, *Sus. Agri. Env. Nanotech.*, 3, 83-95.
- Pan, L., Acuña, U.M., Li, J., Jena, N., Ninh, T.N., Pannell, C.M., Chai, H., Fuchs, J.R., Soejarto, D.D., and Kinghorn, A.D., 2013, Bioactive flavaglines and other constituents isolated from *Aglaia perviridis*, *J. Nat. Prod.*, 76, 394–404.
- Permatasari, V., Prastya, M.E., Mozef, T., Primahana, G., Sujarwo, W., Rahayu, S., 2023, Antioxidant and cytotoxic activities of various Meliaceae plants

extract, *Proceedings of the 1st International Conference for Health Research – BRIN (ICHR 2022)*, 300–311.

- Ranjbar, R., and Alam, M., 2023, Antimicrobial Resistance Collaborators 2022, Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis, *EBN 2024.*, 27, 16.
- Read, A.F., and Woods, R.J., 2014, Antibiotic resistance management, *Evol. Med. Public Health*, 2014, 147.
- Roux, D., Martin, M.T., Adeline, M.T., and Sevenet, T., 1998, Foveolins A and B, dammarane triterpenes from *Aglaia foveolata*, *Phytochemistry*, 49, 1745–1748.
- Salim, A.A., Chai, H.B., Rachman, I., Riswan, S., Kardono, L.B.S., Farnsworth, N.R., Carcache-Blanco, E.J., and Kinghorn, A.D., 2007, Constituents of the leaves and stem bark of *Aglaia foveolata*, *Tetrahedron*, 63, 7926–7934.
- Schulz, G., Victoria, C., Kirschning, A., and Steinmann, E., 2021, Rocaglamide and silvestrol: A long story from anti-tumor to anti-coronavirus compounds, *Natural Product Reports*, 38, 18–23.
- Sianturi, J., Farabi, K., Mayanti, T., Harneti, D., Darwati, D., Supratman, U., Awang, K., and Hayashi, H., 2016, Antioxidant constituents from the bark of *Aglaia eximia* (Meliaceae). *Makara Journal of Science*, 20.
- Spellberg, B., and Gilbert, D.N., 2014, The future of antibiotics and resistance: A tribute to a career of leadership by John Bartlett, *Clin. Infect. Dis.* 59, S71–S75.
- Sunan, W., 2024, Functional ingredients of manuka honey, *Food Chem.*, 440.
- Vaishnav, P., and Demain, A.L., 2011, Unexpected applications of secondary metabolites, *Biotech. Adv.*, 29, 223–229.
- Wang, Z., 2024, Effect of monosaccharide composition and proportion on the bioactivity of polysaccharides, *Biological Macromolecule*, 254.