

## REFERENCES

1. Betalli, P. and Davenport, M. (2019) 'Biliary atresia and other congenital disorders of the extrahepatic biliary tree', in D'Antiga, L. (ed.) *Pediatric Hepatology and Liver Transplantation*. Cham: Springer International Publishing, pp. 129–144. Available at: [https://doi.org/10.1007/978-3-319-96400-3\\_7](https://doi.org/10.1007/978-3-319-96400-3_7).
2. Bezerra, J.A., Wells, R.G., Mack, C.L., Pizarro, C., O'Connell, M., and Harpavat, S. (2018) 'Biliary atresia: Clinical and research challenges for the twenty-first century', *Hepatology*, 68(3), pp. 1163–1173.
3. Bijl, E.J., Houwen, R.H.J., and Verkade, H.J. (2013) 'The long-term outcome of the Kasai operation in patients with biliary atresia: A systematic review', *Netherlands Journal of Medicine*, 71(4), pp. 170–173.
4. Degtyareva, A., Kurbatova, O., Nefedova, N., and Valitova, E. (2020) 'Long-term effects of Kasai portoenterostomy for biliary atresia treatment in Russia', *Diagnostics*, 10(9), p. 686.
5. Dewi, G., Salekede, S.B., Putri, S.H., Pelupessy, N.M., Ikhsan, M., and Laompo, A. (2024) 'Biliary atresia with cytomegalovirus infection, congenital heart disease and pneumonia: A case report', *Green Medical Journal*, 6(1), pp. 15–26. Available at: <https://doi.org/10.33096/gmj.v6i1.137>.
6. Feldman, A.G. and Mack, C.L. (2012) 'Biliary atresia: Cellular dynamics and immune dysregulation', *Seminars in Pediatric Surgery*, 21(3), pp. 192–200. Available at: <https://doi.org/10.1053/j.sempedsurg.2012.05.003>.
7. Fischler, B., Ehrnst, A., Forsgren, M., Orvell, C., Nemeth, A., and Browaldh, L. (1998) 'Cytomegalovirus DNA detection in the liver of infants with neonatal cholestasis', *Journal of Pediatric Gastroenterology and Nutrition*, 27(4), pp. 487–492.
8. Gad, E.H., Lotfy, W., and Basha, S.A. (2021) 'Short- and long-term outcomes after Kasai operation for type III biliary atresia: Twenty years of experience in a single tertiary Egyptian center—a retrospective cohort study', *Annals of Medicine and Surgery*, 62, pp. 302–314. Available at: <https://doi.org/10.1016/j.amsu.2021.01.052>.

9. Govindarajan, K.K. (2016) 'Biliary atresia: Where do we stand now?', *World Journal of Hepatology*, 8(36), pp. 1593–1601.
10. Gunadi, W., Mardhiah, M., Prasetya, D., Nurhayati, E. and Hartono, G. (2018) 'Liver transplant score for prediction of biliary atresia patients' survival following Kasai procedure', *BMC Research Notes*, 11(1), p. 381. Available at: <https://doi.org/10.1186/s13104-018-3498-z>.
11. Gunadi, W., Prasetya, D., Mardhiah, M., Nurhayati, E. and Hartono, G. (2020) 'Histopathological findings for prediction of liver cirrhosis and survival in biliary atresia patients after Kasai procedure', *Diagnostic Pathology*, 15(1), p. 79. Available at: <https://doi.org/10.1186/s13000-020-00996-y>.
12. Hartley, J.L., Davenport, M. and Kelly, D.A. (2009) 'Biliary atresia', *The Lancet*, 374(9702), pp. 1704–1713. Available at: [https://doi.org/10.1016/S0140-6736\(09\)60946-6](https://doi.org/10.1016/S0140-6736(09)60946-6).
13. Khayat, A., Alamri, A.M. and Saadah, O.I. (2021) 'Outcomes of late Kasai portoenterostomy in biliary atresia: a single-center experience', *The Journal of International Medical Research*, 49(5), p. 03000605211012596. Available at: <https://doi.org/10.1177/03000605211012596>.
14. Kodo, K., Sakamoto, K., Imai, T., Ota, T., Miyachi, M., Mori, J., Chiyonobu, T., Imura, T. and Hosoi, H. (2018) 'Cytomegalovirus-associated biliary atresia', *Journal of Pediatric Surgery Case Reports*, 35(February), pp. 17–20. Available at: <https://doi.org/10.1016/j.epsc.2018.02.002>.
15. Kumaheri, M.A. and Oswari, H. (2017) 'The association between biliary atresia and cytomegalovirus infection', *EJournal Kedokteran Indonesia*, 5(2). Available at: <https://doi.org/10.23886/ejki.5.7242>.
16. Lakshminarayanan, B. and Davenport, M. (2016) 'Biliary atresia: A comprehensive review', *Journal of Autoimmunity*, 73, pp. 1–9. Available at: <https://doi.org/10.1016/j.jaut.2016.06.005>.
17. Munghate, G., Anand, S., Bhatnagar, V., Agarwala, S. and Gupta, S.D. (2022) 'Impact of cytomegalovirus infection on short-term clinical outcomes and operative histopathology in infants with biliary atresia: A single-center

- prospective cohort study’, *Journal of Indian Association of Pediatric Surgeons*, 27, pp. 441–447. Available at: <https://doi.org/10.4103/jiaps.JIAPS>.
18. Muthukanagarajan, Shenbagam Jeevakarunyam. “Diagnostic and Prognostic Significance of Various Histopathological Features in Extrahepatic Biliary Atresia.” *JOURNAL of CLINICAL and DIAGNOSTIC RESEARCH*, 2016, <https://doi.org/10.7860/jcdr/2016/19252.8035>
  19. Obayashi, J., Shiraki, K., Kakinoki, N., et al. (2016) ‘Relation between amount of bile ducts in portal canal and outcomes in biliary atresia’, *Pediatric Surgery International*, 32(9), pp. 833–838.
  20. Obayashi, J., Shiraki, K., Kakinoki, N., et al. (2017) ‘Prognostic factors indicating survival with native liver after Kasai procedure for biliary atresia’, *Pediatric Surgery International*, 33(10), pp. 1047–1052.
  21. Petersen, C., Ure, B.M., Schweizer, P., et al. (2006) ‘Detection of cytomegalovirus DNA in liver tissue of infants with extrahepatic biliary atresia’, *Journal of Pediatric Gastroenterology and Nutrition*, 43(5), pp. 624–630.
  22. Pinzón-Salamanca, J.Y., Martínez-Camacho, A.V., Castilla-Bolaños, C., et al. (2021) ‘Cytomegalovirus-associated biliary atresia: Case report’, *Revista Colombiana de Gastroenterología*, 36(5), pp. 63–66. Available at: <https://doi.org/10.22516/25007440.576>.
  23. Sato, K., Marzioni, M., Meng, F., Francis, H., Glaser, S. and Alpini, G. (2017) ‘Ductular reaction in liver diseases: pathological mechanism and translational significances’, *HHS Public Access*, 1(3), pp. 139–148. Available at: <https://doi.org/10.1002/hep.30150.Ductular>.
  24. Sokol, R.J., Shepherd, R.W. and Superina, R. (2003) ‘Biliary atresia: Clinical update and outcomes’, *Journal of Pediatric Gastroenterology and Nutrition*, 37(4), pp. 401–405. Available at: <https://doi.org/10.1097/00005176-200310000-00007>. Shen, C., et al. (2020). "Cytomegalovirus infection in infants with biliary atresia: Impact on the outcome after Kasai portoenterostomy." *Journal of Pediatric Surgery*, 55(1), 130-136.

25. Sira, M., Sira, A. and Salem, T. A. H. (2013) 'Biliary Atresia: A Challenging Diagnosis', *Global Journal of Gastroenterology & Hepatology*, 1(1).
26. Situmorang, L., Setyoboedi, B., Mastutik, G., & Arief, S. (2020). Infection of Cytomegalovirus with Biliary Atresia. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 26(2), 175–181. <https://doi.org/10.24293/ijcpml.v26i2.1496>
27. Theola, J., Jason, J., Catrawardhana, P., Ashadi, D. A. N., & Oswari, H. (2023). Pengaruh Atresia Bilier Terhadap Perkembangan Fungsi Kognitif dan Motor pada Anak: Sebuah Tinjauan Sistematis. *Journal Of The Indonesian Medical Association*, 73(1), 25–34. <https://doi.org/10.47830/jinma-vol.73.1-2023-934>
28. Vij, M. and Rela, M. (2020) 'Biliary atresia: pathology, etiology and pathogenesis', *Future Science OA*, 6(5), p. FSO466. Available at: <https://doi.org/10.2144/fsoa-2019-0153>.
29. Xie, M., et al. (2021). "The role of cytomegalovirus in the pathogenesis of biliary atresia: Evidence from liver biopsy samples." *Pediatric Research*, 89(4), 825-831.
30. Yudhananto, Bagus Amartya, et al. (2023) "Perbandingan Kolangitis Pasien Atresia Bilier Dengan Dan Tanpa Infeksi Cmv Pasca Operasi Kasai." *Ugm.ac.id*, 2023, [etd.repository.ugm.ac.id/penelitian/detail/228427](http://etd.repository.ugm.ac.id/penelitian/detail/228427).
31. Zani, A. et al. (2015) 'Cytomegalovirus-associated biliary atresia: An aetiological and prognostic subgroup', *Journal of Pediatric Surgery*, 50(10), pp. 1739–1745. Available at: <https://doi.org/10.1016/j.jpedsurg.2015.03.001>.
32. Zhao, Y. et al. (2021) 'Prognosis of Biliary Atresia Associated With Cytomegalovirus: A Meta-Analysis', *Frontiers in Pediatrics*, 9. Available at: <https://www.frontiersin.org/article/10.3389/fped.2021.710450>.