

DAFTAR PUSTAKA

- Adejumo, O.A., Edeki, I.R., Oyedepo, D.S., Yisau, O.E., Ige, O.O., Ekrikpo, I.U. *et al.* (2024) 'The prevalence and risk of mortality associated with intradialytic hypertension among patients with end-stage kidney disease on haemodialysis: A systematic review and meta-analysis', *PLOS ONE*, 19(6). doi:10.1371/journal.pone.0304633.
- Abegaz, T.M., Shehab, A., Gebreyohannes, E.A., Bhagavathula, A.S. and Elnour, A.A. (2017) 'Nonadherence to antihypertensive drugs', *Medicine*, 96(4). doi:10.1097/md.0000000000005641.
- Ahmad, A., Khan, A.R., Mustafa, G., and Khan, M.U. (2002) 'The frequency of complication during haemodialysis', *Pakistan J. Med. Res.* 41.3-11
- Alfi, W.N. and Yuliwar, R. (2018) 'The relationship between sleep quality and blood pressure in patients with hypertension', *Jurnal Berkala Epidemiologi*, 6(1), pp. 18–26. doi:10.20473/jbe.v6i12018.18-26.
- Armiyati, Y. (2012) 'Hipotensi dan Hipertensi Intradialitik pada Pasien *Chronic Kidney Disease* (CKD) saat Menjalani Hemodialisis di RS PKU Muhammadiyah Yogyakarta'.
- Armiyati, Y., Hadisaputro, S., Chasani, S. and Sujianto, U. (2021) 'Factors contributing to intradialytic hypertension in hemodialysis patients', *South East Asia Nursing Research*, 3(2), pp. 73–80. doi:10.26714/seanr.3.2.2021.73-80.
- Dahlan, M.S. (2011) *Statistik untuk Kedokteran dan Kesehatan*. 5th edn. Jakarta, Indonesia: Penerbit Salemba Medika (1).
- Dahlan, M.S. (2019) *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan*. 5th edn. Jakarta, Indonesia: Epidemiologi Indonesia (2).
- Dalal, R., Bruss, Z.S. and Sehdev, J.S. (2023) *Physiology, renal blood flow and filtration*, *StatPearls [Internet]*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK482248/> (Accessed: 19 May 2024).
- DeMers, D. and Wachs, D. (2023) *Physiology, Mean Arterial Pressure*, *StatPearls [Internet]*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK538226/> (Accessed: 05 August 2024).
- Dewi, A. and Widiana, I.G.R. (no date) 'Prevalence and Risk Factor Intradialytic Hypertension in CKD Patients with Regular Haemodialysis in Sanglah Hospital', *Repository UNUD*.

- Dewi, Y., Pujiastuti, T.T. and Maria, A. (2022) 'Hubungan interdialytic weight gain (IDWG) Dengan Hipertensi Intradialisis Pada Pasien Yang Menjalani hemodialisis', *Jurnal Keperawatan Klinis dan Komunitas (Clinical and Community Nursing Journal)*, 6(3), p. 156. doi:10.22146/jkkk.75309.
- Diakit , F., Balde, M.S., Kone, A., Traore, M., Cherif, I., Bah, A.B., Diaby, M.T., Bah, A.O. and Kaba, M.L. (2020) 'Intradialytic hypertension and associated factors in chronic hemodialysis at the National Hemodidiadiasis Center in Donka, Guinea', *Open Journal of Nephrology*, 10(01), pp. 34–42. doi:10.4236/ojneph.2020.101005.
- Eftimovska-Otovic, N., Grozdanovski, R. and Taneva B. (2015) 'Clinical characteristics of patients with intradialytic hypertension', *PRILOZI*, 36(2), pp. 187–193. doi:10.1515/prilozi-2015-0066.
- Flythe, J.E., Chang, T.I., Gallagher, M.P., Lindley, E., Madero, M., Sarafidis, P.A. et al. (2020) 'Blood pressure and volume management in dialysis: Conclusions from a kidney disease: Improving global outcomes (KDIGO) controversies conference', *Kidney International*, 97(5), pp. 861–876. doi:10.1016/j.kint.2020.01.046.
- Georgianos, P.I., Sarafidis, P.A. and Zoccali, C. (2015) 'Intradialysis hypertension in end-stage renal disease patients', *Hypertension*, 66(3), pp. 456–463. doi:10.1161/hypertensionaha.115.05858.
- Grassmann, A., Gioberge, S., Moeller, S., and Brown, G. (2005) 'ESRD patients in 2004: Global overview of patient numbers, treatment modalities and associated trends', *Nephrology Dialysis Transplantation*, 20(12), pp. 2587–2593. doi:10.1093/ndt/gfi159.
- Hall, J.E. and Guyton, A.C. (2011) *Guyton and Hall Textbook of Medical Physiology*. 12th edn. Philadelphia, Pa, United States: Saunders/Elsevier.
- Handayani, D., Untari, E.K. and Nurmainah (2015) 'Profil Dosis Antihipertensi dalam Mencegah Hipertensi Intradialitik pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis Di RSI Yarsi Pontianak', *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 3(1).
- Hashmi, M.F., Benjamin, O. and Lappin, S.L. (2023) *End-stage renal disease, StatPearls [Internet]*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK499861/> (Accessed: 23 May 2024).
- Hustrini, N.M., Susalit, E. and Rotmans, J.I. (2022) 'Prevalence and risk factors for chronic kidney disease in Indonesia: An analysis of the national basic health survey 2018', *Journal of Global Health*, 12. doi:10.7189/jogh.12.04074.

- Iatridi, F., Theodorakopoulou, M.P., Karpetas, A., Sgouropoulou, V., Georgiou, A., Karkamani, E. *et al.* (2023) ‘Association of intradialytic hypertension with future cardiovascular events and mortality in hemodialysis patients: Effects of Ambulatory Blood Pressure’, *American Journal of Nephrology*, 54(7–8), pp. 299–307. doi:10.1159/000531477.
- Iatridi, F., Theodorakopoulou, M.P., Papagianni, A., Sarafidis, P. (2022) ‘Intradialytic hypertension: Epidemiology and pathophysiology of a silent killer’, *Hypertension Research*, 45(11), pp. 1713–1725. doi:10.1038/s41440-022-01001-3.
- If, I.A.O.N.P. (2017) *Hubungan Laju Ultrafiltrasi dengan Kejadian Hipertensi Intradialitik pada Pasien Penyakit Ginjal Kronik Stadium V di RSD Dr. Soebandi Jember*, Digital Repository Universitas Jember. thesis.
- Inrig, J.K. (2010) ‘Intradialytic hypertension: A less-recognized cardiovascular complication of hemodialysis’, *American Journal of Kidney Diseases*, 55(3), pp. 580–589. doi:10.1053/j.ajkd.2009.08.013.
- Inrig, J.K., Oddone, E.Z., Hasselblad, V., Gillespie, B., Patel, U.D., Reddan, D. *et al.* (2007a) ‘Association of intradialytic blood pressure changes with hospitalization and mortality rates in prevalent ESRD patients’, *Kidney International*, 71(5), pp. 454–461. doi:10.1038/sj.ki.5002077.
- Inrig, J.K., Patel, U.D., Gillespie, B.S., Hasselblad, V., Himmelfarb, J., Reddan, D., *et al.* (2007b) ‘Relationship between interdialytic weight gain and blood pressure among prevalent hemodialysis patients’, *American Journal of Kidney Diseases*, 50(1). doi:10.1053/j.ajkd.2007.04.020.
- Inrig, J.K., Patel, U.D., Toto, R.D. and Szczech, L.A. (2009) ‘Association of Blood Pressure Increases During Hemodialysis With 2-Year Mortality in Incident Hemodialysis Patients: A Secondary Analysis of the Dialysis Morbidity and Mortality Wave 2 Study’, *American Journal of Kidney Diseases*, 54(5), pp. 881–890.
- International Society of Nephrology (2013) ‘Chapter 1: Definition and classification of CKD’, *Kidney International Supplements*, 3(1), pp. 19–62. doi:10.1038/kisup.2012.64.
- International Society of Nephrology (2023) ‘Global Kidney Health Atlas’.
- Japar, K.V., Waren, K., Wibisono, P., Vatvani, A.D., Lam, P.P., and Lemuel, T.A.Y. (2017) ‘Intradialytic Hypertension in Indonesian End Stage Renal Disease Patients: Prevalence and Clinical Characteristics’, *Nephrology Dialysis Transplantation*, 32(suppl_3), p. iii359. doi:10.1093/ndt/gfx154.sp659.

- Kale, G., Mali, M., Bhangale, A., Somani, J. and Jeloka, T. (2020) 'Intradialytic hypertension increases non-access related hospitalization and mortality in maintenance hemodialysis patients', *Indian Journal of Nephrology*, 30(2), pp. 85–90. doi:10.4103/ijn.ijn_153_19.
- Kartika, G., Suprapti and Irfannuddin (2019) 'Incidence and characteristics intradialytic hypertension among chronic hemodialysis patients caused by chronic kidney failure at RSMH Palembang period November 2018', *Majalah Kedokteran Sriwijaya*, 51(1), pp. 39–46. doi:10.32539/mks.v51i1.8556.
- Kementerian Kesehatan Republik Indonesia (2018) 'Hasil Utama Riset Kesehatan Dasar 2018'.
- Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/1634/2023 tentang Pedoman Nasional Pelayanan Kedokteran Tatalaksana Penyakit Ginjal Kronik.
- Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/4634/2021 tentang Pedoman Nasional Pelayanan Kedokteran Tatalaksana Hipertensi Dewasa.
- Lestari, N.K.Y. and Saraswati, N.L.G.I. (2020) 'Hubungan antara Interdialytic Weight Gain dengan Perubahan Tekanan Darah Intradialisis pada Pasien Chronic Kidney Diseases', *Jurnal Ilmu Keperawatan Medikal Bedah*, 3(1), pp. 32–45.
- Levin, N.W., Kotanko, P., Eckardt, K.U., Kasiske, B.L., Chazot, C., Cheung, A.K. *et al.* (2010) 'Blood pressure in chronic kidney disease stage 5D—report from a kidney disease: Improving global outcomes controversies conference', *Kidney International*, 77(4), pp. 273–284. doi:10.1038/ki.2009.469.
- Maghfiroh, A. and Togatorop, L.B. (2024) 'THE RELATIONSHIP OF INTERDIALYTIC WEIGHT GAIN IS ASSOCIATED WITH INTRADIALYSIS HYPERTENSION IN HEMODIALYSIS PATIENTS', *Indonesian Journal of Global Health Research*, 6(6), pp. 4317–4326. doi:10.37287/ijghr.v6i6.4234.
- Markum, H.M.S. (2014) 'Gangguan Ginjal Akut', in *Buku Ajar Ilmu Penyakit Dalam*. 6th edn. Jakarta Pusat, Indonesia: InternaPublishing, pp. 2166–2175.
- Mazaya, S.S., Rifkia, V. and Chairani, A. (2020) 'Perbandingan Penurunan Tekanan Darah Pasien Hipertensi intradialisis dengan obat antihipertensi Amlodipin Dan Kaptopril di RS bhayangkara TK. I R. Said Sukanto', *Jurnal Farmasi Udayana*, 9(2), pp. 83–90. doi:10.24843/jfu.2020.v09.i02.p03.

- Merlyn, M. and Vatvani, A.D. (2020) 'Intradialytic Hypertension in End Stage Renal Disease patient: Prevalence and clinical characteristic', *Medicinus*, 7(3), pp. 84–89. doi:10.19166/med.v7i3.2293.
- Mohajerani, F., Clark, W.R., Ronco, C. and Narsimhan, V. (2022) 'Mass transport in high-flux hemodialysis', *Clinical Journal of the American Society of Nephrology*, 17(5), pp. 749–756. doi:10.2215/cjn.09410721.
- Mohani, C.I. (2014) 'Hipertensi Primer', in *Buku Ajar Ilmu Penyakit Dalam*. 6th edn. Jakarta Pusat, Indonesia: InternaPublishing, pp. 2284–2293.
- Mujtaba, F., Qureshi, R., Dholia, M., Nasir, K. and Ahmad, A. (2022) 'Frequency of intradialytic hypertension using kidney disease: Improving global outcomes (KDIGO) suggested definition in a single hemodialysis centre in Pakistan', *Cureus* [Preprint]. doi:10.7759/cureus.33104.
- Murdeswar, H.N. and Anjum, F. (2023) *Hemodialysis, StatPearls [Internet]*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK563296/> (Accessed: 24 May 2024).
- Nongnuch, A., Campbell, N., Stern, E., El-Kateb, S., Fuentes, L. and Davenport, A. (2015) 'Increased postdialysis systolic blood pressure is associated with extracellular overhydration in hemodialysis outpatients', *Kidney International*, 87(2), pp. 452–457. doi:10.1038/ki.2014.276.
- Naysilla, A.M. (2012) 'Faktor Risiko Hipertensi Intradialitik Pasien Penyakit Ginjal Kronik', *Jurnal Media Medika Muda* [Preprint].
- Nissenson, A.R., Fine, R.N., Mehrotra, R. and Zaritsky, J. (2023) *Handbook of dialysis therapy*. 6th edn. Philadelphia, PA, United States: Elsevier.
- Ogobuiro, I. and Tuma, F. (2023) *Physiology, renal, StatPearls [Internet]*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK538339/> (Accessed: 19 May 2024).
- Omega, K.D., Putri, K.P.A., Marcory, Y.S., Juhdeliena and Wilkiv, S. (2023) 'Perbedaan Tekanan Darah Intradialisis pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis', *Jurnal Keperawatan Cikini*, 4(1), pp. 87–93.
- Perdhana, L. and Chasani, S. (2022) '19 intradialytic hypertension, what are the related factors?', *Journal of Hypertension*, 40(Suppl 2). doi:10.1097/01.hjh.0000832956.45530.31.
- Park, J., Rhee, J.M., Sim, J.J., Kim, Y.L., Ricks, J., Streja, E., *et al.* (2013) 'A comparative effectiveness research study of the change in blood pressure during hemodialysis treatment and survival', *Kidney International*, 84(4), pp. 795–802. doi:10.1038/ki.2013.237.

- Pernefri (2018) '11th Annual Report of Indonesian Renal Registry 2018'.
- Pernefri (2023) '13th Annual Report of Indonesian Renal Registry 2020'.
- Prabhu, R.A., Naik, B., Bhojaraja, M.V., Rao, I.R., Shenoy, S.V., Nagaraju, S.P. and Rangaswamy, D. (2021) 'Intradialytic hypertension prevalence and predictive factors: A single centre study', *Journal of Nephropathology*, 11(2). doi:10.34172/jnp.2022.17206.
- Prasad, B., Hemmett, J. and Suri, R. (2022) 'Five things to know about intradialytic hypertension', *Canadian Journal of Kidney Health and Disease*, 9. doi:10.1177/20543581221106657.
- Raikou, V.D. and Kyriaki, D. (2018) 'The association between intradialytic hypertension and metabolic disorders in end stage renal disease', *International Journal of Hypertension*, 2018, pp. 1–9. doi:10.1155/2018/1681056.
- Ramadhan, M.P., Yetti, K., Herawati, T., Adam, M. and Masfi, A. (2023) 'Gambaran Komplikasi Intradialisis pada Pasien Hemodialisis Berdasarkan Tingkat Interdialytic Weight Gain (IDWG)', *Nurshing Update*, 14(1).
- Ratnasari, P.M., Yani, K.T., Yuliawati, A.N. and Prasetya, A.A. (2023) 'The association between medication adherence and blood pressure control in end-stage renal disease patients with hemodialysis', *Journal of Pharmaceutical Sciences and Community*, 20(1), pp. 70–77. doi:10.24071/jpsc.004141.
- Rudiansyah, M., Roesli, R.M., Martakusumah, A.H., Rachmadi, D., Bandiara, R. and Lubis, L. (2019) 'The Factors Affecting Intradialytic Hypertension in Routine Hemodialysis Patients at Ulin General Hospital Banjarmasin Indonesia', *Kidney International Reports*, 4(7). doi:10.1016/j.ekir.2019.05.939.
- Sanz, J., Jaldo, M.T., Procaccini, F., Chacón, E. and Albalate, M. (2024) 'Intradialysis hypertension, a diagnosis to be discovered', *Nefrología (English Edition)*, 44(5), pp. 668–677. doi:10.1016/j.nefro.2024.10.003.
- Sebastian, S., Filmalter, C., Harvey, J. and Chothia, M. (2016) 'Intradialytic hypertension during chronic haemodialysis and subclinical fluid overload assessed by bioimpedance spectroscopy', *Clinical Kidney Journal*, 9(4), pp. 636–643. doi:10.1093/ckj/sfw052.
- Semadhi, P.G.M., Widiana, I.G.R., Merati, K.T.P. and Kumbara, C.I.Y.K. (2023) 'Variasi dan Komplikasi Tekanan Darah Pasien Gagal Ginjal Terminal yang Menjalani Hemodialisis Reguler di RSUP Sanglah Denpasar', *Jurnal Medika Udayana*, 12(2). doi:10.24843.MU.2023.V12.i2.P13.

- Setyawan, A. (2023) 'Analisis Faktor yang Menyebabkan Hipertensi Intradialitik', *Informasi Kesehatan dan Administrasi Rumah Sakit*, 02(01).
- Shamir, A.R., Karembelkar, A., Yabes, J., Yao, Y., Miskulin, D., Gassman, J. *et al.* (2018) 'Association of intradialytic hypertension with left ventricular mass in hypertensive hemodialysis patients enrolled in the blood pressure in dialysis (BID) study', *Kidney and Blood Pressure Research*, 43(3), pp. 882–892. doi:10.1159/000490336.
- Sherwood, L. (2013) *Introduction to Human Physiology*. 8th, Internasional edn. Pacific Grove, Calif, Andover, United States: Brooks/Cole; Cengage Learning distributor.
- Shofaniah and Suwandewi, A. (2018) 'Perbedaan Pengaturan Ultrafiltrasi Non-Profilung Dengan Ultrafiltrasi Profilung Satu Terhadap Penurunan Tekanan Darah Intradialisis Di Instalasi Hemodialisa RSUD Ulin Banjarmasin', *Dinamika Kesehatan: Jurnal Kebidanan dan Keperawatan*, 9(2), pp. 534–546.
- Singh, A.T., Waikar, S.S. and Mc Causland, F.R. (2022) 'Association of different definitions of intradialytic hypertension with long-term mortality in hemodialysis', *Hypertension*, 79(4), pp. 855–862. doi:10.1161/hypertensionaha.121.18058.
- Stevens, P.E., Ahmed, S.B., Carrero, J.J., Foster, B., Francis A., Hall, R.K. *et al.* (2024) 'KDIGO 2024 clinical practice guideline for the Evaluation and management of chronic kidney disease', *Kidney International*, 105(4S). doi:10.1016/j.kint.2023.10.018.
- Suhardjono (2014) 'Hemodialisis; Prinsip Dasar dan Pemakaian Kliniknya', in *Buku Ajar Ilmu Penyakit Dalam*. 6th edn. Jakarta Pusat, Indonesia: InternaPublishing, pp. 2192–2196.
- Suwitra, K. (2014) 'Penyakit Ginjal Kronik', in *Buku Ajar Ilmu Penyakit Dalam*. 6th edn. Jakarta Pusat, Indonesia: InternaPublishing, pp. 2159–2160.
- Theofilis, P., Vordoni, A. and Kalaitzidis, R.G. (2023) 'Epidemiology, Pathophysiology, and clinical perspectives of intradialytic hypertension', *American Journal of Nephrology*, 54(5–6), pp. 200–207. doi:10.1159/000531047.
- Uduagbamen, P.K., Soyinka, F.O. and Kadiri, S. (2022) 'Gender Differences in Response to Hemodialysis Treatment: Determinants and Clinical Correlates. Findings from Two Tertiary Health Centers in Southwest Nigeria', *Tropical Journal of Nephrology*, 17(2), pp. 7–19.

- Utami, I.A.A., Santhi, D.G.D.D. and Lestari, A.A.W. (2020) 'Prevalensi Dan Komplikasi Pada Penderita Gagal Ginjal kronik yang Menjalani Hemodialisa di Rumah Sakit Umum Pusat Sanglah Denpasar Tahun 2018', *Intisari Sains Medis*, 11(3), pp. 1216–1221. doi:10.15562/ism.v11i3.691.
- Vadakedath, S. and Kandi, V. (2017) 'Dialysis: A review of the mechanisms underlying complications in the management of chronic renal failure', *Cureus* [Preprint]. doi:10.7759/cureus.1603.
- Van Buren, P.N. (2017) 'Pathophysiology and implications of intradialytic hypertension', *Current Opinion in Nephrology and Hypertension*, 26(4), pp. 303–310. doi:10.1097/mnh.0000000000000334.
- Van Buren, P.N. and Inrig, J.K. (2016) 'Mechanisms and treatment of intradialytic hypertension', *Blood Purification*, 41(1–3), pp. 188–193. doi:10.1159/000441313.
- Van Buren, P.N., Kim, C., Toto, R.D. and Inrig, J.K. (2012) 'The prevalence of persistent intradialytic hypertension in a hemodialysis population with extended follow-up', *The International Journal of Artificial Organs*, 35(12), pp. 1031–1038. doi:10.5301/ijao.5000126.
- Wouk, N. (2021) 'End-Stage Renal Disease: Medical Management', *American Family Physician*, 104(5), pp. 493–499. PMID: 34783494.
- Wuerzner, G., Pruijm, M. and Burnier, M. (2022) 'Defining intradialytic hypertension: The importance of measuring blood pressure accurately', *Nephrology Dialysis Transplantation*, 37(10), pp. 1783–1785. doi:10.1093/ndt/gfac142.