



DAFTAR PUSTAKA

- [ASTM] American Standard Testing Methods D882-18. 2018. Standard Practice Conditioning Plastics and Electrical Insulating Materials For testing. American National Standards Institute. Philadelphia (US).
- [ASTM] American Standard Testing Methods E 95-96. 1995. Standard Test Methods for Water Vapor Transmission of Materials (E96-E95). American National Standards Institute. Philadelphia (US).
- [JIS] Japanese Industrial Standard Z-1707. 2017. General rules of plastic films for food packaging. Japanese Standards Association. Japan.
- [FAO] Food and Agriculture Organization. 2014. Food additive specification. In FAO JECFA Monographs 16. Food and Agriculture Organization of the United Nations.
- Astuti, K. W., V. F. Rizqiyah dan T. Adiarto. 2022. Pengaruh derajat deasetilisasi kitosan pada *coating* nata de coco sebagai bahan perban antibakteri penutup luka.
- Agustin, Y. E., & Padmawijaya, K. S. 2016. Sintesis bioplastik dari kitosan-pati kulit pisang kepok dengan penambahan zat aditif. *Jurnal Teknik Kimia*. 10(2): 40–48.
- Alvarenga, E.S. 2011. Characterization and properties of chitosan. *Biotechnology of biopolymers*. 91:48-53
- Anita, Z., F. Akbar, dan H. Harahap. 2013. Pengaruh penambahan gliserol terhadap sifat mekanik film plastik biodegradasi dari pati kulit singkong. *Jurnal Teknik Kimia Universitas Sumatra Utara*. 2(2): 37-41.
- Arifin, M. H., N. E. Suyatma, & D. Indrasti. 2022. Karakterisasi kitoooligosakarida yang dipolimerisasi dengan metode berbeda dan kajiannya sebagai *active film*. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 25(1): 18–33.
- Arifin, S., B. Saing, dan E. Kustiyah. 2017. Studi pembuatan bahan alternatif plastik biodegradable dari pati ubi jalar dengan *plasticizer* gliserol dengan metode meltintercalation. *Jurnal Teknik Mesin*. 6:79-84
- Arizal, V., D. Yuli, A. Edwin, L. Lia, dan U. Heri. 2017. Aplikasi rumput laut *eucheuma cottonii* pada sintesis bioplastik berbasis sorgum dengan plastisizer gliserol. Fakultas Teknik. Universitas Lampung. Prosiding.
- Balestra, F., Verardo, V., Tappi, S., Caboni, M. F., Dalla Rosa, M., & Romani, S. (2019). Chemical and physical changes during storage of differently packed biscuits formulated with sunflower oil. *Journal of Food Science and Technology*, 56(10), 4714-4721.
- Basha, R. K., Konno, K., Kani, H., & Kimura, T. 2011. Water vapor transmission rate of biomass based film materials. *Engineering in Agriculture, Environment and Food*, 4(2): 37-42.



- Belitz, H.D., dan W. Grosch, 1999, Food Chemistry, second edition, Springer-Verlag, Berlin Heidelberg Ketaren, 1986, Pengantar Teknologi Minyak dan Lemak Pangan, Jakarta: Universitas Indonesia Pers
- Biswal, D.R., and Singh. 2004. Characterisation of carboxymethyl cellulose and polyacrylamide graft copolymer. *Carbohyd Polym.* 57:379-387.
- Campos Sales H, Souza PR, Peghini BC, da Silva JS, Cardoso CR. 2013. An overview of the modulatory effects of oleic acid in health and disease. *Mini Rev Med Chem.* 13(2):201-10.
- Chai, M. N., & Isa, M. I. N. 2013. The oleic acid composition effect on the carboxymethyl cellulose based biopolymer electrolyte. *Journal of Crystallization Process and Technology*, 3(1), 1-4.
- Chen, G., & Zhang, B. (2015). Dispersion process and effect of oleic acid on properties of cellulose sulfate–oleic acid composite film. *Materials*, 8(5), 2346–2356.
- Chen, P., X. Fengwei, T. Fengzai, and M. Tony. 2020. Glycerol plasticisation of chitosan/carboxymethyl cellulose composites: role of interactions in determining structure and properties. *International Journal of Biological Macromolecules.* 163: 683-693.
- Choi, W. Y. (2002). Wettability of chitosan coating solution on “Fuji” apple skin. *Journal of Food Science*, 67(7), 2668- 2672.
- Choudhury, N.A., Northrop, P.W., Crothers, A.C., Jain, S. and Subramanian, V.R. 2012. Chitosan hydrogel-based electrode binder and electrolyte membrane for EDLCs: experimental studies and model validation. *Journal of Applied Electrochemistry.* 42(11):935-943.
- Darni, Y., Lestari, H., Lismeri, L., Utami, H. and Azwar, E., 2018. Aplikasi Mikrofibril Selulosa dari Batang Sorgum Sebagai Bahan Pengisi pada Sintesis *Film* Bioplastik. *Jurnal Rekayasa Kimia Dan Lingkungan*, 13(1), pp.15-23.
- Dewi, R., Rahmi, R. and Nasrun, N., 2021. Perbaikan sifat mekanik dan laju transmisi uap air edible *film* bioplastik menggunakan minyak sawit dan *plasticizer* gliserol berbasis pati sagu. *Jurnal Teknologi Kimia Unimal*, 10(1): 61-77.
- Elsabee, M. Z., and Abdou, E. S. 2013. Chitosan based edible films and coatings: a review. *Materials Science and Engineering.* 33(4): 1819–1841.
- Fabra, M.J., Talens, P., Gavara, R. and Chiralt, A., 2012. Barrier properties of sodium caseinate films as affected by lipid composition and moisture content. *Journal of Food Engineering*, 109(3): 372-379.
- Fadilla, A., Amalia, V., & Wahyuni, I.R., 2023. Pengaruh Selulosa Ampas Tebu (*Saccharum officinarum*) sebagai Zat Pengisi Plastik Biodegradable berbasis Pati Kulit Singkong (*fsculenta*). *Gunung Djati Conference Series*, 34: 69–80.



- Fernández-Pan, I., K. Ziani, R. Pedroza-Islas, & J. I. Maté. 2010. Effect of drying conditions on the mechanical and barrier properties of films based on chitosan. *Drying Technology*. <https://doi.org/10.1080/07373937.2010.482692>
- Fitria, F. R. 2022. Optimasi Rasio Formulasi Bioplastik dengan Sumber Biomassa Kitosan CMC (Carboxymethyl cellulose). Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Fransisca, D., Zulferiyenni, & Susilawati. 2013. Pengaruh konsentrasi tapioka terhadap sifat fisik biodegradable *film* dari bahan komposit selulosa nanas. *Jurnal Teknologi Industri dan Hasil Pertanian*. 18(2): 196–205.
- Ghanbarzadeh, B., & Almasi, H. 2011. Physical properties of edible emulsified films based on carboxymethyl cellulose and oleic acid. *International journal of biological Macromolecules*, 48(1): 44-49.
- Gill, Mukti. 2014. Bioplastic: A Better Alternative To Plastics. *Natural and Social Sciences*. 2(8):115-120j
- Giyatmi, Melanie, S., Fransiska, D., Darmawan, M. and Irianto, H.E., 2017. Barrier and physical properties of arrowroot starch-carrageenan based biofilms. *Journal of Bio-Science*, 25: 45-56.
- Gontard, N., C. Ducheze, J. L. Cuq, & S. Guilbert. 1994. Edible composite *films* of wheat gluten and lipids: water vapour permeability and other physical properties. *International Journal of Food Science & Technology*. 29(1): 39–50.
- Gozali, T., W. P. Wijaya, dan M. I. Rengganis. 2020. Pengaruh konsentrasi CMC dan konsentrasi gliserol terhadap karakteristik edible packaging kopi instan dari pati kacang hijau (*Vigna radiata* L.). *Pasundan Food Technology Journal*. 1(7): 1-9.
- Hagenmaier, R. D., dan Shaw, P. E. 1990. Moisture permeability of edible *films* made with fatty acids and hydroxypropyl methylcellulose. *Journal of Agricultural and Food Chemistry*. Vol 38: 1799-1803.
- Han, J. H. 2014. *Innovations in Food Packaging Second Edition*. USA: Plano TX.
- Hayati, F., E. N. Dewi, & S. Suharto. 2020. Karakteristik dan aktivitas antioksidan edible *film* alginat dengan penambahan serbuk *Spirulina platensis*. *Saintek Perikanan : Indonesian Journal of Fisheries Science and Technology*. 16(4): 286– 293.
- Hidayat, M. K., Latifah, & S. M. R. Sedyawati. 2013. Penggunaan carboxymethyl cellulose dan gliserol pada pembuatan plastik biodegradable pati gembili. *Indonesian Journal of Chemical Science*. 2(3): 253–258.
- Hidayati, S., Maulidia, U., Satyajaya, W., & Hadi, S. (2021). Effect of glycerol concentration and carboxy methyl cellulose on biodegradable film characteristics of seaweed waste. *Heliyon*, 7(8).



- Jakubowska, E., M. Gierszewska, J. Nowaczyk, & E. Olewnik-Kruszkowska. 2020. Physicochemical and storage properties of chitosan-based *films* plasticized with deep eutectic solvent. *Food Hydrocolloids*.
- Jiménez, A., Fabra, M. J., Talens, P., & Chiralt, A. (2012). Effect of re-crystallization on tensile, optical and water vapour barrier properties of corn starch films containing fatty acids. *Food Hydrocolloids*, 26(1), 302-310.
- Julianti, E. 2006. *Teknologi Pengemasan : Buku ajar teknologi pertanian*. Medan: Universitas Sumatera Utara.
- Kamal, N. 2010. Pengaruh bahan aditif CMC (Carboxyl Methyl Cellulose) terhadap beberapa parameter pada larutan sukrosa. *Jurnal Teknologi*. 1(17): 78–84.
- Karimi, M. dan M. R. Naimi-Jamal. 2019. Carboxymethyl cellulose as a green and biodegradable catalyst for the solvent-free synthesis of benzimidazoloquinazolinone derivatives. *Journal of Saudi Chemical Society*. 23: 182–187.
- Kowalczyk D, Kazimierzak W, Zięba E, Lis M, Wawrzkiwicz M. 2024. Structural and physicochemical properties of glycerol-plasticized edible films made from pea protein-based emulsions containing increasing concentrations of candelilla wax or oleic acid. *Molecules*. (24):5998.
- Krotcha, J. M. and Johnstone, M. 1997. Edible and biodegradable polymer *film*: challenges and opportunities. *Journal Food Technology*. 2(51): 61-74.
- Kostag, M. and O. A. E. Seoud. Sustainable biomaterial based on cellulose, chitin and chitosan composites. *Journal of Carbohydrate Polymer Technologies and Applications*. 1(2): 1-14.
- Kumoro, A.C., dan A. Purbasari. 2014. Sifat mekanik dan morfologi plastik biodegradable dari limbah tepung nasi aking dan tepung tapioka menggunakan gliserol sebagai *plasticizer*. *Jurnal Teknik*. 35(1):8-16
- Kurniasih, M., Purwati, & Dewi, R.S. (2018). Toxicity tests, antioxidant activity, and antimicrobial activity of chitosan. *IOP Conference Series: Materials Science and Engineering*, 349(1).
- Leceta, I., Guerrero, P., de la Caba, K. 2013 Functional properties of chitosan-based films, *Carbohydr. Polym.* 93(1): 339-346
- Lu, Z., Tian, N., Wei, N., Wei, L., Chen, G., and Liang, S. 2010. A fungi degrading nonionic surfactant tween 80: screening and its biodegradation characteristics. *Environmental Science*. 31(8): 1903-1908.
- Luo, Z.-G., & Shi, Y.-C. 2012. Preparation of Acetylated Waxy, Normal, and High-Amylose Maize Starches with Intermediate Degrees of Substitution in Aqueous Solution and Their Properties. *Journal of Agricultural and Food Chemistry*, 60(37): 9468–9475.



- Loredo, R.Y.A., A.I. Hernandez., and N.C. Hernandez. 2014. Physical properties of emulsified films based on chitosan and oleic acid. *Journal of Food*. 12(4):305-312
- Ma, Q., D. Hu., H. Wang., and L. Wang. 2016. Tara gum edible film incorporated with oleic acid. *Food Hydrocolloids*. 5(6):127-133.
- Mitantsoa, J.T., P.H. Ravelonandro., F.Arimalala., R. Rafihavanana., and Rianaivoravelona. 2023. Elaboration and characterization of bioplastic films based on bitter cassava starch (*Manihot esculenta*) reinforced by chitosan extracted from crab (*Shylla seratta*) shells. *International Journal of Science Engineering and Technology*. 9(6):1-14.
- Mudaffar, R.A. 2018. Karakteristik edible film komposit dari pati sagu, gelatin, dan lilin lebah (beeswax). *Jurnal TABARO*. 2(2):1-9
- No, H. K., Meyers, S. P., Prinyawiatkul, W., and Xu, Z. 2007. Applications of chitosan for improvement of quality and shelf life of foods: a review. *Journal of Food Science*. 72(5).
- Ningsih, S. H. 2015. Pengaruh plasticizer gliserol terhadap karakteristik edible film campuran whey dan agar. Fakultas Peternakan. Universitas Hasanuddin. Skripsi.
- Pangesti, A.D., A. Rahim., dan G.S. Hutomo. 2014. Karakteristik fisik, mekanik, dan sensoris edible *film* dari pati talas pada berbagai konsentrasi asam palmitat. *Jurnal Agrotekbis*. 2(6):604-610.
- Pathak, S., Sneha, C.L.R., Mathew, B.B., 2014. Bioplastics: its timeline based scenario & challenges. *J. Polym. Biopolym. Phys. Chem*. 2, 84–90.
- Potivas, T., and Laokuldilok, T. 2014. Deacetylation of chitin and the properties of chitosan films with various deacetylation degrees. *Chiang Mai University Journal of Natural Sciences*. 13(1).
- Rochima E. (2007). Karakterisasi Kitin dan Kitosan Asal Limbah Rajungan Cirebon Jawa Barat. *Buletin Teknologi hasil Perikanan*. 10(1) Institute Pertanian Bogor.
- Rohaeti, E., E.W. Laksono, A. Rakhmawati. 2018. Mechanical Properties and Antibacterial Activity of Cellulose Composite based Coconut Water with Addition of Glycerol, Chitosan, and Silver Nanoparticle. *Oriental Journal of Chemistry*, 34(3): 1342-1349
- Rowe, R.C., J.S. Paul, and E.Q. Marian. 2009. *Handbook of Pharmaceutical Exipients*. Pharmaceutical Press and American Pharmacist Association, USA: 808-809.
- Sales-Campos, H., Souza, P.R., Peghini, B.C., da Silva, J.S. and Cardoso, C.R. (2013), "An Overview of the Modulatory Effects of Oleic Acid in Health and Disease", *Mini-Reviews in Medicinal Chemistry*, 13(2), 201-210



- Santoso, B. 2006. Karakteristik Komposit edible film buah kolang-kaling (*arenga pinnata*) dan lilin lebah (*beeswax*). *Jurnal Teknologi dan Industri Pangan*. 17(2):125-135
- Saputro, A. N. C., & Ovita, A. L. 2017. Synthesis and characterization of bioplastic from chitosan-ganyong starch (*Canna edulis*). *JKPK (Jurnal Kimia Dan Pendidikan Kimia)*. 2(1): 13–21.
- Sari, N., Mairisya, M., Kurniasari, R. and Purnavita, S., 2019. Bioplastik berbasis galaktomanan hasil ekstraksi ampas kelapa dengan campuran polyvinyl alkohol. *Metana*, 15(2): 71-78.
- Shaikh, S., M. Yaqoob, & P. Aggarwal. 2021. An overview of biodegradable packaging in food industry. *Current Research in Food Science*. 4: 503–520.
- Sinaga, R.F.,G.M. Ginting, M.H.S Ginting dan R. Hasibuan. 2014. Pengaruh penambahan gliserol terhadap sifat dan pemanjangan saat putus bioplastik dari pati umbi talas. *Jurnal Teknik Kimia Universitas Sumatra Utara*. 3 (2) :19-24
- Smith, D. R., Escobar, A. P., Andris, M. N., Boardman, B. M., dan Peters, G. M. 2021. Understanding the molecular-level interactions of glucosamine-glycerol assemblies: A model system for chitosan plasticization. *ACS Omega*. 6: 25227–25234.
- Sobeih, M. O., Sawalha, S., Hamed, R., Ali, F., & Kim, M. P. 2025. Starch-Derived Bioplastics: Pioneering Sustainable Solutions for Industrial Use. *Materials*, 18(8), 1762.
- Souza, V.C., L. M.L. Monte., and L.A.A Pinto. 2011. Preparation of biopolymer film from chitosan modified with lipid fraction. *International Journal of Food Science & Technology*. 4(6):1856-1862.
- Sriwita, D., dan Astuti, 2014, Pembuatan dan Karakterisasi Sifat Mekanik Bahan Komposit Serat Daun Nenas-Poliester Dilihat dari Fraksi Massa dan Orientasi Serat, Jurusan Fisika FMIPA, Universitas Andalas.
- Supeni, G., A. A. Cahyaningtyas, & A. Fitriana. 2015. Karakterisasi sifat fisik dan mekanik penambahan kitosan pada edible film karagenan dan tapioka termodifikasi. *Jurnal Kimia Kemasan*. 37(2): 103–110. <https://doi.org/10.24817/jkk.v37i2.1819>
- Suryanto, H., Wahyuningtyas, N.E., Wanjaya, R., Puspitasari, P. dan Sukarni, S. 2016. Struktur dan Kekerasan Bioplastik dari Pati Singkong. Seminar Nasional Terapan Teknologi, Politeknik Negeri Malang November 2016.
- Tavares, K. M., A. de Campos, B. R. Luchesi, A. A. Resende, J. E. de Oliveira, & J. M. Marconcini. 2020. Effect of carboxymethyl cellulose concentration on mechanical and water vapor barrier properties of corn starch *films*. *Carbohydrate Polymers*. 246: 1–10.



- Thakhiew, W., M. Champahom, S. Devahastin, dan S. Soponronnarit, 2015. Improvement of mechanical properties of chitosan-based *films* via physical treatment of *film*-forming solution. *Journal of Food Engineering*, 158, 66–72.
- Tongdeesoontorn, W., L. J. Mauer, S. Wongruong. 2011. Effect of carboxymethyl cellulose concentration on physical properties of biodegradable cassava starch-based films. *Chemistry Central Journal*. 5(6): 2-8.
- Tongdeesoontorn, W., L.J. Mauer, S. Wongruong, Sriburi, and Rachtanapun. 2012. Physical, mechanical and physical properties of cassava starch-gelatin composite films. *International Journal of Polymeric Materials*. 61(10): 778– 792.
- Utami, S. S. (2012). *Formulasi dan Uji Penetrasi In Vitro Nanoemulsi, Nanoemulsi gel dan Gel Kurkumin [skripsi]*. Depok: Program Studi Farmasi FMIPA UI.
- Valizadeh, S., Naseri, M., Babaei, S., Hosseini, S. M. H., & Imani, A. (2019). Development of bioactive composite films from chitosan and carboxymethyl cellulose using glutaraldehyde, cinnamon essential oil and oleic acid. *International Journal of Biological Macromolecules*, 134, 604-612.
- Vargas, M., A. Albors., A. Chiralt., and C.G. Martinez. 2009. Characterization of chitosan-oleic acid composite films. *Food Hydrocolloids*. 23(9):536-547.
- Xiang, Zhao., Zhaoyi, Mo., Yankun, Li., Liang-qun, Huang., Sihai, Yu., Lan, Ge., Yamei, Hu., Shengjie, Shi., Lutong, Zhang., Liguang, Wang., Lei, Gao., Gongshe, Yang., Guiyan, Chu. (2022). Oleic acid reduces steroidogenesis by changing the lipid type stored in lipid droplets of ovarian granulosa cells. *Journal of animal science and biotechnology*, 13(1)
- Wang, B., Qin S., Yang Y., Shang-Quan R. 2007. Study on structure and properties of sodium alginate-chondroitin sulfate blends *films*. *chem res appl*. 19(7): 740-744.
- Wang, Q., Peng, L., Du, J., dan Ma, L. 2022 Effects of acetic acid on properties of gelatin-chitosan film and its application, *Packaging Engineering* 43(3), 1-8.
- Wang, Z., Liu, H., & Li, J. 2023. The role of tween surfactants in stabilizing biopolymer films. *Journal of Applied Polymer Science*. 140(12).
- Wijayani, A., K. Ummah, & S. Tjahjani. 2005. Karakterisasi karboksimetil selulosa (CMC) dari eceng gondok (*Eichornia crassipes* (Mart) Solms). *Indonesian Journal of Chemistry*. 5(3): 228–231. <https://doi.org/10.22146/ijc.21795>
- Winarno, F.G., 1992, *Kimia Pangan dan Gizi*, cetakan ke-5, Jakarta: P.T. Gramedia Pustaka Utama
- Winingsih, W., M. Ulfa, & O. Suprijana. 2016. Penggunaan FTIR-ATR ZnSe (Fourier Transform InfraRed) untuk penetapan kadar kuersetin dalam teh hitam (*Camellia sinensis* L.). *Indonesian Journal of Pharmaceutical Science and Technology*. 5(1): 47–53.



- Yusoh dan Zakaria (2018), juga menyebutkan bahwa peningkatan derajat deasetilasi kitosan dapat meningkatkan kompatibilitas dan interaksi hidrogen dengan polimer lain sehingga menghasilkan larutan yang lebih homogen.
- Zehra A, Wani SM, Jan N, Bhat TA, Rather SA, Malik AR, Hussain SZ. 2022. Development of chitosan-based biodegradable films enriched with thyme essential oil and additives for potential applications in packaging of fresh collard greens. *Sci Rep.* 12(1):16923.
- Zhao, H., Baker, G. A., & Cowins, J. V. (2022). The effect of enzyme concentration on activity and stability of *Thermomyces lanuginosus* lipase. *Enzyme and Microbial Technology*, 153, 109873.