UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agustina, E., R. Purnamasari., N.F. Erfansyah., F. Andiarna., N. Lusiana., dan I. Hidayati. 2024. Pemanfaatan limbah pucuk tebu sebagai sumber selulosa bahan baku plastik biodegradable. BIOTROPIC The Journal of Tropical Biology. 8(1): 39-54.

Aldapa, G., C. A., Díaz-Cruz., C. A. Castro-Rosas., J. J. Regalado., E. J. Velazquez., G. Gutierrez, M. C., and Loredo, A. R. Y. 2021. Development of antimicrobial biodegradable films based on corn starch with aqueous extract of Hibiscus sabdariffa L. Starch-Stärke.73(1).

Ali, H., A. Baehaki., dan S.D. Lestari. 2017. Karakteristik edible film gelatin-kitosan dengan tambahan ekstrak genjer (*limnocharis flava*) dan aplikasi pada pempek. Fishtech. 6(1): 26-38.

Antoniou, J., F. Liu, H. Majeed., and F. Zhong. 2015. Characterization of tara gum edible films incorporated with bulk chitosan and chitosan nanoparticles: A comparative study. Food Hydrocolloids. 44. 309-319.

Aranaz, I., A.R. Alcántara., M.C. Civera., C. Arias., B. Elorza., H. Caballero., N. Acosta. 2021. Chitosan: an overview of its properties and applications. Polymers (basel). PMCID. 13(19).

Arham, R., M.T. Mulyati., M. Metusalach., and S. Salengke. 2016. Physical and mechanical properties of agar based edible film with glycerol plasticizer. International Food Research Journal. 23(4): 1669-1675.

Arifin, M. H., N. E. Suyatma., dan D. Indrasti. 2022. Karakterisasi kitooligosakarida yang didepolimerisasi dengan metode berbeda dan kajiannya sebagai *active film*. Jurnal Pengolahan Hasil Perikana Indonesia. 25(1):18-33.

Aripin, S., B. Salng., dan E. Kustlyah. 2017. Studi pembuatan bahan alternatif plastik *biodegradable* dari pati ubi jalar dengan *plasticizer* gliserol dengan metode *melt intercalation*. Jurnal Teknik Mesin, 6(2):18-23

Astuti, K. W., V. F. Rizqiyah., dan T. Adiarto. 2022. Pengaruh derajat deasetilisasi kitosan pada *coating* nata de coco sebagai bahan perban antibakteri penutup luka. Jurnal Warta Akab. 46 (2): 23-30.

Ayyubi, M.S., Farikhah., dan N.M. Safitri. 2022. The effect of chitosan extracted from green museel shells *Perna viridis* on *Sonneratia caseolaris* mangrove syrup preservation. Jurnal Biologi Tropis, 22(1): 251-264.

Ahuja, A., and V.K. Rastogi. 2024. Physicochemical and thermal characterization of the edible shellac films incorporated with oleic acid to enhance flexibility, water barrier and retard aging. Int J Biol Macromol. 269(2): 132-136.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Azwar, E., dan S.O. Simbolon. 2020. Karakterisasi plastik pengemas makanan dari tepung maizena dan batang pisang. Inovasi Pembangunan. Jurnal Kelitbangan, 17-27.

Badan Standardisasi Nasional (BSN). 2022. SNI 7188-7:2022. Kriteria Ekolabel - Bagian 7: Kategori Produk, Kemasan Produk Dan Wadah Bioplastik Yang Dapat Dikomposkan. BSN. Jakarta

European Bioplastics (2020). Bioplastics market data 2020. Diakses 2 Juni 2025 dari https://docs.europeanbioplastics.org/conference/Report_Bioplastics_Market_Data_2020_short_version.pdf .

Baldwin, E.A., R. Hagenmaier., and J. Bai. 1994. Edible Coatings And Films To Improve Food Quality. CRC Press Taylor & Francis Group. London.

Bangun, G.I. 2023. Pengaruh Rasio Volume Larutan Kitosan-Karagenan Terhadap Sifat Fisik Dan Kimia Bioplastik. *Skripsi*. Fakultas Pertanian. Universitas Gadjah Mada.

Barbut, S., and B.A. Harper. 2019. Dried Ca-alginate films: Effects of glycerol, relative humidity, soy fibers, and carrageenan. Food Science and Technology. 103: 260–265.

Bartolo, A.D., G. Infurna., and T. Dintcheva. 2021. A review of bioplastics and their adoption in the circular economy**.** Polymers. 13(8): 12-29.

Bonilla, J., L. Atarés., M. Vargas., and A. Chiralt. 2013. Effect of essential oils and homogenization conditions on properties of chitosan-based films. Food Hydrocolloids. 30(1): 287–294.

Bourtoom, T., and Chinan, M. 2008. Preparation and properties of rice starch chitosan blend biodegradable film. Food Science and Technology. 41 :1633-1641.

Bonilla, J., Talón, E., Atarés, L., Vargas, M., dan Chiralt, A. 2014. Effect of the incorporation of antioxidants on physicochemical and antioxidant properties of wheat starch–chitosan films. Journal of Food Engineering. 118(3): 271–278.

Bravin, B., D. Peressini., and Sensidoni, A. 2004. Influence of emulsifier type and content on functional properties of polysaccharide lipid-based edible films. J Agric Food Chem. 52(21): 6448-55.

Brudzyńska, P., and A. Sionkowska. 2025. The effects of shellac and glycerol on the physicochemical properties of chitosan films. Polymers. 17(10).

Butnaru, E., E. Stoleru., M.A. Brebu., R. N. Darie-Nita., A. Bargan., C. Vasile. 2019. Chitosan-Based Bionanocomposite Films Prepared by Emulsion Technique for Food Preservation. Food Packaging: Materials and Techonology. 12(3).

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Campos S. H., P.R. Souza., B.C. Peghini., da Silva J.S., and C.R. Cardoso. 2013. An overview of the modulatory effects of oleic acid in health and disease. Mini Rev Med Chem. 13(2):201-10.

Cardenas, G., P. Anaya., C. Plessing., and C. Rojas. 2008. Chitosan composite films: Biomedical applications. Journal of Materials Science: Materials in Medicine. 19(8): 2397–2405.

Carrillo, C., Cavia-Mdel M., and Alonso-Torre S. 2012. Role of oleic acid in immune system; mechanism of action; a review. Nutr Hosp. 27(4): 978-90.

Castelló, M., O. Mateo., and J. Salinas. 2018. Production and characterization of chitosan and glycerol films. Universidad Nacional de La Plata Institutional Repository (SEDICI).

Caz´on, P., G. Velazquez., J. Ramírez., and V´ azquez, M. 2017. Polysaccharide-based f ilms and coatings for food packaging: A review. Food Hydrocolloids. 68: 136–148.

Charles A.L., N. Motsa., and A.A. Abdillah. 2022. A comprehensive characterization of biodegradable edible films based on potato peel starch plasticized with glycerol. Polymers (Basel). 14(17): 3462.

Chen, H., Q. Zhong., M. Jin., and Y. Huang. 2012. Synergistic effect of oleic acid and glycerol on zein film plasticization. Journal of Agricultural and Food Chemistry. 60(24): 6230–6236.

Chen, M., T. Runge., L. Wang., R. Li., J. Feng., X. Shu., and Q.S. Shi. 2018. Hydrogen bonding impact on chitosan plasticization. Carbohydrate Polymers. 200:115–121.

Chen, G., B. Zhang., and J. Zhao. 2015. Dispersion process and effect of oleic acid on properties of cellulose sulfate- oleic acid composite film. Materials (Basel). 8(5): 2346–60.

Coppola, G., M.T. Gaudio., C.G. Lopresto., V. Calabro., S. Curcio., and S. Chakraborty. 2021. Bioplastic from renewable biomass: a facile solution for a greener environment. Earth Systems And Environment. 5(4): 1-21.

Cox, K.D., G.A. Convernton., H.L., Davies., J.F. Dower., F. Juanes., and S.E. Dudas. 2019. Human consumption of microplastics. Environmental Science Technology. 5(3): 7068-7074.

Chandra D.K., A. Kumar., and C. Mahapatra. 2024. Ecofrienldy bioplastics from biowaste: antimicrobial and functional enhancement for sustainable packaging. European Polymer Journal. 2(21): 1-35.

Darni, Y., T.M. Sitorus., dan M. Hanif. 2014. Pengaruh penambahan selulosa dari rumput laut eucheuma spinosum pada sintesa bioplastik berbasis sorgum. Jurnal Rekayasa Kimia dan Lingkungan. 10(2): 55-63.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Dewanto, E.B. 2023. Bangun, G.I. 2023. Pengaruh Rasio Volume Larutan Kitosan-Karagenan Terhadap Sifat Fisik Dan Kimia Bioplastik. *Skripsi*. Fakultas Pertanian. Universitas Gadjah Mada. *Skripsi*. Fakultas Pertanian. Universitas Gadjah Mada.

Dias, A. M. A., S. Marceneiro., M. E. M. Braga., J. F. J. Coelho., A. G. M. Ferreira., P. N. Simões., H. I. M. Veiga., L. C. Tomé., I.M. Marrucho., J. M. S. S. Esperança., A. A. Matias., C. M. M. Duarte., L. P. N. Rebelo., and de-Sousa. 2012. Phosphonium-based ionic liquids as modifiers for biomedical grade *poly(vinyl chloride*). Acta Biomaterialia. 8(3):1366-1379.

Dong, J., D.L. Man., Z.Y. Sun., and L.Y. Dong. 2022. Preparation of chitosan-antimicrobial peptides antimicrobial composite film and its application in the packaging of cheese. Food and Fermentation Industries. 48(21): 133-139.

Duan, Q., Y. Chen., L. Yu., Xie F. Chitosan-gelatin films: plasticizers/nanofillers affect chain interactions and material properties in different ways. Polymers (Basel). 11(18):3797.

Elsabee, M. Z., and Abdou, E. S. 2013. Chitosan based edible films and coatings: a review. Materials Science and Engineering. 33(4): 1819–1841.

Eslami Z, Elkoun S, Robert M, Adjallé K. 2023. A review of the effect of plasticizers on the physical and mechanical properties of alginate-based films. Molecules. 28(18):6637

Favian, E., and P.S. Nugraheni. 2023. Effect of carragenan addition on the characteristic of chitosan-based bioplastic. International Symposium on Marine and Fisheries Research. 1289(1): 1-15.

Febri, O.N. 2018. Gliserol:Sampah Biodiesel Bernilai Emas. Deepublish Production. Yogyakarta.

Fitria, F.R. 2023. Pengaruh Rasio Volume Larutan Kitosan -CMC (Carboxymethyl Cellulose) Terhadap Sifat Fisik dan Kimia Bioplastik. *Skripsi*. Fakultas Pertanian. Universitas Gadjah Mada.

Foster, L. J. R., Ho, S., J. Hook., M. Basuki., and H. Marçal. 2015. Chitosan as a biomaterial: Influence of degree of deacetylation on its physiochemical, material and biological properties. PLOS ONE.10(8)

Ghanbarzadeh, B., Almasi, H. and Entezami, A.A. 2011. Improving the barrier and mechanical properties of corn starch-based edible films: effect of citric acid and carboxymethyl cellulose. Industrial Crops and Products.33: 229-235.

Ghasemlou, M., Khodaiyan, F., and Oromiehie, A. 2011. Physical, mechanical, barrier, and thermal properties of polyol-plasticized biodegradable edible film made from kefiran. Carbohydrate Polymers. 84(1) : 477–483.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Giyatmi., T. A. E. Poetri., H. E. Irianto., D. Fransiska., dan Agusman. 2020. Effect of alginate and polyethylene glycol addition on physical and mechanical characteristics of k- carrageenan-based edible film. Buletin of Marine Fisheries Postharvest and Biotechnology. 15(1) : 41-51.

González, S. L., Chiralt, A., Martínez, M.C., Nácher, MT. 2011. Effect of essential oils on properties of film forming emulsions and films based on HPMC and chitosan. Journal of Food Engineering. 105(2):246-253.

Gozali, T., W. P. Wijaya, & M. I. Rengganis. 2020. Pengaruh konsentrasi CMC dan konsentrasi gliserol terhadap karakteristik *edible packaging* kopi instan dari pati kacang hijau (*Vigna Radiata L.).*

Han, J. H. 2014. Innovations in Food Packaging Second Edition. USA: Plano TX

Handayani, J., dan Haryanto, H. 2020. Pengaruh Penambahan Kitosan dan Sorbitol pada Pembuatan Film Bioplastik dari Biji Alpukat terhadap Karakteristik Bioplastik. *Prosiding University Research Colloquium*. 41–47.

Hanry, E. L., and Surugau, N. 2020. Characteristics and Properties of Biofilms Made from Pure Carrageenan Powder and Whole Seaweed *(Kappaphycus sp.)*. Journal of Advanced Research in Fluid Mechanics and Thermal Sciences. 76(2) : 99-110.

Harahap, Y.A., A.C.K. Fitri., dan Y.E. Fajarwati. 2023. Analisis kelarutan bioplastik dari pati kulit singkong dengan penambahan variasi gliserol, selulosa jerami padi, dan kitosan. Seminar Nasional Teknologi Industri Lingkungan dan Infrastruktur, 3(1):31-40.

Harussani M.M., Sapuan S.M., Firdaus A.H.M., El-Badry Y.A., Hussein E.E., El-Bahy ZM. 2021. Determination of the tensile properties and biodegradability of cornstarch-based biopolymers plasticized with sorbitol and glycerol. Polymers (Basel). 13(21):3709.

Hasanah, N., dan Mahyudin, A. 2022. Pengaruh variasi massa gliserol terhadap sifat mekanik film plastik pati umbi talas berpenguat nano serat pinang. Jurnal Fisika Unand.11(2): 194–200.

Hidayati, S., Zulferiyenni dan W. Satyajaya. 2019. Optimasi pembuatan biodegradable film dari selulosa limbah padat rumput laut eucheuma cottonii dengan penambahan gliserol, kitosan, cmc dan tapioka. Jurnal Perikanan Hasil Perikanan Indonesia. 22(2): 340-354.

Houssini, K., J. Li., and Q. Tan. 2025. Complexities of the global plastics supply chain revealed in a trade-linked material flow analysis. Communications Earth and Environement. 6(1).

Iglauer, S., Wu, Y., Shuler, P., Tang, Y., and Goddard III, W. A. 2011. Dilute iotaand kappa-carrageenan solutions with high viscosities in high salinity brines. Journal of Petroleum science and Engineering.75(3-4): 304-311.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Indriyani, N., L.P. Ramadhani., N. Muzdalifah., A.P. Sari., dan Fathurrahman. 2024. Synthesis of red fruit oil (*Pandanus Conoideus)* emulsion with tween 80 surfactant and alginate co-surfactant. Jurnal Teknik Kimia Lingkungan. 8(2):89-98

Jabeen F, Zil-E-Aimen, Ahmad R, Mir S, Awwad NS, Ibrahium HA. 2025. Carrageenan: structure, properties and applications with special emphasis on food science. RSC Adv. 15(27):22035-22062.

Janik, W., Nowotarski, M., Ledniowska, K., Biernat, N., Abdullah., D. Yfetar., K. Krukiewicz., R. Turczyn., Gołombek, K., and Dudek, G. 2023. Effect of Time on the Properties of Bio-Nanocomposite Films Based on Chitosan with Bio-Based Plasticizer Reinforced with Nanofiber Cellulose. International Journal of Molecular Sciences. 24(17).

Juliani, D., N.E. Suyatma., dan F.M. Taqi. 2022. Pengaruh waktu pemanasan, jenis dan konsentrasi plasticizer terhadap karakteristik *edible film k-karagenan.* Jurnal Keteknikan Pertanian. 10(1):29-40.

Jimenez, A., Fabra, M.J., Talens, P., dan Chiralt. 2010. Effect of lipid self-association on the microstructure and physical properties of hydroxypropyl-methylcellulose edible films contaning fatty acids. Carbohydrate Polymer. 82: 585-593.

Jiménez, A., Fabra, M. E., Talens, P., & Chiralt, A. (2012). Effect of sodium caseinate on properties and ageing behaviour of corn starch based films. Food Hydrocolloids. 29(2) : 265-271.

Juwita, W. P., Wirawan, S. K., dan Mindaryani, A. 2019. Pengaruh proses pengeringan dan konsentrasi gliserol terhadap karakteristik mekanik pektin *edible film*. Prosiding Seminar Nasional Teknik Kimia "Kejuangan". (pp. C1-1–C1-6)

Kapadnis, G., A. Dey., P. Dandekar., and R. Jain. 2019. Effect of degree of deacetylation on solubility of low-molecular-weight chitosan produced via enzymatic breakdown of chitosan. Polymer International. 68(4):1054-1068.

Karbowiak, T., R.D. Gougeon., S. Rigolet., L. Delmotte., F. Debeaufort., and Voilley, A. 2008. Diffusion of small molecules in edible films: effect of water and interactions between diffusant and biopolymer. Food Chemistry. 106(4):1340–1349.

Kaya M, Baran T, Erdoğan S, Menteş A, Özüsağlam MA, Çakmak YS. 2014. Perbandingan fisikokimia kitin dan kitosan yang diperoleh dari larva dan kumbang kentang Colorado dewasa (*Leptinotarsa decemlineata*). Mater Sci Eng C Mater Biol Appl. 45:72–81.

Khotimah, A. Ridlo, and C. A. Suryono.2022. Sifat fisik dan mekanik bioplastik komposit dari alginat dan karagenan, Journal of Marine Research. 11(3) : 409-419.

Kim, H., G. Shin., M. Jang., F. Nilsson., M. Hakkarainen., H.J. Kim., S.Y. Hwang., J. Lee., S.B. Park., J. Park., and J.M. Koo. 2023. Toward sustaining bioplastiks:

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

add a pinch of seasoning. ACS Sustainable Chemistry and Engineering. 11(5): 1846-1856.

Kowalczyk D, Kazimierczak W, Zięba E, Lis M, Wawrzkiewicz M. 2024. Structural and physicochemical properties of glycerol-plasticized edible films made from pea protein-based emulsions containing increasing concentrations of candelilla wax or oleic acid. Molecules. (24):5998.

Krochta, J.M., E.A. Baldwin, and M.O. Nisperos-Carriedo. 1994. Edible Coatings and Films to Improve Food Quality. Lancaster Pa. Technomic Publishing.

Krochta JM, Johnston CDM. 1997. Edible and biodegradable polymer film. *Journal of Food Technology.* 52(2): 61-74.

Kurek, M., S. Galus., and F. Debeaufort. 2014. Surface, mechanical and barrier properties of bio-based composite films based on chitosan and whey protein. Food Packaging and Shelf Life. 1(1):56-67.

Kurniasih, D., Atikah dan H. Sulistyarti. 2013. Karakterisasi Elektroda Selektif Ion (Esi) Kromat Tipe Kawat Terlapis Berbasis Kitosan Characterization. Sains dan Terapan Kimia. 7(1):10–18.

Kusumawati, H.D., dan Putri, D.R., Widya. 2013. Karakteristik fisik dan kimia *edible film* pati jagung yang diikorporasi dengan perasan temu hitam. Jurnal pangan dan agroindustry. 1(1).

Laohakunjit. N dan A. Noomhorm. 2004. Effect of plasticizer on mechanical and barrier properties of rice starch Film. Journal Food Science. 56(2): 348-356.

Lastruyanto, A., B.D. Argo., H.S. Sumarlam., N. Komar., L.C. Howa., dan M.B. Hermanto. 1992. Koefisien permeabilitas *film edible* terhadap transmisi uap air, gas o_2, dan gas Co_2 determination. 182-187.

Le Goué, E., Gardrat, C., Romain, M., Rollini, M., Moresoli, C., and Coma, V. 2022. Effect of oleic acid on the release of tetrahydrocurcumin in chitosan-based films. Food Hydrocolloids. 12(4) : 187-202.

Leceta, I., Guerrero, P., and de la Caba, K. 2013. Functional properties of chitosan-based films,*Carbohydr. Polym.* 93(1), 339-346.

Loredo, R.Y.A., A.I. Hernandez., and N.C. Hernandez. 2014. Physical properties of emulsified films based on chitosan and oleic acid. Journal of Food. 12(4):305-312

Lu, Z., Tian, N., Wei, N., Wei, L., Chen, G., and Liang, S. 2010. A fungi degrading nonionic surfactant tween 80: screening and its biodegradation characteristics. Environmental Science. 31(8): 1903-1908.

Luo, Z.-G., and Shi, Y.-C. 2012. Preparation of acetylated waxy, normal, and high-amylose maize starches with intermediate degrees of substitution in aqueous

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

solution and their properties. Journal of Agricultural and Food Chemistry. 60(37): 9468–9475.

Lusiana, S., Putri, D., Nurazizah, I. Z., and Bahruddin. 2019. Bioplastic properties of sago-pva starch with glycerol and sorbitol plasticizers. Journal of Physics: Conference Series. 1351(1): 1–8.

Lutfi, M., Sumarlan, S. H., Susilo, B., Wignyanto, Zenata, R., and Perdana, L. P. R. 2017. The glycerol effect on mechanical behaviour of biodegradable plastic from the Walur (*Amorphophallus paenifolius* var. sylvestris). Nature Environment and Pollution Technology. 16(4): 1121-1124.

Luz AM, Barbosa G, Manske C, Tavares FW. 2023. Tween-80 on water/oil interface: structure and interfacial tension by molecular dynamics simulations. Langmuir. 39(9):3255-3265.

Ma, Q., D. Hu., H. Wang., and L. Wang. 2016. Tara gum edible film incorporated with oleic acid. Food Hydrocolloids. 5(6):127-133.

Magfirah, A., Susilawati., M.Z. Sofyan., M.W. Siambaton., S.N.K Sitepu., and O.P. Putra. 2023. The characterization of porang starch (*Amorphophallus Oncophyllus*) biodegradable plastic using sorbitol plasticizer with the glycerol plasticizer addition. Journal of Physics: Conference Series. 26(72):1-9.

Maneking, E., F.F. Sangian., dan S.H.J Tongkukut. 2020. Pembuatan dan karakteristik bioplastik berbahan dasar biomassa dengan plasticizer gliserol. Jurnal Unsrat 9(1):23-27.

Maria, V., Giannakas, A., Katapodis, P., Stamatis, H., Ladavos, A., & Barkoula, N.-M. 2016. On the efficiency of oleic acid as plasticizer of chitosan/clay nanocomposites and its role on thermo-mechanical, barrier and antimicrobial properties – CoMParison with glycerol. Food Hydrocolloids. 57 : 10–19.

Martiny, T.R., B.S. Pacheco., C.M.P. Pereira., A. Mansilla., M. S. Astorga-Espana., G.L. Dotto., C.C Moraes., and G.S. Rosa. 2020. A novel biodegradable film based on κ-carrageenan activated with olive leaves extract. Food Science &Nutrition.

Maryuni, A.E., dan Mangiwa, S. 2018. Karakterisasi bioplastik dari karaginan dari rumput laut merah asal kabupaten biak yang dibuat dengan metode blending menggunakan pemlastis sorbitol. Jurnal Avogadro. 2(1):9-16.

Masamba, K.G., Y. Li., J. Hategekimana., and F. Liu. 2015. Effect of type of plasticizers on mechanical and water barrier properties of transglutaminase cross-linked zein-oliec acid composite film. Internation Journal of Food Engineering. 12(4)

Mitantsoa, J.T., P.H. Ravelonandro., F.Arimalala., R. Rafihavanana., and Rianaivoravelona. 2023. Elaboration and characterization of bioplastic films based on bitter cassava starch (*Manihot esculenta*) reinforced by chitosan extracted from crab (*Shylla seratta*) shells. International Journal of Scince Enginering and Technology. 9(6):1-14.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mohammed, A.A.B.A., Z. Hasan., A.A.B. Omran., A.M. Elfaghi., M.A. Khattak., Ilyas., and S.M. Sapuan. 2022. Effect of various plasticizers in different concentrations on physical, thermal, mechanical, and structural properties of wheat starch-based films. Polymers (Basel). 15(1).

Mosallanezhad, M., Hasani, H., Jaleh, B., and Ghasemi, E. 2016. FTIR spectra of κ-carrageenan, chitosan, and their bionanocomposites. Journal of Applied Polymer Science. 133(22).

Moura, J.M., B.S. Farias, T.R.S. Cadaval, L.A.A. Pinto. 2021. Chitin/Chitosan Based Films for Packaging Applications.

Mudaffar, R.A. 2020. Karakteristik edible film dari limbah kulit singkong dengan penambahan kombinasi plasticizer serta aplikasinya pada buah nanas terolah minimal. Journal Tabaro. 4(2) : 473 – 483.

Muthiah, U., R. Ningtyas., dan S. Imam. 2020. Pengaruh penambahan konsentrasi gliserol dan aloe vera pada pembuatan plastik biodegradable pati ubi terhadap sifat mekanik dan antimikroba. Journal Printing and Packaging Technology. 1(1):93-104.

Necas, J., & Bartosikova, L. 2013. Carrageenan: a review. Veterinarni Medicina. 58(4): 187–205.

No, H. K., Meyers, S. P., Prinyawiwatkul, W., amd Xu, Z. 2007. Applications of chitosan for improvement of quality and shelf life of foods: a review. Journal of Food Science. 72(5).

Nur, R.A., N. Nazir., dan G. Taib. 2020. Karakteristik bioplastik dari pati biji durian dan pati singkong yang menggunakan bahan pengisi MCC (*Microcrystalline Cellulose*) dari kulit kakao. Gema Adro. 25(1) : 1-10.

Nugroho, A. A., Basito, dan R. B. K. A. 2013. Kajian Pembuatan Edible Film Tapioka Dengan Pengaruh Penambahan Pektin Beberapa Jenis Kulit Pisang Terhadap Karakteristik Fisik Dan Mekanik. Jurnal Teknosains Pangan Januari Jurusan Teknologi Hasil Pertanian Universitas Sebelas Maret Jurnal Teknosains Pangan 2:2302–733.

Perdones. Á., Escriche, I., Chiralt, A., and Vargas M. 2016. Effect of chitosan-lemon essential oil coatings on volatile profile of strawberries during storage. Food Chem.15(86).

Pereira, T. 2021. Effect of fatty acids in polysaccharide-based film properties. Carbohydrate Polymers. 255: 117457.

Pirinc, F. T., Dagdelen, A. F., and Saricaoglu, F. T. 2021. Mechanical, barrier, thermal, and microstructural properties of poly(lactic acid) and gelatin–beeswax emulsion bi-layer films. Journal of Food Processing and Preservation.45(12).

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Pongjanyakul, T., Puttipipatkhachorn, S. 2007. Sodium alginate-magnesium aluminum silicate composite gels: characterization of flow behavior, microviscosity, and drug diffusivity. AAPS PharmSciTech. 7: 8(3). Development and Evaluation of a Stable Oil-in-Water Emulsion with High Ostrich Oil Concentration for Skincare Applications. 29(5) :982.

Ponphaibon, J., S. Limmatvapirat., and C. Limmatvapirat. 2024. Development and Evaluation of a Stable Oil-in-Water Emulsion with High Ostrich Oil Concentration for Skincare Applications. Molecules. 2(29).

Potivas, T., and Laokuldilok, T. 2014. Deacetylation of chitin and the properties of chitosan films with various deacetylation degrees. Chiang Mai University Journal of Natural Sciences. 13(1).

Prasetyo, Ari E. 2012. Potensi gliserol dalam pembuatan turunan gliserol melalui proses esterifikasi. *Jurnal Ilmu Lingkungan Undip*. 10(1) : 26-31.

Priyadarshi, R. dan J. Rhim. 2020. Chitosan-based biodegradable functional films for food packaging applications. Innovative Food Science and Emerging Technologies. 62: 120.

Purnavita, S., Subandriyo, D. Y., and Anggraeni, A., 2020. Penambahan gliserol terhadap karakteristik bioplastik dari komposit pati aren dan glukomanan. *METANA*. 16(1): 19-25.

Putra, E.P.D., dan H. Saputra. 2020. Karakterisasi plastik biodegradable dari pati limbah kulit pisang muli dengan plasticizer sorbitol. Jurnal Teknologi Pertanian Andalas. 24(1) : 31-36.

Qiu, L., Luo, Q., Bai, C., Xiong, G., Jin, S., Li, H., and Liao, T. 2023. Preparation and characterization of a biodegradable film using irradiated chitosan incorporated with lysozyme and carrageenan and its application in crayfish preservation. Foods. 12(14).

Rahmatullah., R.W. Putri., E. Nurisman., Yandriyani., A. Hadi., dan M.A. Raihan. 2024. Pembuatan *biodegradable bioplastic* dari campuran pati dan serat kapuk dengan variasi kitosan dan gliserol. Agroindustrial Technology Journal. 8(1):60-76.

Rami, N., Rai, S., Basu, D., Patel, S., Patel, Y., Sanyal, A., & Sen, D. J. 2017. Scale ranging 1–20 of surfactant decides the solubility of water into oil or oil into water to produce monophasic formulation. *International Educational Scientific Research Journal*. *3*(2).

Rhim, J.W., A. K. Monhaty., S.P. Singh., and K.W. Perry. 2006. Effect of the processing methods on the performance of polylactide films: Thermocompression versus solvent casting. Journal of Applied Polymer Science. 101(6):3736-3742.

Ridlo, S. Sedjati, E. Supriyantini, and D. A. Zanjabila, 2023. Pengembangan dan karakterisasi bioplastik karagenan-alginat-gliserol dengan perlakuan kalsium klorida. Buletin Oseanografi Marina. 12(1) : 43-53.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Román-Doval, R., Martínez-Hernández, J. L., Aguilar-González, C. N., Hernández-Flores, J. L., Espinoza-Hicks, J. C., and Aguilar, C. N. 2023. Chitosan: Properties and its application in agriculture. Polymers. 15(13) : 2867.

Rowe, R.C., J.S. Paul, and E.Q. Marian. 2009. Handbook of Pharmaceutical Exipients. Pharmaceutical Press and American Pharmacist Association, USA: 808-809.

Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. 2016. Effect of plasticizer type and concentration on physical properties of biodegradable films based on sugar palm (*Arenga pinnata*) starch for food packaging. Journal of Food Science and Technology. 53(1) :326–336.

Sari, D.K., W. Atmaka., dan D.R.A. Muhammad. 2013. Pengaruh penggunaan edible coating pari biji nangka (*Artocarpus heterophylluss*) dengan berbagai variasi gliserol sebagai plasticizer terhadap kualitas jenang dodol selama penyimpanan. Jurnal Teknosains Pangan. 2(2) : 103-111.

Sari, Y.W., S.Y. Putri, S.Y., N. Intan., A. Bahtiar., M. Kurniati. 2023. The effect of sorbitol and sweet sorghum to carrageenan ratio on the physicochemical properties of sweet sorghum/carrageenan bioplastics. Biomass Convers. Biorefinery. 3 : 2719–2728

Sarheed, O., Dibi, M., and Ramesh, K.V. 2020. Studies on the effect of oil and surfactant on the formation of alginate-based o/w lidocaine nanocarriers using nanoemulsion template. Pharmaceutics. 12(12) : 1223.

Sasria, N., A. Asrilsyah., M.P.D. Lubis., A. Zulfikar., dan R.A. Tanjung. 2020. Sintesis dan karakterisasi plastik *biodegradable* berbasis pati nasi aking dan kitosan cangkang udang. Jurnal Sains dan Teknologi. 16(2):231-236.

Saputro, A. N. C. dan A. L. Ovita. 2017. Sintesis dan karakterisasi bioplastik dari kitosanpati ganyong (*Canna edulis*). Jurnal Kimia dan Pendidikan Kimia. 1(2): 13-21.

Serna C.P., and Filho, J.F. 2015. Biodegradable zein-based blend films: structural, mechanical and barrier properties. Food Technol Biotechnol. 53(3):348-353.

Setiani, W., T. Sudiarti., dan L. Rahmidar. 2013. Preparasi dan karakterisasi *edible film* dari poliblned pati sukun-kitosan. Jurnal Valensi. 3(2):100-109.

Seyedi, S., Koocheki, A., Mohebbi, M., & Zahedi, Y. 2015. Improving the physical and moisture barrier properties of Lepidium perfoliatum seed gum biodegradable film with stearic and palmitic acids. International Journal of Biological Macromolecules. **77** : 151–158.

Shen G, Yu G, Wu H, Li S, Hou X, Li M, Li Q, Liu X, Zhou M, Chen A, Zhang Z. 2021. Incorporation of lipids into wheat bran cellulose/wheat gluten composite film improves its water resistance properties. Membranes (Basel). 12(1):18.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Sitanggang, A.B., M.F. Irsali., dan S. Rawdkeun. 2020. Inkorporasi oleat dan ekstrak antosianin pada film gelatin sebagai indikator pH untuk kemasan pintar. Jurnal Teknologi dan Industri Pangan. 31(1):66-75.

Sivarooban, T., Hettiarachchy, N.S. and Johnson, M.G. 2008. Physical and antimicrobial properties of grape seed extract, nisin, and EDTA incorporated soy protein edible films. Food Res. Int. 41:781–785.

Smith, D. R., Escobar, A. P., Andris, M. N., Boardman, B. M., and Peters, G. M. (2021). Understanding the molecular-level interactions of glucosamine-glycerol assemblies: A model system for chitosan plasticization. ACS Omega. 6(39). 25227-25234.

Sothornvit. R. dan J.M. Krochta. 2000. Plasticizer effect on oxygen permeability of tlactoglobulin films. Journal of agric and food cherm. 48: 6298-6302

Souza, V.C., L. M.L. Monte., and L.A.A Pinto. 2011. Preparation of biopolymer film from chitosan modified with lipid fraction. International Journal of Food Science & Technology. 4(6):1856-1862.

Sulistyo, F.T., Utomo, A.R., dan Setijawati, E. 2018. Pengaruh konsentrasi karagenan terhadap karakteristik fisikokimia edible film berbasis gelatin. Jurnal Teknologi Pangan dan Gizi. 17 (2) : 81-87.

Supeni, G., A.A. Cahyaningtyas., dan A. Fitrina. .2015. Karakterisasi sifat fisik dan mekanik penambahan kitosan pada edible film karagenan dan tapioka termodifikasi. Jurnal Kimia dan Kemasan, 37(2):103-110

Szymańska E, Winnicka K. 2025. Stability of chitosan-a challenge for pharmaceutical and biomedical applications. Mar Drugs. 13(4):1819-46.

Tan SX, Ong HC, Andriyana A, Lim S, Pang YL, Kusumo F, Ngoh GC. 2022. Characterization and parametric study on mechanical properties enhancement in biodegradable chitosan-reinforced starch-based bioplastic film. Polymers (Basel). 14(2):278.

Tavares, K. M., A. de Campos, B. R. Luchesi, A. A. Resende, J. E. de Oliveira, and J. M. Marconcini. 2020. Effect of carboxymethyl cellulose concentration on mechanical and water vapor barrier properties of corn starch films.

Thakur, Vijay Kumar and Thakur Manju Kumari. 2016. Handbook of Polymers for Pharmaceutical Technologies Volume 4. New Jersey : John Wiley & Sons.

Tong L, Kang X, Fang Q, Yang W, Cen S, Lou Q, Huang T. 2022. Rheological properties and interactions of fish gelatin-κ-carrageenan polyelectrolyte hydrogels: The effects of salt. J Texture Stud. 53(1):122-132.

Udomrati S, Cheetangdee N, Gohtani S, Surojanametakul V, Klongdee S. 2019. Emulsion stabilization mechanism of combination of esterified maltodextrin and Tween 80 in oil-in-water emulsions. Food Sci Biotechnol. 29(3):387-392.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Valizadeh. S., M. Naseri., S. Babaei., S.M.H. Hosseini., Imani, A. 2019 Development of bioactive composite films from chitosan and carboxymethyl cellulose using glutaraldehyde, cinnamon essential oil and oleic acid. International Journal Biology Macromol. 1(134) : 604-612.

Vargas, M., A. Albors., A. Chiralt., and C.G. Martınez. 2009. Characterization of chitosan-oleic acid composire films. Food Hydrocolloids. 23(9):536-547.

Vieira, M.G.A., da Silva, M.A., dos Santos, L.O. and Beppu, M.M. 2011. Natural-Based Plasticizers and Biopolymer Films: A Review. European Polymer Journal, 47, 254-263.

Wahyuningtyas, Meliana., dan Atmaja, Lukman. 2016. Pembuatan dan Karakterisasi Film Pati Kulit Ari Singkong/Kitosan dengan Plasticizer Asam Oleat. Indonesian Journal of Chemical Science. 5(1).

Wang, Z., Liu, H., & Li, J. 2023. The role of tween surfactants in stabilizing biopolymer films. *Journal of Applied Polymer Science*. 140(12).

Wang, Q., Peng, L., Du, J., and Ma, L. 2022. Effects of acetic acid on properties of gelatin-chitosan film and its application. *Packaging Engineering*. 43(3): 1-8.

Widyaningsih, S., D. Kartika, dan Y. T. Nurhayati. 2012. Pengaruh penambahan sorbitol dan kalsium karbonat terhadap karakteristik dan sifat biodegradasi film dari pati kulit pisang. Molekul. 7(1): 69-81.

Yadav, M., P. Goswami., K. Paritosh., M. Kumar., N. Pareek., and V. Vivekanand. 2019. Seafood waste: a source for preparation of commercially employable chitin/chitosan materials. Bioresour Bioprocess. 6(8):1-20.

Yang J, Ching YC, Julai J S, Chuah CH, Nguyen DH, Lin P-C. 2022. Comparative study on the properties of starch-based bioplastics incorporated with palm oil and epoxidized palm oil. *Polymers and Polymer Composites*. 30.

Younes, I., and M. Rinaudo. 2015. Chitin and chitosan preparation from marine sourcea. Marine drugs. 13(3):1133-1174.

Yuang Keung, Lee. 2013. Microbial Biotechnology Principles and Applications. World Scientific.

Zahedi, Y., Ghanbarzadeh, B. and Sedaghat, N. 2010. Physical properties of edible emulsified films based on pistachio globulin protein and fatty acids. Journal of Food Engineering. 100(1):102-108.

Zakaria, Z., Izzah, Z., Jawaid, M., and Hassan, A. 2012. Effect of degree of deacetylation of chitosan on thermal stability and compatibi- lity of chitosan polyamide blend. Bioresources. 7 (4) : 5568-5580.

Zehra A, Wani SM, Jan N, Bhat TA, Rather SA, Malik AR, Hussain SZ. 2022. Development of chitosan-based biodegradable films enriched with thyme

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Asam Oleat Terhadap Karakteristik Bioplastik Kitosan-Karagenan
Bismanda Putrisari Dewanti, Dr. Prihati Sih Nugraheni, S.Pi., M.P.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

essential oil and additives for potential applications in packaging of fresh collard greens. Sci Rep. 12(1):16923.