

DAFTAR PUSTAKA

- [1] D. Deliyska, N. Yanev, and M. Trifonova, "Methods for developing an indoor navigation system," *E3S Web Conf.*, vol. 280, p. 04001, 2021, doi: 10.1051/e3sconf/202128004001.
- [2] J. Kunhoth, A. Karkar, S. Al-Maadeed, and A. Al-Ali, "Indoor positioning and wayfinding systems: a survey," *Hum.-Centric Comput. Inf. Sci.*, vol. 10, no. 1, p. 18, Dec. 2020, doi: 10.1186/s13673-020-00222-0.
- [3] Y. Zhuang, J. Yang, Y. Li, L. Qi, and N. El-Sheimy, "Smartphone-Based Indoor Localization with Bluetooth Low Energy Beacons," *Sensors*, vol. 16, no. 5, p. 596, Apr. 2016, doi: 10.3390/s16050596.
- [4] F. Wang *et al.*, "A Survey on Wi-Fi Sensing Generalizability: Taxonomy, Techniques, Datasets, and Future Research Prospects," July 29, 2025, *arXiv*: arXiv:2503.08008. doi: 10.48550/arXiv.2503.08008.
- [5] D. J. Suroso, F. Y. M. Adiyatma, and P. Cherntanomwong, "Wi-Fi Sensing for Indoor Localization via Channel State Information: A Survey," *ELKHA*, vol. 15, no. 2, p. 152, Oct. 2023, doi: 10.26418/elkha.v15i2.70830.
- [6] Z. Yang, K. Qian, C. Wu, and Y. Zhang, *Smart Wireless Sensing: From IoT to AIoT*. Singapore: Springer Singapore, 2021. doi: 10.1007/978-981-16-5658-3.
- [7] Y. Ma, G. Zhou, and S. Wang, "WiFi Sensing with Channel State Information: A Survey," *ACM Comput. Surv.*, vol. 52, no. 3, pp. 1–36, May 2020, doi: 10.1145/3310194.
- [8] M. Kotaru, K. Joshi, D. Bharadia, and S. Katti, "SpotFi: Decimeter Level Localization Using WiFi," in *Proceedings of the 2015 ACM Conference on Special Interest Group on Data Communication*, London United Kingdom: ACM, Aug. 2015, pp. 269–282. doi: 10.1145/2785956.2787487.
- [9] F. Zafari, A. Gkelias, and K. K. Leung, "A Survey of Indoor Localization Systems and Technologies," *IEEE Commun. Surv. Tutor.*, vol. 21, no. 3, pp. 2568–2599, 2019, doi: 10.1109/COMST.2019.2911558.
- [10] W. Liu *et al.*, "Survey on CSI-based Indoor Positioning Systems and Recent Advances," in *2019 International Conference on Indoor Positioning and Indoor Navigation (IPIN)*, Pisa, Italy: IEEE, Sept. 2019, pp. 1–8. doi: 10.1109/IPIN.2019.8911774.
- [11] C.-C. Yeh, K.-J. Jhang, C.-C. Chang, and Department of Computer Science and Engineering, National Taiwan Ocean University, Keelung 20224, Taiwan, "An intelligent indoor positioning system based on pedestrian directional signage object



detection: a case study of Taipei Main Station,” *Math. Biosci. Eng.*, vol. 17, no. 1, pp. 266–285, 2020, doi: 10.3934/mbe.2020015.

[12] “Principal Component Analysis: Methods, Applications and Technology,” *Math. Res. Dev.*.

[13] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning,” *Nature*, vol. 521, no. 7553, pp. 436–444, May 2015, doi: 10.1038/nature14539.

[14] C.-H. Hsieh, J.-Y. Chen, and B.-H. Nien, “Deep Learning-Based Indoor Localization Using Received Signal Strength and Channel State Information,” *IEEE Access*, vol. 7, pp. 33256–33267, 2019, doi: 10.1109/ACCESS.2019.2903487.

[15] H. Chen, Y. Zhang, W. Li, X. Tao, and P. Zhang, “ConFi: Convolutional Neural Networks Based Indoor Wi-Fi Localization Using Channel State Information,” *IEEE Access*, vol. 5, pp. 18066–18074, 2017, doi: 10.1109/ACCESS.2017.2749516.

[16] X. Dang, Y. Huang, Z. Hao, and X. Si, “PCA-Kalman: device-free indoor human behavior detection with commodity Wi-Fi,” *EURASIP J. Wirel. Commun. Netw.*, vol. 2018, no. 1, p. 214, Dec. 2018, doi: 10.1186/s13638-018-1230-2.

[17] Z. Zhang, M. Lee, and S. Choi, “Deep-Learning-Based Wi-Fi Indoor Positioning System Using Continuous CSI of Trajectories,” *Sensors*, vol. 21, no. 17, p. 5776, Aug. 2021, doi: 10.3390/s21175776.

[18] M. Maashi, A. Al Mazroa, S. D. Alotaibi, A. Alshuhail, M. K. Saeed, and A. S. Salama, “A novel device-free Wi-Fi indoor localization using a convolutional neural network based on residual attention,” *PeerJ Comput. Sci.*, vol. 10, p. e2471, Dec. 2024, doi: 10.7717/peerj-cs.2471.

[19] M. Hutar, P. Brida, and J. Machaj, “Performance of MLP NN Using CSI and Different Standard IEEE 802.11 with Variable Channel Width,” in *2024 34th International Conference Radioelektronika (RADIOELEKTRONIKA)*, Zilina, Slovakia: IEEE, Apr. 2024, pp. 1–5. doi: 10.1109/RADIOELEKTRONIKA61599.2024.10524090.

[20] T. Takagi and K. Tsubouchi, “Mobile wireless communications - broadband technologies for over Gbit/sec,” in *2005 IEEE International Wkshp on Radio-Frequency Integration Technology: Integrated Circuits for Wideband Comm & Wireless Sensor Networks*, Singapore: IEEE, 2005, pp. 18–20. doi: 10.1109/RFIT.2005.1598864.

[21] K. Sharma and N. Dhir, “A Study of Wireless Networks: WLANs, WPANs, WMANs, and WWANs with Comparison,” vol. 5, 2014.



- [22] R. Dixit and M. Yadav, “A Comparative study of Wireless Networks: WLAN”.
- [23] U. Surendranathan, “Wi-Fi 6 : performance analysis of IEEE 802.11AX”.
- [24] N. A. Khan, A. Awang, and S. A. A. Karim, “Security in Internet of Things: A Review,” *IEEE Access*, vol. 10, pp. 104649–104670, 2022, doi: 10.1109/ACCESS.2022.3209355.
- [25] E. Reshef and C. Cordeiro, “Future Directions for Wi-Fi 8 and Beyond,” *IEEE Commun. Mag.*, vol. 60, no. 10, pp. 50–55, Oct. 2022, doi: 10.1109/MCOM.003.2200037.
- [26] Sushmita Biya and Renuka Uday Kotwal, “The OSI Model: Overview of All Seven Layers of Computer Networks,” *Int. J. Adv. Res. Sci. Commun. Technol.*, pp. 427–432, Sept. 2023, doi: 10.48175/IJAR SCT-13064.
- [27] K. Pahlavan and P. Krishnamurthy, “Evolution and Impact of Wi-Fi Technology and Applications: A Historical Perspective,” *Int. J. Wirel. Inf. Netw.*, vol. 28, no. 1, pp. 3–19, Mar. 2021, doi: 10.1007/s10776-020-00501-8.
- [28] V. Maglogiannis, “Innovative Methods for Fair Coexistence Between LTE and Wi-Fi in Unlicensed Spectrum”.
- [29] S. M. Hernandez and E. Bulut, “WiFi Sensing on the Edge: Signal Processing Techniques and Challenges for Real-World Systems,” *IEEE Commun. Surv. Tutor.*, vol. 25, no. 1, pp. 46–76, 2023, doi: 10.1109/COMST.2022.3209144.
- [30] D.-J. Deng, K.-C. Chen, and R.-S. Cheng, “IEEE 802.11ax: Next generation wireless local area networks,” in *10th International Conference on Heterogeneous Networking for Quality, Reliability, Security and Robustness*, Rhodes, Greece: IEEE, Aug. 2014, pp. 77–82. doi: 10.1109/QSHINE.2014.6928663.
- [31] E. Khorov, A. Kiryanov, A. Lyakhov, and G. Bianchi, “A Tutorial on IEEE 802.11ax High Efficiency WLANs,” *IEEE Commun. Surv. Tutor.*, vol. 21, no. 1, pp. 197–216, 2019, doi: 10.1109/COMST.2018.2871099.
- [32] A. Al-Saman, M. Cheffena, O. Elijah, Y. A. Al-Gumaei, S. K. Abdul Rahim, and T. Al-Hadhrami, “Survey of Millimeter-Wave Propagation Measurements and Models in Indoor Environments,” *Electronics*, vol. 10, no. 14, p. 1653, July 2021, doi: 10.3390/electronics10141653.
- [33] T. S. Rappaport, G. R. MacCartney, M. K. Samimi, and S. Sun, “Wideband Millimeter-Wave Propagation Measurements and Channel Models for Future Wireless Communication System Design,” *IEEE Trans. Commun.*, vol. 63, no. 9, pp. 3029–3056, Sept. 2015, doi: 10.1109/TCOMM.2015.2434384.



- [34] H. Yang, Y. Wang, C. K. Seow, M. Sun, M. Si, and L. Huang, "UWB Sensor-Based Indoor LOS/NLOS Localization With Support Vector Machine Learning," *IEEE Sens. J.*, vol. 23, no. 3, pp. 2988–3004, Feb. 2023, doi: 10.1109/JSEN.2022.3232479.
- [35] A. Goldsmith, "WIRELESS COMMUNICATIONS".
- [36] T. S. Rappaport, *Wireless communications: principles and practice*, 2nd ed. in Prentice Hall communications engineering and emerging technologies series. Upper Saddle River, N.J: Prentice Hall PTR, 2002.
- [37] A. Aristya, "Simulasi Performansi Dan Kapasitas Kanal Pada Komunikasi Jaringan 5G Menggunakan Simulator Nyusim," vol. 4, no. 2, 2021.
- [38] J. B. Andersen, T. S. Rappaport, and S. Yoshida, "Propagation measurements and models for wireless communications channels," *IEEE Commun. Mag.*, vol. 33, no. 1, pp. 42–49, Jan. 1995, doi: 10.1109/35.339880.
- [39] T. Z. Chowdhury, "Using Wi-Fi Channel State Information (CSI) for Human Activity Recognition and Fall Detection".
- [40] J. Hu and C. Hu, "A WiFi Indoor Location Tracking Algorithm Based on Improved Weighted K Nearest Neighbors and Kalman Filter," *IEEE Access*, vol. 11, pp. 32907–32918, 2023, doi: 10.1109/ACCESS.2023.3263583.
- [41] P. Pascacio, S. Casteleyn, J. Torres-Sospedra, E. S. Lohan, and J. Nurmi, "Collaborative Indoor Positioning Systems: A Systematic Review," *Sensors*, vol. 21, no. 3, p. 1002, Feb. 2021, doi: 10.3390/s21031002.
- [42] Y. Gong and L. Zhang, "Improved K-nearest neighbor algorithm for indoor positioning using 5G channel state information," in *2021 IEEE 5th Information Technology, Networking, Electronic and Automation Control Conference (ITNEC)*, Xi'an, China: IEEE, Oct. 2021, pp. 333–337. doi: 10.1109/ITNEC52019.2021.9587088.
- [43] S. M. Hernandez and E. Bulut, "Lightweight and Standalone IoT Based WiFi Sensing for Active Repositioning and Mobility," in *2020 IEEE 21st International Symposium on "A World of Wireless, Mobile and Multimedia Networks" (WoWMoM)*, Cork, Ireland: IEEE, Aug. 2020, pp. 277–286. doi: 10.1109/WoWMoM49955.2020.00056.
- [44] A. U. Ahmed, R. Arablouei, F. de Hoog, B. Kusy, R. Jurdak, and N. Bergmann, "Estimating Angle-of-Arrival and Time-of-Flight for Multipath Components Using WiFi Channel State Information".
- [45] X. Wang, L. Gao, and S. Mao, "CSI Phase Fingerprinting for Indoor Localization With a Deep Learning Approach," *IEEE Internet Things J.*, vol. 3, no. 6, pp. 1113–1123, Dec. 2016, doi: 10.1109/JIOT.2016.2558659.



- [46] M. Comiter and H. T. Kung, "Localization Convolutional Neural Networks Using Angle of Arrival Images," in *2018 IEEE Global Communications Conference (GLOBECOM)*, Abu Dhabi, United Arab Emirates: IEEE, Dec. 2018, pp. 1–7. doi: 10.1109/GLOCOM.2018.8647687.
- [47] R. Che and H. Chen, "Channel State Information Based Indoor Fingerprinting Localization," *Sensors*, vol. 23, no. 13, p. 5830, June 2023, doi: 10.3390/s23135830.
- [48] R. Bro and A. K. Smilde, "Principal component analysis," *Anal Methods*, vol. 6, no. 9, pp. 2812–2831, 2014, doi: 10.1039/C3AY41907J.
- [49] I. T. Jolliffe and J. Cadima, "Principal component analysis: a review and recent developments," *Philos. Trans. R. Soc. Math. Phys. Eng. Sci.*, vol. 374, no. 2065, p. 20150202, Apr. 2016, doi: 10.1098/rsta.2015.0202.
- [50] X. Wang, X. Wang, and S. Mao, "Deep Convolutional Neural Networks for Indoor Localization with CSI Images," *IEEE Trans. Netw. Sci. Eng.*, vol. 7, no. 1, pp. 316–327, Jan. 2020, doi: 10.1109/TNSE.2018.2871165.
- [51] R. Ayyalasomayajula *et al.*, "Deep learning based wireless localization for indoor navigation," in *Proceedings of the 26th Annual International Conference on Mobile Computing and Networking*, London United Kingdom: ACM, Apr. 2020, pp. 1–14. doi: 10.1145/3372224.3380894.
- [52] X. Wang, X. Wang, and S. Mao, "CiFi: Deep convolutional neural networks for indoor localization with 5 GHz Wi-Fi," in *2017 IEEE International Conference on Communications (ICC)*, Paris, France: IEEE, May 2017, pp. 1–6. doi: 10.1109/ICC.2017.7997235.
- [53] I. A. Showmik, T. F. Sanam, and H. Imtiaz, "Human Activity Recognition from Wi-Fi CSI data using Principal Component-based Wavelet CNN," *Digit. Signal Process.*, vol. 138, p. 104056, June 2023, doi: 10.1016/j.dsp.2023.104056.
- [54] A. Mehrabinezhad, M. Teshnehlab, and A. Sharifi, "A comparative study to examine principal component analysis and kernel principal component analysis-based weighting layer for convolutional neural networks," *Comput. Methods Biomech. Biomed. Eng. Imaging Vis.*, vol. 12, no. 1, p. 2379526, Dec. 2024, doi: 10.1080/21681163.2024.2379526.
- [55] V. Bellavista-Parent, J. Torres-Sospedra, and A. Pérez-Navarro, "Comprehensive Analysis of Applied Machine Learning in Indoor Positioning Based on Wi-Fi: An Extended Systematic Review," *Sensors*, vol. 22, no. 12, p. 4622, June 2022, doi: 10.3390/s22124622.



- [56] S. Ioffe and C. Szegedy, "Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift," Mar. 02, 2015, *arXiv*: arXiv:1502.03167. doi: 10.48550/arXiv.1502.03167.
- [57] D. P. Kingma and J. Ba, "Adam: A Method for Stochastic Optimization," Jan. 30, 2017, *arXiv*: arXiv:1412.6980. doi: 10.48550/arXiv.1412.6980.
- [58] Y. Zeng, D. Wu, J. Xiong, E. Yi, R. Gao, and D. Zhang, "FarSense: Pushing the Range Limit of WiFi-based Respiration Sensing with CSI Ratio of Two Antennas," *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.*, vol. 3, no. 3, pp. 1–26, Sept. 2019, doi: 10.1145/3351279.
- [59] H. Dalianis, *Clinical Text Mining: Secondary Use of Electronic Patient Records*. Cham: Springer International Publishing, 2018. doi: 10.1007/978-3-319-78503-5.
- [60] J. Bi *et al.*, "Exploiting high-precision AoA estimation method using CSI from a single WiFi station," *Signal Process.*, vol. 228, p. 109750, Mar. 2025, doi: 10.1016/j.sigpro.2024.109750.
- [61] L. Chen, S. Li, Q. Bai, J. Yang, S. Jiang, and Y. Miao, "Review of Image Classification Algorithms Based on Convolutional Neural Networks," *Remote Sens.*, vol. 13, no. 22, p. 4712, Nov. 2021, doi: 10.3390/rs13224712.

