

DAFTAR PUSTAKA

- Abraham, M. J., Murtola, T., Schulz, R., Páll, S., Smith, J. C., Hess, B., & Lindahl, E., 2015, GROMACS: High performance molecular simulations through multi-level parallelism from laptops to supercomputers, *SoftwareX*, 1–2, 19–25.
- Alemán, A., Giménez, B., Montero, P., & Gómez-Guillén, M. C., 2011, Antioxidant activity of several marine skin gelatins, *LWT - Food Science and Technology*, 44(2), 407–413.
- American Diabetes Association, 2020, Standards of Medical Care in Diabetes—2020, *Diabetes Care*, 43(Supplement_1), S1-S212.
- Apostolopoulos, V., Bojarska, J., Chai, T. T., Elnagdy, S., Kaczmarek, K., Matsoukas, J., et al., 2021, A global review on short peptides: Frontiers and perspectives, *Molecules*, 26(2), 430.
- Avwioroko, O. J., Onyetunde, T. T., Atanu, F. O., et al., 2020, Exploring the binding interactions of structurally diverse dichalcogenoimido-diphosphate ligands with α -amylase: Spectroscopic approach coupled with molecular docking, *Biochemistry and Biophysics Reports*, 24, 1–12.
- Baba, W. N., Mudgil, P., Kamal, H., Kilari, B. P., Gan, C.-Y., & Maqsood, S., 2021, Identification and characterization of novel α -amylase and α -glucosidase inhibitory peptides from camel whey proteins, *Journal of Dairy Science*, 104(2), 1364–1377.
- Bailey, C. J., & Day, C., 2019, Diabetes therapies: Current and future perspectives, *Diabetes, Obesity and Metabolism*, 21(4), 44-55.
- Berraquero-García, C., Rivero-Pino, F., Ospina, J. L., Pérez-Gálvez, R., Espejo-Carpio, F. J., Guadix, A., García-Moreno, P. J., & Guadix, E. M., 2023, Activity, structural features, and in silico digestion of antidiabetic peptides, *Food Bioscience*, 55, 102954.
- Bompard-Gilles, C., Rousseau, P., Rougé, P., Marchis-Mouren, G., & Payan, F., 1996, Substrate mimicry in the active center of a mammalian α -amylase:

- Structural analysis of an enzyme–inhibitor complex, *Journal of Molecular Biology*, 246(3), 443–450.
- Cheng, L., Zhuang, H., Ju, H., Yang, S., Han, J., Tan, R., & Hu, Y., 2019, Exposing the causal effect of body mass index on the risk of type 2 diabetes mellitus: A Mendelian randomization study, *Frontiers in Genetics*, 10, 94.
- Ciulla, M. G., Civera, M., Sattin, S., & Kumar, K., 2023, Nature-inspired and medicinally relevant short peptides, *Exploratory Research and Hypothesis in Drug Sciences*, 1, 140–171.
- Coin, I., Beyermann, M., & Bienert, M., 2007, Solid-phase peptide synthesis: From standard procedures to the synthesis of difficult sequences, *Nature Protocols*, 2(12), 3247–3256.
- Cunningham, B. C., & Wells, J. A., 1989, High-resolution epitope mapping of hGH-receptor interactions by alanine-scanning mutagenesis, *Science*, 244(4908), 1081–1085.
- Derosa, G., & Maffioli, P., 2012, α -Glucosidase inhibitors and their use in clinical practice, *Archives of Medical Science*, 17(2), 441-452.
- Dominguez, C., Boelens, R., & Bonvin, A. M. J. J., 2003, HADDOCK: A protein–protein docking approach based on biochemical or biophysical information, *Journal of the American Chemical Society*, 125(7), 1731–1737.
- Esfandi, R., Seidu, I., Willmore, W., & Tsopmo, A., 2022, Antioxidant, pancreatic lipase, and α -amylase inhibitory properties of oat bran hydrolyzed proteins and peptides, *Journal of Food Biochemistry*, 46, e14177.
- Fadimu, G. J., Farahnaky, A., Gill, H., Olalere, O. A., Gan, C.-Y., & Truong, T., 2022, In-silico analysis and antidiabetic effect of α -amylase and α -glucosidase inhibitory peptides from lupin protein hydrolysate: Enzyme–peptide interaction study using molecular docking approach, *Foods*, 11, 3375.
- Ferrer-Miralles, N., Corchero, J. L., Kumar, P., Cedano, J. A., Gupta, K. C., Villaverde, A., & Vazquez, E., 2011, Biological activities of histidine-rich

peptides: merging biotechnology and nanomedicine, *Microbial Cell Factories*, 10, Article 101.

Follmann, D., & Nason, M., 2011, An augmented probit model for missing predictable covariates in quantal bioassay with small sample size, *Biometrics*, 67(3), 1127–1134.

Fox, G., 2018, Starch in brewing applications, dalam Sjöö & Nilsson (Eds.), *Starch in Food* (2nd ed.), Woodhead Publishing, Sawston.

Garcia-Molina, P., Garcia-Molina, F., Teruel-Puche, J. A., Rodriguez-Lopez, J. N., Garcia-Canovas, F., & Muñoz-Muñoz, J. L., 2022, The relationship between the IC50 values and the apparent inhibition constant in the study of inhibitors of tyrosinase diphenolase activity helps confirm the mechanism of inhibition, *Molecules*, 27, 3141.

Gasteiger, E., Hoogland, C., Gattiker, A., Duvaud, S., Wilkins, M. R., Appel, R. D., & Bairoch, A., 2005, Protein identification and analysis tools on the ExPASy server, dalam J. M. Walker (Ed.), *The Proteomics Protocols Handbook* (pp. 571–607), Humana Press.

Gong, X., Lee, H., Middleditch, M., Brennan, C. S., Brennan, M. A., & Morton, J. D., 2025, Exploration of the antioxidant and angiotensin-converting enzyme inhibitory potentials of oat bran peptides derived from in vitro digestion system, *International Journal of Food Science & Technology*, 60(1), Article vvaf093.

Guruprasad, K., Reddy, B.V.B., & Pandit, M.W. , 1990, Correlation between stability of a protein and its dipeptide composition: a novel approach for predicting in vivo stability of a protein from its primary sequence. *Protein Engineering, Design and Selection*, 4(2), 155–161.

Holman, R. R., Haffner, S. M., McMurray, J. J. V., et al., 2017, Effect of acarbose on cardiovascular and diabetes outcomes in patients with coronary heart disease and impaired glucose tolerance (ACE): a randomised, double-blind, placebo-controlled trial, *The Lancet Diabetes & Endocrinology*, 5(11), 877–886.

- Hu, F. B., 2011, Globalization of diabetes: The role of diet, lifestyle, and genes, *Diabetes Care*, 34(6), 1249-1257.
- Janecek, S., Svensson, B., & MacGregor, E. A. , 2014, Amylase: an enzyme specificity found in various families of glycoside hydrolases. *Cellular and Molecular Life Sciences*, 71, 1149-1170.
- Kahn, S. E., Cooper, M. E., & Del Prato, S., 2019, Pathophysiology and treatment of type 2 diabetes: Perspectives on the past, present, and future, *The Lancet*, 383(9922), 1068-1083.
- Kalinovskii, A.P., Sintsova, O.V., Gladkikh, I.N., Leychenko, E.V., 2023, Natural Inhibitors of Mammalian α -Amylases as Promising Drugs for the Treatment of Metabolic Diseases, *Int. J. Mol. Sci.*, 24, 16514.
- Kan, R., Ren, P., Wu, A., Tang, Q., et al., 2023, Identification and molecular docking study of sugarcane leaf derived compounds as potent dipeptidyl peptidase IV, α -glucosidase, and α -amylase inhibitors, *Journal of the Science of Food and Agriculture*, 103(11), 5388–5400.
- Karami, Z., Butkinaree, C., Yingchutrakul, Y., Simanon, N., & Duangmal, K., 2022, Comparative study on structural, biological and functional activities of hydrolysates from Adzuki bean (*Vigna angularis*) and mung bean (*Vigna radiata*) protein concentrates using Alcalase and Flavourzyme, *Food Chemistry*, 384, 132470.
- Kashtoh, H., & Baek, K.-H., 2023, New insights into the latest advancement in α -amylase inhibitors of plant origin with anti-diabetic effects, *Plants*, 12(16), 2944.
- Kasina, S. V. S. K., & Baradhi, K. M., 2023, *Dipeptidyl Peptidase IV (DPP IV) inhibitors*. Dalam: StatPearls [edisi online]. StatPearls Publishing. Diakses pada 17 September 2025, pukul 15.39 WIB, dari: <https://www.ncbi.nlm.nih.gov/books/NBK542331/>
- Kazeem, M. I., Ogunbiyi, J. V., & Ashafa, A. O. T., 2013, In vitro studies on the inhibition of α -amylase and α -glucosidase by leaf extracts of *Picralima*

nitida (Stapf), *Tropical Journal of Pharmaceutical Research*, 12(5), 719–725.

Kim, Y. M., Jeong, Y. K., Wang, M. H., Lee, W. Y., & Rhee, H. I., 2005, Inhibitory effect of pine extract on alpha-glucosidase activity and postprandial hyperglycemia, *Nutrition (Burbank, Los Angeles County, Calif.)*, 21(6), 756–761.

Klein, S., Sheard, N. F., Pi-Sunyer, X., Daly, A., Wylie-Rosett, J., Kulkarni, K., & Clark, N. G., 2004, Weight management through lifestyle modification for the prevention and management of type 2 diabetes: rationale and strategies, *The American Journal of Clinical Nutrition*, 80(2), 257–263.

Kortemme, T., & Baker, D. , 2002, A simple physical model for binding energy hot spots in protein–protein complexes, *Proceedings of the National Academy of Sciences of the United States of America*, 99(22), 14116–14121.

Lebovitz, H. E., 1997, Alpha-glucosidase inhibitors, *Endocrinology and Metabolism Clinics of North America*, 26(3), 539-551.

Li, D., Yang, Y., Li, R., Huang, L., Wang, Z., Deng, Q., & Dong, S., 2021, N-terminal acetylation of antimicrobial peptide L163 improves its stability against protease degradation, *Journal of Peptide Science*, 27(9), e3337.

Liao, S.-M., Du, Q.-S., Meng, J.-Z., Pang, Z.-W., & Huang, R.-B., 2013, The multiple roles of histidine in protein interactions, *Chemistry Central Journal*, 7, Article 44.

Lineweaver, H., & Burk, D., 1934, The determination of enzyme dissociation constants, *Journal of the American Chemical Society*, 56(3), 658–666.

Magliano, D. J., Boyko, E. J., dan IDF Diabetes Atlas 10th Edition Scientific Committee, 2021, *IDF Diabetes Atlas*. Edisi ke-10. Brussels: International Diabetes Federation.

Marengo, M., Pezzilli, D., Gianquinto, E., Fissore, A., Oliaro-Bosso, S., Sgorbini, B., Spyraakis, F., & Adinolfi, S., 2022, Evaluation of porcine and *Aspergillus oryzae* α -amylases as possible model for the human enzyme, *Processes*, 10(4), 780.

- Mogre, V., Johnson, N. A., Tzelepis, F., & Paul, C., 2019, Barriers to diabetes self-care: A systematic review of qualitative studies, *Clinical Diabetes and Endocrinology*, 5(1), 1-11.
- Moreira, I. S., Fernandes, P. A., & Ramos, M. J., 2007, Hot spots – a review of the protein-protein interface determinant amino-acid residues, *Proteins*, 68(4), 803–812.
- Morris, G. M., & Lim-Wilby, M., 2008, Molecular docking, *Methods in Molecular Biology (Clifton, N.J.)*, 443, 365–382.
- Mousavi, B., Azizi, M.-H., & Abbasi, S., 2022, Antidiabetic bio-peptides of soft and hard wheat glutens, *Food Chemistry: Molecular Sciences*, 4, 100104.
- Mudgil, P., Kamal, H., Yuen, G. C., & Maqsood, S., 2018, Characterization and identification of novel antidiabetic and anti-obesity peptides from camel milk protein hydrolysates, *Food Chemistry*, 259, 46–54.
- Nathan, D. M., 2015, Diabetes: Advances in diagnosis and treatment, *JAMA*, 314(10), 1052-1062.
- Nelson, D. L., & Cox, M. M., 2017, *Lehninger Principles of Biochemistry* (7th ed.), W.H. Freeman and Company.
- Ngoh, Y.-Y., & Gan, C.-Y., 2018, Identification of Pinto bean peptides with inhibitory effects on α -amylase and angiotensin converting enzyme (ACE) activities using an integrated bioinformatics-assisted approach, *Food Chemistry*, 267, 124–131.
- Nyathi, B., Bvunzawabaya, J. T., Mudawarima, C. V., Manzombe, E., Tsotsoro, K., Selemani, M. A., Munyuki, G., & Rwere, F., 2023, Antidiabetic and in silico molecular docking of *Xeroderris stuhlmannii* (Taub.) Mendonca & E. P. Sousa phytochemical compounds on human α -glucosidases, *bioRxiv*.
- Ogunyemi, O. M., Adefegha, S. A., Oboh, G., & Aluko, R. E., 2022, Inhibition mechanism of alpha-amylase, a diabetes target, by a steroidal pregnane and pregnane glycosides derived from *Gongronema latifolium* Benth, *International Journal of Biological Macromolecules*, 214, 150–161.

- Pihlaja, T., Oksanen, T., Vinkvist, N., & Sikanen, T. , 2024, Many human pharmaceuticals are weak inhibitors of the cytochrome P450 system in rainbow trout (*Oncorhynchus mykiss*) liver S9 fractions. *Frontiers in Toxicology*, 6, Article 1406942.
- Pesaresi, A., 2023, Mixed and non-competitive enzyme inhibition: Underlying mechanisms and mechanistic irrelevance of the formal two-site model, *Journal of Enzyme Inhibition and Medicinal Chemistry*, 38(1), 2245168.
- Qamar, F., Sultana, S., & Sharma, M., 2023, Animal models for induction of diabetes and its complications, *Journal of Diabetes & Metabolic Disorders*, 22(2), 1021–1028.
- Richter, B., Kim, J. J., Burton, R. E., & Hausinger, R. P., 2001, Contribution of a prosegment lysine residue to the function and stability of procarboxypeptidase A, *European Journal of Biochemistry*, 268(20), 5404–5411.
- Salmaso, V., & Moro, S., 2018, Bridging molecular docking to molecular dynamics in exploring ligand-protein recognition process: An overview, *Frontiers in Pharmacology*, 9, 923.
- Sánchez-Díez, M., Romero-Jiménez, P., Alegría-Aravena, N., Gavira-O'Neill, C. E., Vicente-García, E., Quiroz-Troncoso, J., González-Martos, R., Ramírez-Castillejo, C., & Pastor, J. M., 2025, Assessment of cell viability in drug therapy: IC50 and other new time-independent indices for evaluating chemotherapy efficacy, *Pharmaceutics*, 17, 247.
- Schwientek, P., Szczepanowski, R., Rückert, C., Kalinowski, J., Klein, A., Selber, K., & Wehmeier, U. F., 2012, The complete genome sequence of the acarbose producer *Actinoplanes* sp. SE50/110, *BMC Genomics*, 13, 112.
- Silverstein, T. P., 2019, When both K_m and V_{max} are altered, is the enzyme inhibited or activated?, *Biochemistry and Molecular Biology Education*, 47(1), 14–21.
- Soewondo, P., Ferrario, A., & Tahapary, D. L., 2013, Challenges in diabetes management in Indonesia: A literature review, *Global Health*, 14(1), 33.

- Tahrani, A. A., Barnett, A. H., & Bailey, C. J., 2016, Pharmacology and therapeutic implications of current drugs for type 2 diabetes mellitus, *Nature Reviews Endocrinology*, 12(11), 566-592.
- Takahashi, H., Matuoka, S., Kato, S., Ohki, K., & Hatta, I., 1991, Electrostatic interaction of poly(L-lysine) with dipalmitoylphosphatidic acid studied by X-ray diffraction, *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1069(3), 229–234.
- Tang, X., Chen, X., Wang, H., Yang, J., Li, L., Zhu, J., & Liu, Y., 2023, Virtual screening technology for two novel peptides in soybean as inhibitors of α -amylase and α -glucosidase, *Foods*, 12(24), 4387.
- Tysoe, C., Williams, L. K., Keyzers, R., Nguyen, N. T., Tarling, C., Wicki, J., Goddard-Borger, E. D., Aguda, A. H., Perry, S., Foster, L. J., Andersen, R. J., Brayer, G. D., & Withers, S. G., 2016, Potent human α -amylase inhibition by the β -defensin-like protein helianthamide, *ACS Central Science*, 2, 154–161.
- van de Laar, F. A., Lucassen, P. L., Akkermans, R. P., van de Lisdonk, E. H., Rutten, G. E., & van Weel, C., 2005, Alpha-glucosidase inhibitors for patients with type 2 diabetes: results from a Cochrane systematic review and meta-analysis, *Diabetes Care*, 28(1), 154–163.
- van Wier, S. P., & Beekman, A. M., 2025, Peptide design to control protein–protein interactions, *Chemical Society Reviews*, 54, 1684–1698.
- Wickramaratne, M. N., Punchihewa, J. C., & Wickramaratne, D. B. M., 2016, In-vitro alpha amylase inhibitory activity of the leaf extracts of *Adenanthera pavonina*, *BMC Complementary and Alternative Medicine*, 16, 466.
- Yamasaki, K., Daiho, T., Yasuda, S., Danko, S., Kawabe, J., & Suzuki, H., 2022, Electrostatic interactions between single arginine and phospholipids modulate physiological properties of sarcoplasmic reticulum Ca^{2+} ATPase, *Scientific Reports*, 12, Article 12200.
- Zhang, J., Li, C., Wang, G., Cao, J., Yang, X., Liu, X., & Sun, L., 2022, α -Amylase inhibition of a certain dietary polyphenol is predominantly affected by the

concentration of α -1,4-glucosidic bonds in starchy and artificial substrates, *International Food Research Journal*, 157, 111210.

Zhao, B., Su, K., Mao, X., & Zhang, X., 2020, Separation and identification of enzyme inhibition peptides from dark tea protein, *Bioorganic Chemistry*, 99, 103772.

Zhou, H., Safdar, B., Li, H., Yang, L., Ying, Z., & Liu, X., 2023, Identification of a novel α -amylase inhibitory activity peptide from quinoa protein hydrolysate, *Food Chemistry*, 403, 134434.

Zhou, H., Safdar, B., Li, H., Yang, L., Ying, Z., & Liu, X., 2023, Identification of a novel α -amylase inhibitory activity peptide from quinoa protein hydrolysate, *Food Chemistry*, 403, 134434.

Zulfiqar, S., Blando, F., Orfila, C., Marshall, L. J., & Boesch, C., 2023, Chromogenic assay is more efficient in identifying α -amylase inhibitory properties of anthocyanin-rich samples when compared to the 3,5-dinitrosalicylic acid (DNS) assay, *Molecules*, 28(17), 6399.