



DAFTAR PUSTAKA

- [1] M. Santamouris and K. Vasilakopoulou, “Present and Future Energy Consumption of Buildings: Challenges and Opportunities Towards Decarbonisation,” *e-Prime*, vol. 1, no. 1, p. 100002, Oct. 2021, doi: <https://doi.org/10.1016/j.prime.2021.100002>.
- [2] United Nations Environment Programme dan Global Alliance for Buildings and Construction, “Global Status Report for Buildings and Construction: Towards a Zero-emissions, Efficient and Resilient Buildings and Construction Sector - Executive Summary,” 2020.
- [3] Hanantatur Adeswastoto, B. Setiawan, Arfi Desrimon, Febryanto Febryanto, Agus Alisa Putra, and Mhd. Islah, “Analisis Penerapan Green Building Pada Bangunan Gedung Klinik Universitas Pahlawan,” *Journal of Engineering Science and Technology Management*, vol. 3, no. 1, pp. 37–43, Mar. 2023, doi: <https://doi.org/10.31004/jestm.v3i1.99>.
- [4] M. Mukhtar, None Baharuddin Hamzah, and None Rosady Mulyadi, “PENGARUH GEOMETRI DAN WINDOW TO WALL RATIO TERHADAP OVERALL THERMAL TRANSFER VALUE DAN KONSUMSI ENERGI PENDINGIN BANGUNAN,” *Nature National Academic Journal of Architecture*, vol. 10, no. 1, pp. 15–26, Jun. 2023, doi: <https://doi.org/10.24252/nature.v10i1a2>.
- [5] B. Nourozi, A. Ploskić, Y. Chen, J. Ning-Wei Chiu, and Q. Wang, “Heat transfer model for energy-active windows – An evaluation of efficient reuse of waste heat in buildings,” *Renewable Energy*, vol. 162, pp. 2318–2329, Dec. 2020, doi: <https://doi.org/10.1016/j.renene.2020.10.043>.
- [6] R. Mi *et al.*, “A Clear, Strong, and Thermally Insulated Transparent Wood for Energy Efficient Windows,” *Advanced Functional Materials*, vol. 30, no. 1, p. 1907511, Nov. 2019, doi: <https://doi.org/10.1002/adfm.201907511>.
- [7] Wachter, P. Rantuch, and Tomáš Štefko, *Transparent Wood Materials*. Springer Nature, 2023.
- [8] N. Arunkumar, Rekha Ravindranath Warriar, M. M. Kher, and J. A. Teixeira, “Indian Rosewood (*Dalbergia Latifolia* Roxb.): biology, utilisation, and Conservation Practices,” *Trees*, vol. 36, no. 3, pp. 883–898, Nov. 2021, doi: <https://doi.org/10.1007/s00468-021-02243-3>.
- [9] T. D. Atikah, W. Wardani, and D. Surya, “Population, Economic Value and the Trade of *Dalbergia Latifolia* in Lombok, West Nusa Tenggara, Indonesia,” *IOP Conference Series: Earth and Environmental Science*, vol. 762, no. 1, p. 012015, May 2021, doi: <https://doi.org/10.1088/1755-1315/762/1/012015>.
- [10] Y. Wu, Y. Wang, and F. Yang, “Comparison of Multilayer Transparent Wood and Single Layer Transparent Wood with the Same Thickness,” *Frontiers in Materials*, vol. 8, Mar. 2021, doi: <https://doi.org/10.3389/fmats.2021.633345>.
- [11] Y. Li, E. Vasileva, I. Sychugov, S. Popov, and L. Berglund, “Optically Transparent Wood: Recent Progress, Opportunities, and





- Challenges,” *Advanced Optical Materials*, vol. 6, no. 14, p. 1800059, May 2018, doi: <https://doi.org/10.1002/adom.201800059>.
- [12] J. Qin *et al.*, “Optimization of delignification process for efficient preparation of transparent wood with high strength and high transmittance,” *Vacuum*, vol. 158, pp. 158–165, Dec. 2018, doi: <https://doi.org/10.1016/j.vacuum.2018.09.058>.
- [13] X. Li *et al.*, “Optically Transparent Bamboo: Preparation, Properties, and Applications,” *Polymers*, vol. 14, no. 16, p. 3234, Jan. 2022, doi: <https://doi.org/10.3390/polym14163234>.
- [14] Laurentius Kevin Hendinata, Nur Abdillah Siddiq, Sentagi Sesotya Utami, A. Ilham, Michael Alfano Suprpto, and Ribka Prilia, “Delignified wood biocomposites as sustainable and transparent materials for passive cooling applications,” *Wood Material Science and Engineering*, vol. 19, no. 2, pp. 291–301, Jul. 2023, doi: <https://doi.org/10.1080/17480272.2023.2240295>.
- [15] J. Gao *et al.*, “Large size translucent wood fiber reinforced PMMA porous composites with excellent thermal, acoustic and energy absorption properties,” *Composites Communications*, vol. 30, pp. 101059–101059, Feb. 2022, doi: <https://doi.org/10.1016/j.coco.2022.101059>.
- [16] Eero Sjöström, *Wood Chemistry : Fundamentals and Applications*. San Diego: Academic Press, 1993.
- [17] R. M. Rowell, *Handbook of Wood Chemistry and Wood Composites*. Boca Raton: Crc Press, 2013.
- [18] Adik Bahanawan, Sudarmanto Sudarmanto, Imran Arra'd Sofianto, and Wahyu Dwianto, “The Artistic Properties of Rosewood (*Dalbergia Latifolia* Roxb.) as a Reference for the Development of Decorative Veneers and Synthetic vinyl,” *Deleted Journal*, vol. 14, no. 1, pp. 21–21, Oct. 2022, doi: <https://doi.org/10.24111/jrihh.v14i1.7287>.
- [19] M. Chutturi *et al.*, “A comprehensive review of the synthesis strategies, properties, and applications of transparent wood as a renewable and sustainable resource,” *Science of The Total Environment*, vol. 864, p. 161067, Mar. 2023, doi: <https://doi.org/10.1016/j.scitotenv.2022.161067>.
- [20] H. Sixta, *Handbook of Pulp*. Weinheim: Wiley-Vch ; [Chichester, 2006.
- [21] C. E. Carraher and R. B. Seymour, *Polymer Chemistry*. Boca Raton, Fla.: Crc; London, 2010.
- [22] Debdatta Ratna, *Handbook of Thermoset Resins*. Smithers Rapra Technology, 2009.
- [23] E. Hecht, *Optics*. Boston: Pearson Education, Inc, 2017.
- [24] F. Pedrotti, L. M. Pedrotti, and L. S. Pedrotti, *Introduction to Optics*, 3rd ed. Cambridge University Press., 2017.
- [25] M. Born and E. Wolf, *Principles of Optics*, 7th ed. Oxford, New York, Pergamon Press, 1999.
- [26] T. Minezaki, T. Hirokane, and D. Oguro, “Polyester Resin and Optical Lens,” 2012 Accessed: Aug. 18, 2025. [Online]. Available: <https://www.freepatentsonline.com/y2012/0289676.html>





- [27] B. J. Goodno and J. M. Gere, *Statics and Mechanics of Materials*. Boston, Ma: Cengage, 2019.
- [28] W. D. Callister and D. G. Rethwisch, *Materials Science and Engineering: an Introduction*, 10th ed. Hoboken, Nj: Wiley, 2018.
- [29] American Society For Testing And Materials. Committee E-28 On Mechanical Testing and Astm Subcommittee 28.04 On Uniaxial Testing, *Standard Test Methods for Tension Testing of Metallic materials*. West Conshohocken, Pa: ASTM International, 2016.
- [30] J. Zhang *et al.*, “H₂O₂ Solution Steaming Combined Method to Cellulose Skeleton for Transparent Wood Infiltrated with Cellulose Acetate,” *Polymers*, vol. 15, no. 7, p. 1733, Jan. 2023, doi: <https://doi.org/10.3390/polym15071733>.
- [31] J. Wu, Y. Wu, F. Yang, C. Tang, Q. Huang, and J. Zhang, “Impact of Delignification on morphological, Optical and Mechanical Properties of Transparent Wood,” *Composites Part A: Applied Science and Manufacturing*, vol. 117, pp. 324–331, Feb. 2019, doi: <https://doi.org/10.1016/j.compositesa.2018.12.004>.
- [32] Priya Bisht, Krishna Murari Pandey, and H. C. Barshilia, “Photostable Transparent Wood Composite Functionalized with an UV-absorber,” *Polymer Degradation and Stability*, vol. 189, pp. 109600–109600, Jul. 2021, doi: <https://doi.org/10.1016/j.polyimdegradstab.2021.109600>.
- [33] L. Yu, Y. Liang, Y. Zhang, and J. Cao, “Mechanical Properties of Wood Materials Using near-infrared Spectroscopy Based on Correlation Local Embedding and Partial least-squares,” *Journal of Forestry Research*, vol. 31, no. 3, pp. 1053–1060, Sep. 2019, doi: <https://doi.org/10.1007/s11676-019-01031-7>.
- [34] M. Zubielewicz, E. Kamińska-Tarnawska, A. Ślusarczyk, and E. Langer, “Prediction of Heat build-up of Solar Reflecting Coatings Based on physico-chemical Properties of Complex Inorganic Colour Pigments (CICPs),” *Progress in Organic Coatings*, vol. 72, no. 1–2, pp. 65–72, Sep. 2011, doi: <https://doi.org/10.1016/j.porgcoat.2011.02.008>.
- [35] International Commission on Illumination, *CIE 15:2004. Technical Report: Colorimetry, 3rd Edition*. Vienna, Austria: CIE, 2004. ISBN: 3-901-906-33-9.
- [36] International Organization for Standardization, *ISO 8980-3:2013. Ophthalmic optics — Uncut finished spectacle lenses — Part 3: Transmittance specifications and test methods*, 3rd ed. Geneva, Switzerland: ISO, 2013.
- [37] S. Liu, C. Y. Tso, H. H. Lee, Y. W. Du, K. M. Yu, S.-P. Feng, and B. Huang, “Self-densified optically transparent VO₂ thermochromic wood film for smart windows,” *ACS Applied Materials & Interfaces*, vol. 13, no. 19, pp. 22495–22504, May 2021, doi: 10.1021/acsami.1c03803.
- [38] SNI 15-0047-2005, *Kaca Lembaran*, Badan Standardisasi Nasional (BSN), Jakarta, 2005.





- [39] ISO 9050:2003, *Glass in Building — Determination of Light Transmittance, Solar Direct Transmittance, Total Solar Energy Transmittance, Ultraviolet Transmittance, and Related Glazing Factors*, International Organization for Standardization, Geneva, 2003.
- [40] ASTM G173-03, *Standard Tables for Reference Solar Spectral Irradiances: Direct Normal and Hemispherical on 37° Tilted Surface*, ASTM International, 2003.
- [41] ASTM D1003-13, *Standard Test Method for Haze and Luminous Transmittance of Transparent Plastics*, ASTM International, 2013.
- [42] ASTM D790-17, *Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials*, ASTM International, 2017.
- [43] SNI 03-3399-1994, *Metode Pengujian Sifat Mekanik Bahan Polimer*, BSN, Jakarta, 1994.
- [44] D256-10, *Standard Test Methods for Determining the Izod Pendulum Impact Resistance of Plastics*, ASTM International, 2010.
- [45] ASTM C1363-19, *Standard Test Method for Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus*, ASTM International, 2019.
- [46] ISO 10292:1994, *Glass in Building — Calculation of Steady-State U Values (Thermal Transmittance)*, ISO, Geneva, 1994.
- [47] ASTM D1037-12, *Standard Test Methods for Evaluating Properties of Wood-Base Fiber and Particle Panel Materials*, ASTM International, 2012.

