

DAFTAR PUSTAKA

- [1] A. R. Imre, S. Daniarta, P. Błasiak, and P. Kolasiński, “Design, integration, and control of organic rankine cycles with thermal energy storage and two-phase expansion system utilizing intermittent and fluctuating heat sources—a review,” *Energies*, vol. 16, no. 16, 2023. [Online]. Available: <https://doi.org/10.3390/en16165948>
- [2] K. Ogata, *Modern Control Engineering*, 5th ed. Upper Saddle River, NJ: Prentice Hall, 2010.
- [3] Y. A. Cengel and M. A. Boles, *Thermodynamics: An Engineering Approach*, 9th ed. New York, NY: McGraw-Hill Education, 2019.
- [4] F. Dawo, J. Buhr, C. Schiffelechner, C. Wieland, and H. Spliethoff, “Experimental assessment of an organic rankine cycle with a partially evaporated working fluid,” *Applied Thermal Engineering*, vol. 221, 2023, cited by: 24. [Online]. Available: <https://doi.org/10.1016/j.applthermaleng.2022.119858>
- [5] Y. A. Cengel and A. J. Ghajar, *Heat and Mass Transfer: Fundamentals Applications*, 5th ed. New York, NY: McGraw-Hill Education, 2015.
- [6] K. McGurk, B. Owen, W. Watson, R. Nethononda, H. Cordell, M. Farrall, O. Rider, H. Watkins, A. Revell, and B. Keavney, “Heritability of haemodynamics in the ascending aorta,” *Scientific Reports*, vol. 2020, p. 14356, 09 2020.
- [7] K. Kolmetz, “Heat exchanger selection, sizing and troubleshooting, kolmetz handbook of process equipment design,” 10 2019.
- [8] N. S. Nise, *Control System Engineering*, 6th ed. Hoboken, NJ: John Wiley & Sons, 2011.
- [9] B. Mufutau Opeyemi, “Path to sustainable energy consumption: The possibility of substituting renewable energy for non-renewable energy,” *Energy*, vol. 228, 2021, cited by: 207. [Online]. Available: <https://doi.org/10.1016/j.energy.2021.120519>
- [10] J. Bull, J. M. Buick, and J. Radulovic, “Heat exchanger sizing for organic rankine cycle,” *Energies*, vol. 13, no. 14, 2020. [Online]. Available: <https://doi.org/10.3390/en13143615>
- [11] R. Sonde, “Low-grade (waste) energy conversion: Science and technological challenges,” *Proceedings of the Indian National Science Academy*, vol. 81, no. 4, p. 717 – 723, 2015, cited by: 2. [Online]. Available: <https://doi.org/10.16943/ptinsa/2015/v81i4/48292>



- [12] S. Daniarta, "Analysis of the low-boiling working fluid expansion processes in the volumetric expander operating in the orc system," 2024.
- [13] M. Hijriawan, N. A. Pambudi, M. K. Biddinika, D. S. Wijayanto, I. W. Kuncoro, B. Rudiyanto, and K. M. Wibowo, "Organic rankine cycle (orc) in geothermal power plants," *Journal of Physics: Conference Series*, vol. 1402, no. 4, p. 044064, dec 2019. [Online]. Available: <https://dx.doi.org/10.1088/1742-6596/1402/4/044064>
- [14] S. Daniarta, P. Kolasiński, A. R. Imre, and D. Sowa, "Artificial intelligence-driven performance mapping: A deep learning-based investigation of a multi-vane expander in retrofitted organic rankine cycle," *Energy Conversion and Management*, vol. 315, 2024, cited by: 5; All Open Access, Hybrid Gold Open Access. [Online]. Available: <https://doi.org/10.1016/j.enconman.2024.118763>
- [15] J. Peralez, M. Nadri, P. Dufour, P. Tona, and A. Sciarretta, "Organic rankine cycle for vehicles: Control design and experimental results," *IEEE Transactions on Control Systems Technology*, vol. 25, no. 3, pp. 952–965, 2017.
- [16] X. Wang, G. Shu, H. Tian, P. Liu, D. Jing, and X. Li, "Dynamic analysis of the dual-loop organic rankine cycle for waste heat recovery of a natural gas engine," *Energy Conversion and Management*, vol. 148, pp. 724–736, 2017. [Online]. Available: <https://doi.org/10.1016/j.enconman.2017.06.014>
- [17] M. Marchionni, G. Bianchi, A. Karvountzis-Kontakiotis, A. Pesyridis, and S. A. Tassou, "An appraisal of proportional integral control strategies for small scale waste heat to power conversion units based on organic rankine cycles," *Energy*, vol. 163, pp. 1062–1076, 2018. [Online]. Available: <https://doi.org/10.1016/j.energy.2018.08.156>
- [18] J. I. Chowdhury, D. Thornhill, P. Soulatiantork, Y. Hu, N. Balta-Ozkan, L. Varga, and B. K. Nguyen, "Control of supercritical organic rankine cycle based waste heat recovery system using conventional and fuzzy self-tuned pid controllers," *International Journal of Control, Automation and Systems*, vol. 17, pp. 2969–2981, 2019. [Online]. Available: <https://doi.org/10.1007/s12555-018-0766-6>
- [19] P. Li, T. Qian, J. Li, H. Lin, Y. Wang, G. Pei, D. Jie, and D. Liu, "Thermo-economic analysis of a novel partial cascade organic-steam rankine cycle," *Energy Conversion and Management*, vol. 283, 2023, cited by: 13. [Online]. Available: <https://doi.org/10.1016/j.enconman.2023.116941>
- [20] M. Mahdi, R. Popov, K. Barati Far, M. Panszczyk, K. Grassby, and I. Pioro, "Specifics of deteriorated heat transfer in supercritical water (liquid-like state) flowing upward in a short bare tube," 2018, Conference paper, cited by: 2. [Online]. Available: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060482308&partnerID=40&md5=e33c490a13180b7ff4f67a9fe180d543>



- [21] F. J. López-Flores, L. G. Hernández-Pérez, L. F. Lira-Barragán, E. Rubio-Castro, and J. M. Ponce-Ortega, “Energy integration for waste heat in industrial plants through a metaheuristic-deterministic approach,” 2021, Conference paper, cited by: 0. [Online]. Available: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85204667951&partnerID=40&md5=ac162b9d0a1367f258c8df2d06a3959a>
- [22] Y. A. Cengel and J. M. Cimbala, *Fluid Mechanics: Fundamentals and Applications*, 1st ed. New York, NY: McGraw-Hill, 2006.
- [23] Tubular Exchanger Manufacturers Association, *Standards of the Tubular Exchanger Manufacturers Association*, 9th ed. Tarrytown, NY: Tubular Exchanger Manufacturers Association, Inc., 2007, tEMA Standard.
- [24] D. W. O. d. Medeiros, *DWSIM - Open Source Chemical Process Simulator User Guide*, DWSIM, Apr. 2025, accessed on July 14, 2025. [Online]. Available: <https://dwsim.org/>
- [25] I. H. Bell, J. Wronski, S. Quoilin, and V. Lemort, “Pure and pseudo-pure fluid thermophysical property evaluation and the open-source thermophysical property library coolprop,” *Industrial & Engineering Chemistry Research*, vol. 53, no. 6, pp. 2498–2508, 2014. [Online]. Available: <http://doi.org/10.1021/ie4033999>
- [26] DWSIM, “Dwsim - open source chemical process simulator,” <https://dwsim.org/>, 2025, diakses pada 19 Juli 2025.
- [27] Autodesk Inc., “Autocad,” San Rafael, CA, 2022. [Online]. Available: <https://www.autodesk.com/products/autocad/overview>
- [28] P. Li, Q. Cao, J. Li, H. Lin, Y. Wang, G. Gao, G. Pei, D. Jie, and X. Liu, “An innovative approach to recovery of fluctuating industrial exhaust heat sources using cascade rankine cycle and two-stage accumulators,” *Energy*, vol. 228, p. 120587, 2021. [Online]. Available: <https://doi.org/10.1016/j.energy.2021.120587>
- [29] M. Astolfi, E. Martelli, and L. Pierobon, “7 - thermodynamic and technoeconomic optimization of organic rankine cycle systems,” in *Organic Rankine Cycle (ORC) Power Systems*, E. Macchi and M. Astolfi, Eds. Woodhead Publishing, 2017, pp. 173–249. [Online]. Available: <https://doi.org/10.1016/B978-0-08-100510-1.00007-7>
- [30] M. T. White, “Investigating the wet-to-dry expansion of organic fluids for power generation,” *International Journal of Heat and Mass Transfer*, vol. 192, p. 122921, 2022. [Online]. Available: <https://doi.org/10.1016/j.ijheatmasstransfer.2022.122921>



- [31] J. Bull, J. Pound, J. Radulovic, and J. M. Buick, “Low-temperature orc systems: Influence of the approach point and pinch point temperature differences,” *Energies*, vol. 18, no. 11, 2025. [Online]. Available: <https://www.mdpi.com/1996-1073/18/11/2954>

