

REFERENCES

- Arcoverde, E., Duarte, R., Barreto, R., Magalhaes, J., Bastos, C., Ing Ren, T. and Cavalcanti, G. (2014). Enhanced real-time head pose estimation system for mobile device, *Integrated Computer Aided Engineering* **21**: 281–293.
- Berman, M., Triki, A. R. and Blaschko, M. B. (2018). The lovasz-softmax loss: A tractable surrogate for the optimization of the intersection-over-union measure in neural networks, p. 4413 – 4421. Cited by: 735; All Open Access, Green Open Access.
- Deng, J., Guo, J., Ververas, E., Kotsia, I. and Zafeiriou, S. (2020). Retinaface: Single-shot multi-level face localisation in the wild, *2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 5202–5211.
- Everingham, M., Gool, L., Williams, C. K., Winn, J. and Zisserman, A. (2010). The pascal visual object classes (voc) challenge, *Int. J. Comput. Vision* **88**(2): 303–338.
- Farfade, S. S., Saberian, M. J. and Li, L.-J. (2015). Multi-view face detection using deep convolutional neural networks, *Proceedings of the 5th ACM on International Conference on Multimedia Retrieval, ICMR '15*, Association for Computing Machinery, New York, NY, USA, p. 643–650.
- Feng, Y., Yu, S., Peng, H., Li, Y.-R. and Zhang, J. (2022). Detect faces efficiently: A survey and evaluations, *IEEE Transactions on Biometrics, Behavior, and Identity Science* **4**(1): 1–18.
- Guo, Q., Wang, Z., Fan, D. and Wu, H. (2022). Multi-face detection and alignment using multiple kernels, *Applied Soft Computing* **122**. Cited by: 9.
- He, K., Zhang, X., Ren, S. and Sun, J. (2016). Deep residual learning for image recognition, *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 770–778.
- Jain, V. and Learned-Miller, E. (2010). Fddb: A benchmark for face detection in unconstrained settings, *Technical Report UM-CS-2010-009*, University of Massachusetts, Amherst.

Kavita and Chhillar, R. S. (2022). Face recognition challenges and solutions using machine learning, *International Journal of Intelligent Systems and Applications in Engineering* **10**(3): 471–476.

URL: <https://www.ijisae.org/index.php/IJISAE/article/view/2262>

Krizhevsky, A., Sutskever, I. and Hinton, G. E. (2017). Imagenet classification with deep convolutional neural networks, *Commun. ACM* **60**(6): 84–90.

Li, J., Wang, Y., Wang, C., Tai, Y., Qian, J., Yang, J., Wang, C., Li, J. and Huang, F. (2019). Dsfd: Dual shot face detector, *2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 5055–5064.

Liao, S., Jain, A. K. and Li, S. Z. (2016). A fast and accurate unconstrained face detector, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **38**(2): 211–223.

Liu, S., Huang, D. and Wang, Y. (2018). Receptive field block net for accurate and fast object detection, *Computer Vision – ECCV 2018: 15th European Conference, Munich, Germany, September 8-14, 2018, Proceedings, Part XI*, Springer-Verlag, Berlin, Heidelberg, p. 404–419.

Micikevicius, P., Narang, S., Alben, J., Diamos, G., Elsen, E., Garcia, D., Ginsburg, B., Houston, M., Kuchaiev, O., Venkatesh, G. and Wu, H. (2018). Mixed precision training.

URL: <https://arxiv.org/abs/1710.03740>

N. Gourier, D. Hall, J. L. C. (2004). Estimating face orientation from robust detection of salient facial features.

Najibi, M., Samangouei, P., Chellappa, R. and Davis, L. S. (2017). Ssh: Single stage headless face detector, *2017 IEEE International Conference on Computer Vision (ICCV)*, pp. 4885–4894.

Patel, V., Mistree, K. and Gopalbhai, C. (2013). A review on different image interpolation techniques for image enhancement.

Peters, J. F. (2017). Basics leading to machine vision, *Intelligent Systems Reference Library* **124**: 1 – 85. Cited by: 2.

- Pulli, K., Baksheev, A., Korniyakov, K. and Eruhimov, V. (2012). Mobile computer-vision technology will soon become as ubiquitous as touch interfaces, *Communications of the ACM* **55**(6): 61 – 69. Cited by: 293.
- Rajendra Kumar, P. and Manash, E. (2019). Deep learning: A branch of machine learning, Vol. 1228. Cited by: 22; All Open Access, Gold Open Access.
- Ren, S., He, K., Girshick, R. and Sun, J. (2017). Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks , *IEEE Transactions on Pattern Analysis & Machine Intelligence* **39**(06): 1137–1149.
- Rosebrock, A. (2016). Intersection over Union (IoU) for object detection - PyImageSearch — pyimagesearch.com. [Accessed 02-12-2024].
- Russakovsky, O., Deng, J., Su, H., Krause, J., Satheesh, S., Ma, S., Huang, Z., Karpathy, A., Khosla, A., Bernstein, M., Berg, A. C. and Fei-Fei, L. (2015). ImageNet Large Scale Visual Recognition Challenge, *International Journal of Computer Vision (IJCV)* **115**(3): 211–252.
- Sandler, M., Howard, A., Zhu, M., Zhmoginov, A. and Chen, L.-C. (2018). MobileNetV2: Inverted Residuals and Linear Bottlenecks , *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, IEEE Computer Society, Los Alamitos, CA, USA, pp. 4510–4520.
- Sharma, D. (2020). Deep learning without tears: A simple introduction, *Resonance* **25**(1): 15 – 32. Cited by: 2.
- Simonyan, K. and Zisserman, A. (2015). Very deep convolutional networks for large-scale image recognition, Computational and Biological Learning Society, pp. 1–14.
- Viola, P. and Jones, M. (2001). Rapid object detection using a boosted cascade of simple features, *Proceedings of the 2001 IEEE Computer Society Conference on Computer Vision and Pattern Recognition. CVPR 2001*, Vol. 1, pp. I–I.
- Wang, Z. and Ji, S. (2018). Smoothed dilated convolutions for improved dense prediction, p. 2486 – 2495. Cited by: 136; All Open Access, Bronze Open Access, Green Open Access.

- Wei, Y., Pu, H., Zhu, Y. and Li, X. (2019). Integrate receptive field block into large-margin softmax loss for face recognition, Vol. 1229. Cited by: 3; All Open Access, Gold Open Access.
- Wibowo, M. E., Ashari, A., Subiantoro, A. and Wahyono, W. (2021). Human face detection and tracking using retinaface network for surveillance systems, Vol. 2021-October. Cited by: 3.
- Yakhyo (2021). Retinaface pytorch. Accessed: 2025-01-21.
URL: <https://github.com/yakhyo/retinaface-pytorch>
- Yang, S., Luo, P., Loy, C. C. and Tang, X. (2016). Wider face: A face detection benchmark, *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*.
- Yao, X. and Liu, Y. (2005). *Machine learning*, Springer US. Cited by: 5.
- Zaidi, A. (2021). Accurate iou computation for rotated bounding boxes in r2 and r3, *Machine Vision and Applications* **32**(6). Cited by: 9.
- Zhang, K., Zhang, Z., Li, Z. and Qiao, Y. (2016). Joint face detection and alignment using multitask cascaded convolutional networks, *IEEE Signal Processing Letters* **23**(10): 1499–1503.
- Zhang, S., Zhu, X., Lei, Z., Shi, H., Wang, X. and Li, S. Z. (2017). S3FD: Single Shot Scale-Invariant Face Detector , *2017 IEEE International Conference on Computer Vision (ICCV)*, IEEE Computer Society, Los Alamitos, CA, USA, pp. 192–201.
- Zhu, X., Lei, Z., Liu, X., Shi, H. and Li, S. Z. (2016). Face alignment across large poses: A 3d solution, *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 146–155.