



## DAFTAR PUSTAKA

- Ahammad, I., Jamal, T. B., Lamisa, A. B., Bhattacharjee, A., Zinan, N., Chowdhury, M. Z. H., Hossain, M. U., Das, K. C., Keya, C. A., and Salimullah, M. 2024. Subtractive genomics study of *Xanthomonas oryzae* pv. *oryzae* reveals repurposable drug candidate for the treatment of bacterial leaf blight in rice. *Journal of Genetic Engineering and Biotechnology*, 22(1): 1-9. <https://doi.org/10.1016/j.jgeb.2024.100353>.
- Ahsan, R., Ullah, S., Yaseen, I., Fateh, F. S., Fayyaz, M., Asad, S., Jamal, A., Sufyan, M., and Zakria, M. 2021. Assessment of bacterial leaf blight incidence and severity in rice growing areas of Pakistan. *Pakistan Journal of Agricultural Research*, 34(4): 693-699. <http://dx.doi.org/10.17582/journal.pjar/2021/34.4.693.699>.
- Ariyanti, S. D., Nabila, U., dan Rahmawati, L. 2024. Pemenuhan kebutuhan produksi beras nasional dalam meningkatkan kesejahteraan masyarakat menurut perspektif ekonomi islam. *Maro: Jurnal Ekonomi Syariah dan Bisnis*, 7(1): 82-93. <http://ejournal.unma.ac.id/index.php/Mr>.
- Asif, M., Xie, X., and Zhao, Z. 2025. Regulation and inhibition of type III secretion systems in plant pathogenic bacteria. *Phytopathology Research*, 7(1): 1-24. <https://doi.org/10.1186/s42483-024-00304-2>.
- Badan Pusat Statistik. 2024. Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi, 2022-2024, <<https://www.bps.go.id/id/statistics-table/2/MTQ5OCMy/luas-panen--produksi--dan-produktivitas-padi-menurut-provinsi.html>>. Diakses pada 18 Januari 2025.
- Bashir, I., War, A. F., Rafiq, I., Reshi, Z. A., and Rashid, I. 2022. Phyllosphere microbiome: Diversity and functions. *Microbiological Research*, 254 (126888): 1-20. <https://doi.org/10.1016/j.micres.2021.126888>.
- Catara, V., Cubero, J., Pothier, J. F., Bosis, E., Bragard, C., Đermić, E., and Costa, J. 2021. Trends in molecular diagnosis and diversity studies for phytosanitary regulated *Xanthomonas*. *Microorganisms*, 9(4): 862-870. <https://doi.org/10.3390/microorganisms9040862>.
- Dawe, D. 2024. New dynamics in the world rice market. *Asian Journal of Agriculture and Development*, 21: 19-34. <https://doi.org/10.37801/ajad2024.21.20AI.2>.
- Direktorat Perlindungan Tanaman Pangan. 2024. Prakiraan Serangan OPT Utama Padi, Jagung, Kedelai, dan Akabi di Indonesia Musim Tanam 2024/2025. Direktorat Jenderal Tanaman Pangan. Kementerian Pertanian. Jakarta.
- Djatzmiko, H. A., Prakoso, B., dan Prihatiningsih, N. 2011. Penentuan patotipe dan keragaman genetik *Xanthomonas oryzae* pv. *oryzae* pada tanaman padi di wilayah Karesidenan Banyumas. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 11(1): 35-46. <https://doi.org/10.23960/j.hptt.11135-46>.
- EPPO. 1996. Taxonomy of *Oryza sativa*. <<https://gd.eppo.int/taxon/ORYSA>>. Diakses pada 18 Februari 2025.
- EPPO. 2002. Taxonomy of *Xanthomonas oryzae* pv. *oryzae*. <<https://gd.eppo.int/taxon/XANTOR>>. Diakses pada 20 Februari 2025.
- González, J. F., Degrassi, G., Devescovi, G., De Vleeschauwer, D., Höfte, M., Myers, M. P., and Venturi, V. 2012. A proteomic study of *Xanthomonas*



- oryzae pv. oryzae in rice xylem sap. *Journal of Proteomics*, 75(18): 5911-5919. <https://doi.org/10.1016/j.jprot.2012.07.019>.
- Goto, M., Takagaki, M., Koderu, A., Takikawa, Y., and Tsuyumu, S. 1994. Effect of benomyl on seedling rot of rice (*Pseudomonas glumae*) and microbial interactions on germinating rice seeds. *Japanese Journal of Phytopathology*, 60(1): 74-81. [https://www.jstage.jst.go.jp/article/jjphytopath1918/60/1/60\\_1\\_74/\\_pdf](https://www.jstage.jst.go.jp/article/jjphytopath1918/60/1/60_1_74/_pdf).
- Gross, B. L., and Zhao, Z. 2014. Archaeological and genetic insights into the origins of domesticated rice. *PNAS*, 111(17): 6190-6197. <https://doi.org/10.1073/pnas.1308942110>.
- Guan, Y., Shen, P., Lin, M., and Ye, X. 2022. Exogenous alanine reverses the bacterial resistance to Zhongshengmycin with the promotion of the P cycle in *Xanthomonas oryzae*. *Antibiotics*, 11(2): 245-256. <https://doi.org/10.3390/antibiotics11020245>.
- Gunaeni, N., Setiawati, W., dan Kusandriani, Y. 2014. Pengaruh Perangkap likat kuning, ekstrak *Tagetes erecta*, dan imidacloprid terhadap perkembangan vektor kutukebul dan virus kuning keriting pada tanaman cabai merah. *Jurnal Hortikultura*. 24(4): 346-354. <https://doi.org/10.21082/jhort.v24n4.2014.p346-354>.
- Hadianto, W., Hakim, L., dan Bakhtiar. 2015. Ketahanan beberapa genotipe padi terhadap penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*). *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 15(2): 152-163. <https://doi.org/10.23960/j.hptt.215152-163>.
- Herdiyantoro, D., Setiawati, M. R., dan Simarmata, T. 2022. Reaksi hipersensitif daun tembakau oleh isolat bakteri pelarut kalium pada praformulasi pupuk hayati. *soilrens*, 20(2): 72-77. <https://doi.org/10.24198/soilrens.v20i2.45266>.
- Irpawa, D. M. I., Arwiyanto, T., and Sulandari, S. 2024. The characterization, pathotype distribution and genetic diversity of *Xanthomonas oryzae* pv. *oryzae* in rice production centers of the Special Region of Yogyakarta, Indonesia. *Journal of Tropical Plant Pests and Disease*, 24(2): 262-273. <https://doi.org/10.23960/jhptt.224262-273>.
- Istiqomah, Kusumawati, D. E., dan Serdani, A. D. 2022. Inovasi aplikasi asap cair dan agens hayati sebagai upaya pengendalian serangan hama dan penyakit pada padi (*Oryza sativa* L.). *Jurnal Buana Sains*. 22(1): 1-10. <https://doi.org/10.33366/bs.v22i1.3083>.
- Jalil, M., Nurba, D., Subandar, I., Amin, M., dan Malikon, T. R. 2018. Pengaruh umur pindah tanam dan jumlah bibit per lubang tanam terhadap pertumbuhan dan produksi padi (*Oryza sativa* L.). *Jurnal Agrotek Lestari*, 1(1): 55-66. <https://doi.org/10.35308/jal.v1i1.464>.
- Jiang, L., and Liu, L. 2006. New evidence for the origins of sedentism and rice domestication in the Lower Yangzi River, China. *antiquity*, 80(308). 355-361. <https://doi.org/10.1017/S0003598X00093674>.
- Kambu, D., Soekamto, M. H., Ohorella, Z., dan Maruapey, A. 2024. Kajian inovasi teknologi pengelolaan tanaman terpadu (PTT) padi sawah di Kelurahan Klaru, Distrik Mariat-Kabupaten Sorong-Pbd. *Agroscience*, 14(1): 35-48. <http://dx.doi.org/10.35194/agsci.v14i1.4240>.



- Khalaf, S. M., Alqahtani, M. S., Ali, M. R., Abdelalim, I. T., and Hodhod, M. S. 2024. Modeling climate-related global risk maps of rice bacterial blight caused by *Xanthomonas oryzae* (Ishiyama 1922) using geographical information system (GIS). *Environmental Monitoring and Assessment*, 196(1064): 1-11. <https://doi.org/10.1007/s10661-024-13215-8>.
- Klindworth, A., Pruesse, E., Schweer, T., Peplies, J., Quast, C., Horn, M., and Glöckner, F. O. 2012. Evaluation of general 16S ribosomal RNA gene PCR primers for classical and next-generation sequencing-based diversity studies. *Nucleic Acids Research*, 41(1): 1-11. <https://doi.org/10.1093/nar/gks808>.
- Leguin, M., Smets, W., Vandenheuvel, D., Eilers, T., Muysshondt, B., Prinsen, E., Samson, R., and Lebeer, S. 2020. Modes of action of microbial biocontrol in the phyllosphere. *Frontiers in microbiology*, 11(1619): 1-18. <https://doi.org/10.3389/fmicb.2020.01619>.
- Li, P. D., Zhu, Z. R., Zhang, Y., Xu, J., Wang, H., Wang, Z., and Li, H. 2022. The phyllosphere microbiome shifts toward combating melanose pathogen. *Microbiome*, 10(1): 1-17. <https://doi.org/10.1186/s40168-022-01234-x>.
- Liu, Z., Zhu, Y., Shi, H., Qiu, J., Ding, X., and Kou, Y. 2021. Recent progress in rice broad-spectrum disease resistance. *International journal of molecular sciences*, 22(21): 1-17. <https://doi.org/10.3390/ijms222111658>.
- Masuda, S., Gan, P., Kiguchi, Y., Anda, M., Sasaki, K., Shibata, A., and Shirasu, K. 2024. Uncovering microbiomes of the rice phyllosphere using long-read metagenomic sequencing. *Communications Biology*, 7(1): 1-13. <https://doi.org/10.1038/s42003-024-05998-w>.
- Mishra, M., Siddabasappa, C. B., Krishnareddy, P. M., Akkin, N., and Mariyappa, Y. K. 2024. Differential interaction studies to decipher biochemical and morphological defense mechanisms in *Rhizoctonia solani*-rice interaction. *Researchsquare*: 1-28. <http://dx.doi.org/10.21203/rs.3.rs-4648579/v1>.
- Monareh, J, and T.B. Ogie. 2020. Disease control using biopesticide on rice plant (*Oryza sativa* L.). *Jurnal Agroekoteknologi Terapan*, 1(1): 11-13. <https://doi.org/10.35791/jat.v1i1.33978>.
- Mondal, K. K., Rashmi, E. R., and Ghoshal, T. 2021. Rice *SWEET* proteins: the key targets by the bacterial blight pathogen, *Xanthomonas oryzae* pv. *oryzae* to ensure nutrition in the rice apoplast during infection. *Indian Phytopathology*, 74(2): 323-331. <http://dx.doi.org/10.1007/s42360-021-00369-5>.
- Niño-Liu, D. O., Ronald, P. C., and Bogdanove, A. J. 2006. *Xanthomonas oryzae* pathovars: model pathogens of a model crop. *Molecular plant pathology*, 7(5): 303-324. <https://doi.org/10.1111/j.1364-3703.2006.00344.x>.
- Ofori, A. D., Su, W., Zheng, T., Datsomor, O., Titriku, J. K., Xiang, X., Kandhro, A. G., Ahmed, M.I., Mawuli, E. W., and Zheng, A. 2024. Roles of phyllosphere microbes in rice health and productivity. *Plants*, 13(23): 1-27. <https://doi.org/10.3390/plants13233268>.
- Pardani, E., Hayati, Z., dan Aktrinisia, M. 2018. Studi adaptasi pertumbuhan dan produksi beberapa varietas padi (*Oryza sativa*) di tanah gambut. *Jurnal Agro Indragiri*, 3(2): 292-298. <https://doi.org/10.32520/jai.v3i2.1020>.



- Pinem, T., dan Syarif, Z. 2018. Intensitas serangan *Xanthomonas oryzae* pv. *oryzae* pada beberapa varietas padi sawah dan dampaknya terhadap pertumbuhan dan hasil panen. *Jurnal Proteksi Tanaman*, 2(1): 9-17. <http://dx.doi.org/10.25077/jpt.2.1.9-17.2018>.
- Putra, M., A., B., dan Graha, I., M., S. 2022. Pemantauan pertumbuhan padi menggunakan citra satelit Landsat 8. *Jurnal Litbang Sukowati: Media Penelitian dan Pengembangan*, 6(1): 43-53. <http://dx.doi.org/10.32630/sukowati.v6i1.316>.
- Rafi, A., A. Hameed., M. A. Akhtar, Farhatullah., K. Sohail., M. Shahid and M. Fahim. 2013. Identification and characterization of *Xanthomonas oryzae* pv. *oryzae* in north-west of Pakistan. *Sarhad J. Agric*, 29(3): 423-432.
- Rahma, H., Martinius, Khairul, U., dan Rahmi, F. 2023. The potential of beneficial microbes to suppress the development of bacterial leaf blight in rice plants caused by *Xanthomonas oryzae* pv. *oryzae*. *Biodiversitas*, 24(8): 4209-4217. <https://doi.org/10.13057/biodiv/d240801>.
- Santosa, D. A., Handayani, N., dan Anas, I. 2003. Isolasi dan seleksi bakteri filosofer pemicu tumbuh dari daun padi (*Oryza sativa* L.) varietas IR-64. *Jurnal Ilmu Tanah dan Lingkungan*, 5(1): 7-12. <http://dx.doi.org/10.29244/jitl.5.1.7-12>.
- Santosa, A. I., Hilmany, T., Dewi, N. A., Rahmawati, N. E., Putri, E. A., Hafidsya, T., Setyaningrum, A. V., Dewi, R. E., Sari, G. N. P., Nubatonis, M. B. F. M., and Widyawan, A. 2024. Cross amplification of 16S rRNA bacterial primer 27F/1492R on horticultural crop chloroplast genome. *Agricultural Science*, 7(2): 172-183. <https://doi.org/10.55173/agricscience.v7i2.132>.
- Scholthof, K. B. G. 2007. The disease triangle: pathogens, the environment and society. *Nature Reviews Microbiology*, 5(2): 152-156. <https://doi.org/10.1038/nrmicro1596>.
- Shikha, K., Chand, R., Mishra, N. K., Singh, S., Sayiprathap, B. R., Nair, R. M., and Singh, A. K. 2024. Components of slow disease development: a key to enhance resistance in crops. *CABI Agriculture and Bioscience*, 5(1): 1-14. <https://doi.org/10.1186/s43170-024-00293-4>.
- Simko, I., and Piepho, H. P. 2012. The area under the disease progressstair: Calculation, advantage, and application. *Phytopathology*, 102(4): 381-389. <https://doi.org/10.1094/PHYTO-07-11-0216>.
- Slippers, B. 2020. The plant disease pyramid: The relevance of the original vision of plant pathology in 2020. *South African Journal of Science*, 116: 1-3. <https://doi.org/10.17159/sajs.2020/9011>.
- Sudir., B. Nuryanto, dan T.S. Kadir. 2012. Epidemiologi, patotipe, dan strategi pengendalian penyakit hawar daun bakteri pada tanaman padi. *Iptek Tanaman Pangan*, 7(2): 79-87. <https://repository.pertanian.go.id/handle/123456789/4322>.
- Suparyono, S., Sudir, S., and Suprihanto, S. 2004. Pathotype profile of *Xanthomonas oryzae* pv. *oryzae* isolates from the rice ecosystem in Java. *Indonesian Journal of Agricultural Science*, 5(2): 63-69. <https://doi.org/10.21082/ijas.v5n2.2004.p63-69>.
- Suspidayanti, L., dan Rokhmana, C., A. 2021. Identifikasi fase pertumbuhan padi menggunakan citra SAR (*Synthetic Aperture Radar*) Sentinel-1. *Jurnal Elipsoida*, 4(1): 9-15. <https://doi.org/10.14710/elipsoida.2021.10729>.



- Swings, J. G., and Civerolo, E. L. 1993. *Xanthomonas*. Springer Dordrecht, Hong Kong. <https://doi.org/10.1007/978-94-011-1526-1>.
- Thamrin, M., Suprihatno, Hasmi, I., Ardhiyanti, S, D., Suhartini. 2023. Deskripsi Varietas Unggul Baru Padi. Kementerian Pertanian. Subang, Jawa Barat.
- Thapa, S., and Prasanna, R. 2018. Prospecting the characteristics and significance of the phyllosphere microbiome. *Annals of microbiology*, 68(1): 229-245. <https://doi.org/10.1007/s13213-018-1331-5>.
- Van der Plank, J.E. 1963. *Plant Disease, Epidemic and Control*. New York, London: Acad Press.
- Vorholt, J. A. 2012. Reviews: Microbial life in the phyllosphere. *Macmillan Publishers Limited*. 10: 828-840. <https://doi.org/10.1038/nrmicro2910>.
- Wahyudi, A. T., Meliah, S., dan Nawangsih, A. A. 2011. *Xanthomonas oryzae* pv. *oryzae* bakteri penyebab hawar daun pada padi: isolasi, karakterisasi, dan telaah mutagenesis dengan transposon. *Makara Journal of Science*, 15(1): 89-96.
- Wahyuni, S., Kaswi, N., Annisa, R., Salim, I. P. A., and Al Adawiah, P. R. 2024. An education on making nutrient agar (Na) media for observing *Escherichia coli* morphology at IMMIM islamic boarding school: Lontara Abdimas: Jurnal Pengabdian Kepada Masyarakat, 5(1): 31-36. <https://doi.org/10.53861/lomas.v5i1.474>.
- Wahyuni, S., Fauziyah, R., Aziz, M. A., dan Priyono, P. 2021. Sintesis komposit kitosan berbasis selongsong black soldier fly (BSF) dengan ekstrak daun kipahit dan uji penghambatannya terhadap *Xanthomonas oryzae*. *Jurnal Rekayasa Bahan Alam dan Energi Berkelanjutan*, 5(2): 16-23. <http://dx.doi.org/10.21776/ub.rbaet.2021.005.02.03>.
- Wang, N., Wang, T., Chen, Y., Wang, M., Lu, Q., Wang, K., Dou, Z., Chi, Z., Qiu, W., Dai, J., Niu, L., Cui, J., Wei, Z., Zhang, F., Kümmerli, R., and Zuo, Y. 2024. Microbiome convergence enables siderophore-secreting-rhizobacteria to improve iron nutrition and yield of peanut intercropped with maize. *Nature Communications*, 15(839): 1-17. <https://doi.org/10.1038/s41467-024-45207-0>.
- Wisnubroto, M. P., Suhendra, D., dan Edwin, E. 2024. Edukasi dan penyuluhan gejala serta pengendalian penyakit blas dan kresek tanaman padi di Nagari Sungai Dareh, Sumatera Barat. *Jurnal Abdi Insani*, 11(2): 2066-2074. <https://doi.org/10.29303/abdiinsani.v11i2.1653>.
- Wu, X., Zhang, C., Goldberg, P., Cohen, D., Pan, Y., Arpin, T., and Bar-Yosef, O. 2012. Early pottery at 20,000 years ago in Xianrendong Cave, China. *Science*, 336(6089): 1696-1700. <https://doi.org/10.1126/science.1218643>.
- Yanti, S., Marlina, dan Fikrinda. 2018. Pengendalian penyakit hawar daun bakteri pada padi sawah menggunakan fungi mikoriza. *Jurnal Agroecotania*, 1(2): 14-21. <https://doi.org/10.22437/agroecotania.v1i2.6337>.
- Zong, Y., Chen, Z., Innes, J. B., Chen, C., Wang, Z, and Wang, H. 2007. Fire and flood management of coastal swamp enabled first rice paddy cultivation in east China. *Nature*, 449 (7161): 459-462. <https://doi.org/10.1038/nature06135>.
- Zou, L. -f., Wang, X. -p., Xiang, Y., Zhang, B., Li, Y.-R., Xiao, Y. -l., Chen, G. -y. 2006. Elucidation of the hrp clusters of *Xanthomonas oryzae* pv. *oryzicola* that control the hypersensitive response in nonhost tobacco and



UNIVERSITAS  
GADJAH MADA

**Perkembangan Penyakit Hawar Daun Bakteri Pada Padi dan Kajian Awal Bakteri Filosofinya**  
Ribka Yunia Putri, Prof. Dr. Ir. Triwidodo Arwiyanto, M.Sc.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

pathogenicity in susceptible host rice. *Applied and Environmental Microbiology*, 72(9): 212-6224. <https://doi.org/10.1128/AEM.00511-06>.