

DAFTAR PUSTAKA

- Abdurachman, & Saefudin. 2009. Pengaruh Pemberian Pupuk pada Posisi Vertikal Batang Terhadap Sifat Fisik dan Mekanik Bambu Petung (*Dendrocalamus asper* (Schult. F.) Backer ex Heyne). *Jurnal Penelitian Hasil Hutan*, 27, 323–336.
- Ahmad, M., & Osman, S. 2011. Study on bonding strength of bamboo/bamboo unidirectional laminate with UF and PF-effect of pressing time on adhesive bonding strength. *ICCM International Conferences on Composite Materials*, 1–6.
- Aini & Morisco, A. 2009. Pengaruh Pengawetan Terhadap Kekuatan Dan Keawetan Produk Laminasi Bambu. *Civil Engineering Forum Teknik Sipil*, 19(1), 979–986.
- Amin, Y., Adji, R. P., Lubis, M. A. R., Nugroho, N., Bahtiar, E. T., Dwianto, W., & Karlinasari, L. 2023. Effect of Glue Spread on Bonding Strength, Delamination, and Wood Failure of Jabon Wood-Based Cross-Laminated Timber Using Cold-Setting Melamine-Based Adhesive. *Polymers*, 15(10). <https://doi.org/10.3390/polym15102349>
- Asmah, A. E., Daitey, S. T., & Steiner, R. 2016. Locally Produced Laminated Bamboo Lumber: a Potential Substitute for Traditional Wood Carving in Ghana. *European Journal of Research and Reflection in Arts and Humanities*, 4(1), 1–16. www.idpublications.org
- Bintari, A.N 2002. Pengaruh Jenis Kayu Kerapatan dan Arah Radial terhadap Proporsi Sel, Wetabilitas, dan Keteguhan Rekat Tiga Jenis Kayu. Skripsi Tidak dipublikasikan. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Bowyer, J. L., Shmulsky R, dan Haygreen J. G., 2008. Forest Product and Wood Science – An Introduction, 5th edition. Iowa State University press, USA.
- British Standard. 1957. Methods of testing small clear specimen of timber BS 373-1957. British Standards Institution. London.
- Chaowana, K., Wisadsatorn, S., & Chaowana, P. 2021. Bamboo as a sustainable building material-culm characteristics and properties. *Sustainability (Switzerland)*, 13(13). <https://doi.org/10.3390/su13137376>
- Chen, W. C., Mohd Judah, S. N. M. S., Ghazali, S. K., Munthoub, D. I., Alias, H., Mohamad, Z., & Majid, R. A. 2021. The effects of citric acid on thermal and mechanical properties of crosslinked starch film. *Chemical Engineering Transactions*, 83(2016), 199–204. <https://doi.org/10.3303/CET2183034>
- Dural, E., & Oyar, F. 2023, January. Effect of delamination size, location and boundary conditions on the behavior of a laminated glass plate. In *Structures* Vol. 47, pp. 121-133. Elsevier.
- Ghanbarzadeh, B., & Almasi, H. 2013. Biodegradable polymers. *Biodegradation-life of science*, 141-185.
- Hendriawan D, Widyorini R. 2020. Pengaruh Suhu Kempa dan Rasio Perekat Asam Sitrat-Pati-Gliserin terhadap Sifat Papan Komposit dari Limbah Aren Arenga pinnata. Skripsi Tidak dipublikasikan. Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.

- Japanese Agricultural Standard JAS. 2007. *Japanese Agricultural Standard for Structural Laminated Veneer Lumber JAS 234:2007*. Ministry of Agriculture, Forestry and Fisheries, Tokyo, Japan.
- Japanese Standards Association JSA. 2009. *Japanese Industrial Standard: Testing methods for wood JIS Z2101:2009*. Japanese Standards Association, Tokyo.
- Jia, R., Cui, C., Gao, L., Qin, Y., Ji, N., Dai, L., Wang, Y., Xiong, L., Shi, R., & Sun, Q. 2023. A review of starch swelling behavior: Its mechanism, determination methods, influencing factors, and influence on food quality. *Carbohydrate Polymers*, 321(July). <https://doi.org/10.1016/j.carbpol.2023.121260>
- Jimenez, J. J. P., & Ramos, J. E. C. (2023). *Gluing Characteristics of Giant Bamboo Using Four Commercial Adhesives*. October. <https://doi.org/10.56899/152.05.22>
- Kamal, Parlindungan, M., & Samuel. 2017. Analisa Teknis dan Ekonomis Penggunaan Bambu Laminasi Apus dan Petung sebagai Material Alternatif Pembuatan Komponen Kapal Kayu. *Jurnal Teknik Perkapalan*, 5(2), 381–386.
- Kelkar, B. U., Sharma, S. K., & Shukla, S. R. 2020. Optimization of pressing parameters of PF-bonded laminated bamboo lumber from *Dendrocalamus brandisii*. *Journal of the Indian Academy of Wood Science*, 17(2), 149–157. <https://doi.org/10.1007/s13196-020-00267-9>
- Kusumah, S. S., Jayadi, Wibowo, D. T., Pramasari, D. A., Widyaningrum, B. A., Darmawan, T., Ismadi, Dwianto, W., & Umemura, K. 2020. Investigation of eco-friendly plywood bonded with citric acid - Starch based adhesive. *IOP Conference Series: Earth and Environmental Science*, 460(1). <https://doi.org/10.1088/1755-1315/460/1/012009>
- Kusumaningtyas, A. R., & Widyorini, R. 2016. *Pengaruh Jenis Pati dan Komposisi Perekat Asam Sitrat-Pati terhadap Sifat Fisika dan Mekanika Papan Partikel Bambu Petung *Dendrocalamus asper**. Skripsi. Universitas Gadjah Mada
- Lörcks, J. 1998. Properties and applications of compostable starch-based plastic material. *Polymer Degradation and Stability*, 59(1–3), 245–249. [https://doi.org/10.1016/s0141-3910\(97\)00168-7](https://doi.org/10.1016/s0141-3910(97)00168-7)
- Malik, J., & Santoso, A. 2005. Keteguhan Lentur Statis Lamina Dari Tiga Jenis Kayu Limbah Pembalakan Hutan Tanaman. *Jurnal Penelitian Hasil Hutan*, 23, 13-20
- Maloney T.M., 1993. *Modern Particle board and dry process Fiberboard Manufacturing*. Miler Freeman Publication, USA.
- Mardikanto, T.R. 1979. *Sifat-Sifat Mekanis Kayu*. Diktat Kuliah Fakultas Kehutanan. Institut Pertanian Bogor. Bogor.
- Nawaz, H., Waheed, R., Nawaz, M., & Shahwar, D. 2020. Physical and Chemical Modifications in Starch Structure and Reactivity. *Chemical Properties of Starch*, 1–21. <https://doi.org/10.5772/intechopen.88870>
- Nugroho, N., Tri Bahtiar, E., & Budhijatmiko Lelono, A. 2022. Kekuatan Bambu Betung *Dendrocalamus Asper* Backer Ex K.Heyne) Menahan Gaya Normal Tekanan Dan Tarikan. *Jurnal Penelitian Hasil Hutan*, 40(1), 37–48.

<https://doi.org/10.20886/Jpjh.2022.40.1.37-48>

- Nurrachmania, M., Rozalina, & Sidabukke, S. 2020. *Menggunakan Perekat Isosianat Akasia Wood Lamination Quality Accacia Mangium) Using. Xiv(02), 57–67.*
- Oka, G. M. 2005. Cara Penentuan Kelas Kuat Acuan Bambu Petung. *Majalah Ilmiah Mektek Tahun Vi*, (18).
- Olsson, E., Hedenqvist, M. S., Johansson, C., & Järnström, L. 2013. Influence of citric acid and curing on moisture sorption, diffusion and permeability of starch films. *Carbohydrate Polymers*, 94(2), 765–772. <https://doi.org/10.1016/j.carbpol.2013.02.006>
- Orlando, F. 2001. Citric Acid, CAS No. :77-92-9. SIDS Initial Assessment Report for 11th SIAM. Switzerland: UNEP Publication
- Prayitno, T. A. 1986. *Perekatan Kayu*. Yayasan Pembina Fakultas Kehutanan, Universitas Gadjah Mada.
- Prayitno, T.A. 2012. *Teknologi Perekatan Kayu*. Bagian Penerbitan Yayasan Pembina Fakultas Kehutanan UGM. Yogyakarta
- Purwanto, D., Riset, B., Standardisasi, D., & Banjarbaru, I. 2011. Pembuatan Balok Dan Papan Dari Limbah Industri Kayu Board and Wood Block Making From Waste of Wood Industries. *Jurnal Riset Industri*, V(1), 13–20.
- Putra, F. F., Setyabudi, A., & Sunarmasto. 2016. Kapasitas Lentur Plat Beton Bertulangan Bambu Wulung Dengan Takikan Tidak Sejajar. *Maret*, 2(1), 77.
- Putra, R. B., Sribudiani, E., Somadona, S., & . P. 2022. Karakteristik Glulam Bambu Apus (*Gigantochloa Apus*) Menggunakan Perekat Styrofoam Berdasarkan Jumlah Dan Pola Peyusunan Lapisan. *Jurnal Ilmu-Ilmu Kehutanan*, 6(1), 53. <https://doi.org/10.31258/jiik.6.1.53-63>
- Rowell, R. M. 2005. *Handbook of wood chemistry and wood composites*. CRC press.
- Reddy, N., & Yang, Y. 2010. Citric acid cross-linking of starch films. *Food Chemistry*, 118(3), 702–711. <https://doi.org/10.1016/j.foodchem.2009.05.050>
- Risnasari, I., Azhar, I., & Sitompul, A. N. 2012. *Karakteristik Balok Laminasi Dari Batang Kelapa (*Cocos Nucifera L.*) Dan Kayu Kemiri (*Aleurites Moluccana Wild.*) Characteristics of Glued Laminated Beams of Coconut Trunk (*Cocos nucifera L.*) and Candlenut Wood (*Aleurites moluccana Wild.*)*. 1(2), 79–87.
- Romansyah, E., Sinthia Dewi, E., Suhairin, S., Muanah, M., & Ridho, R. 2019. Identifikasi Senyawa Kimia Daun Bambu Segar Sebagai Bahan Penetral Limbah Cair. *Jurnal Agrotek Ummat*, 6(2), 77. <https://doi.org/10.31764/agrotek.v6i2.1219>
- Sarungallo, R.S., Muh. Wihardi Tjaronge, Ahyar Ahmad, & Muralia Hustim. 2025. Tinjauan Potensi Perekat Pati Sorgum Dan Kitosan Dalam Produksi Papan Partikel Ramah Lingkungan. *Konferensi Nasional Teknik Sipil KoNTeKS*, 2(2), 24–26. <https://doi.org/10.62603/konteks.v2i2.204>
- Sellers, T. J. 2001. Wood adhesive innovations and applications in North America. *Forest Products* 51, 12-22.
- Sitorus, M. K. E., & Widyorini, R. 2024. Pengaruh Waktu Kempa dan Jumlah Perekat Asam Sitrat-Pati Garut terhadap Karakteristik Papan Untai Bambu

- Apus. Skripsi Tidak dipublikasikan. Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Suhaimi, S., Setyawati, D., & Nurhaida, N. 2018. Kualitas papan partikel dari serat kulit batang sagu (*Metroxylon* spp) dengan perekat alami asam sitrat berdasarkan waktu kempa. *Jurnal Hutan Lestari*, 6(3), 535–547.
- Sujarwanta, A., & Zen, S. 2020. Identifikasi Jenis Dan Potensi Bambu *Bambusa* sp.) Sebagai Senyawa Antimalaria. *Bioedukasi Jurnal Pendidikan Biologi*, 11(2), 131. <https://doi.org/10.24127/bioedukasi.v11i2.3423>
- Sulastiningsih, I. M. 2008. Beberapa Sifat Bambu Lamina Yang Terbuat Dari Tiga Jenis Bambu. *Jurnal Penelitian Hasil Hutan*, 26(3), 277–287. <https://doi.org/10.20886/jphh.2008.26.3.277-287>
- Sulastiningsih, I. M., Nurwati, N., & Santoso, A. 2005. Pengaruh Lapisan Kayu Terhadap Sifat Bambu Lamina. In *Jurnal Penelitian Hasil Hutan* Vol. 23, Issue 1, pp. 15–22. <https://doi.org/10.20886/jphh.2005.23.1.15-22>
- Sulastiningsih, I. M., & Santoso, A. 2016. *Karakteristik Balok Bambu Lamina Susun Tegak Dari Bilah Bambu Andong (*Gigantochloa pseudoarundinacea* Steud.) Widjaja)* *Characteristic of Vertically Glued Laminated Bamboo Beam Made of Andong (*Gigantochloa pseudoarundinacea* Steud.) Widjaja)* *Bamb.* 34(3), 167–177.
- Sutiawan, J., Hermawan, D., Massijaya, M. Y., Kusumah, S. S., Lubis, M. A. R., Marlina, R., Purnomo, D., & Sulastiningsih, I. M. 2022. Influence of different hot-pressing conditions on the performance of eco-friendly jabon plywood bonded with citric acid adhesive. *Wood Material Science and Engineering*, 17(6), 400–409. <https://doi.org/10.1080/17480272.2021.1884898>
- Thiebaud, S., Aburto, J., Alric, I., Borredon, E., Bikiaris, D., Prinos, J., & Panayiotou, C. 1997. Properties of fatty-acid esters of starch and their blends with LDPE. *Journal of Applied Polymer Science*, 65(4), 705–721. [https://doi.org/10.1002/\(sici\)1097-4628\(19970725\)65:4<705::aid-app9>3.3.co;2-v](https://doi.org/10.1002/(sici)1097-4628(19970725)65:4<705::aid-app9>3.3.co;2-v)
- Umemura, K., T. Ueda, S. S. Munawar, S. K. 2011. Application of citric acid as natural adhesive for wood. *Journal of Applied Polymer Science*, 123, 1991–1996. <https://doi.org/10.1002/app>
- Umemura, K., Sugihara, O., & Kawai, S. 2013. Investigation of a new natural adhesive composed of citric acid and sucrose for particleboard. *Journal of Wood Science*, 59(3), 203–208. <https://doi.org/10.1007/s10086-013-1326-6>
- Umemura, K., Ueda, T., & Kawai, S. 2012. Effects of moulding temperature on the physical properties of wood-based moulding bonded with citric acid. *Forest Products Journal*, 62(1), 63–68. <https://doi.org/10.13073/FPJ-D-11-00121.1>
- Vick C, B. 1999. *Wood Handbook: Wood as an Engineering Material*. Forest Product Technology. Madison: USDA Forest Product Service, Forest Product Laboratory.
- Violet, & Agustina. 2018. Variasi Arah Aksial Batang Pangkal dan Ujung) Terhadap Sifat Mekanika Papan Laminasi Kayu Kelapa (*Cocos nucifera* L) Dan Kayu Nangka *Arthocarpus heterophyllus* L. *Hujan Tropis*, 6(1), 20–27.
- Vroman, I., & Tighzert, L. 2009. Biodegradable polymers. *Materials*, 2(2), 307–344. <https://doi.org/10.3390/ma2020307>

- Widyorini, R., Umemura, K., Isnain, R., Putra, D. R., Awaludin, A., & Prayitno, T. A. 2016. Manufacture and properties of citric acid-bonded particleboard made from bamboo materials. *European Journal of Wood and Wood Products*, 74(1), 57–65. <https://doi.org/10.1007/s00107-015-0967-0>
- Widyorini, R., Umemura, K., Kusumaningtyas, A. R., & Prayitno, T. A. 2017. Effect of starch addition on properties of citric acid-bonded particleboard made from bamboo. *BioResources*, 12(4), 8068–8077. <https://doi.org/10.15376/biores.12.4.8068-8077>
- Widyorini, R., Yudha, A. P., Adifandi, Y., Umemura, K., & Kawai, S. 2017. Characteristic of Bamboo Particleboard Bonded with Citric Acid. *Wood Research Journal*, 4(1), 31–35. <https://doi.org/10.51850/wrj.2013.4.1.31-35>
- Wulandari, F. T., Rini, D. S., Wahyuningsih, E., & Lestari, A. T. 2021. Pemanfaatan Papan Laminasi Bambu Petung *Dendrocalamus asper* Schult.f.) Backer ex Heyne) sebagai Pengganti Kayu. *Media Bina Ilmiah*, 1(1), 1–9.
- Wulandari, P. R., Hakim, L., & Sucipto, T. 2015. Kualitas laminasi bambu betung *Dendrocalamus asper*) pada berbagai perlakuan ukuran sortimen dan buku bambu. *Peronema Forestry Science Journal*, 4(4), 65–71.
- Yang, B., Wu, X., Hao, J., Xu, D., Liu, T., & Xie, Q. (2023). Estimation of wood failure percentage under shear stress in bamboo-wood composite bonded by adhesive using a deep learning and entropy weight method. *Industrial Crops and Products*, 197, 116617.
- Yoresta, F. S. 2014. Studi eksperimental perilaku lentur balok glulam kayu pinus Pinus merkusii. *Jurnal Ilmu Dan Teknologi Kayu Tropis*, 12(1), 33–38.
- Zhang, T., & Oates, C. G. 1999. Relationship between α -amylase degradation and physico-chemical properties of sweet potato starches. *Food Chemistry*, 65(2), 157–163. [https://doi.org/10.1016/S0308-8146\(98\)00024-7](https://doi.org/10.1016/S0308-8146(98)00024-7)
- Zhang, Y., Wang, X. M., Casilla, R., Cooper, P., Huang, Z., & Wang, X. 2011. Evaluation of block shear properties of selected extreme-pH structural adhesives by short-term exposure test. *Journal of Applied Polymer Science*, 120(2), 657-665.
- Zhang, Z., Wei, Y., Yuan, Z., Yi, J., Chen, S., & Chen, J. 2024. Flexural modeling and failure criteria of thermal modified laminated bamboo beams. *Construction and Building Materials*, 435(June), 136885. <https://doi.org/10.1016/j.conbuildmat.2024.136885>
- Zuraida, A., Yusliza, Y., Anuar, H., & Mohd Khairul Muhaimin, R. 2012. The effect of water and citric acid on sago starch bio-plastics. *International Food Research Journal*, 19(2), 715–719.