

- Akcil, A., & Koldas, S. (2006). Acid Mine Drainage (AMD): causes, treatment and case studies. *Journal of Cleaner Production*, 14(12–13), 1139–1145. <https://doi.org/10.1016/J.JCLEPRO.2004.09.006>
- Alaerts, G. ., & Santika, S. (1987). *Metoda Pengolahan Air*. Erlangga.
- Amani, R., Mulyadi, D., & Nurhayati, N. (2019). Evaluasi Koefisien Variasi pada Data Eksperimen Laboratorium. *Jurnal Teknik Lingkungan*, 18(2), 123–131.
- Atkins, A. S., Pooley, F. D., Lecturer, S., & Polytechnic, N. S. (1982). A study of acid and ferruginous mine water in coal mining operations. *International Journal of Mine Water*, 1(2), 37–57.
- Bigham, J. (2016). Acid mine drainage. In *USGS Publications Warehouse*. USGS Publication Warehouse. <https://doi.org/https://doi.org/10.1081/E-ESS3-120053867>
- Bina, B., Ebrahimi, A., & Hesami, F. (2014). The effectiveness of chitosan as coagulant aid in turbidity removal from water. *International Journal of Environmental Health Engineering*, 3, 8. <https://doi.org/10.4103/2277-9183.131814>
- BPS. (2023). *No Title*.
- Bratby, J. (2016). (2016). *Coagulation and Flocculation in Water and Wastewater Treatment*. *Water Intelligence Online*. IWA Publishing. <https://sci-hub.ru/10.2166/9781780407500>
- Chales, G. G., Tihameri, B. S., Milhan, N. V. M., Koga-Ito, C. Y., Antunes, M. L. P., & Reis, A. G. Dos. (2022). Impact of Moringa oleifera Seed-Derived Coagulants Processing Steps on Physicochemical, Residual Organic, and Cytotoxicity Properties of Treated Water. *Water (Switzerland)*, 14(13). <https://doi.org/10.3390/w14132058>
- Cravotta, C., & Trahan, M. (1999). Limestone drains to increase pH and remove dissolved metals from acidic mine drainage. *Applied Geochemistry*, 581–606. [https://doi.org/10.1016/S0883-2927\(98\)00066-3](https://doi.org/10.1016/S0883-2927(98)00066-3)
- Duan, J., & Gregory, J. (2003). Coagulation by hydrolysing metal salts. *Advances in Colloid and Interface Science*, 100–102(SUPPL.), 475–502. [https://doi.org/10.1016/S0001-8686\(02\)00067-2](https://doi.org/10.1016/S0001-8686(02)00067-2)



- El-taweel, R. M., Mohamed, N., Alrefaey, K. A., Husien, S., Abdel-Aziz, A. B., Salim, A. I., Mostafa, N. G., Said, L. A., Fahim, I. S., & Radwan, A. G. (2023). A review of coagulation explaining its definition, mechanism, coagulant types, and optimization models; RSM, and ANN. *Current Research in Green and Sustainable Chemistry*, 6(October 2022), 100358. <https://doi.org/10.1016/j.crgsc.2023.100358>
- Faridah, H. N., Rahman, M., Fauzana, N. A., & Aisiah, S. (2021). Effectiveness of Chitosan To Reduce the Color Value, Turbidity, and Total Dissolved Solids in Shrimp-Washing Wastewater. *Russian Journal of Agricultural and Socio-Economic Sciences*, 115(7), 82–88. <https://doi.org/10.18551/rjoas.2021-07.08>
- Fitzpatrick, C., Fradin, E., & Gregory, J. (2004). Temperature effects on flocculation, using different coagulants. *Water science and technology : a journal of the International Association on Water Pollution Research*, 50, 171–175. <https://doi.org/10.2166/wst.2004.0710>
- Gregory, J. (2006). *Particles in Water: Properties and Processes*. CRC Press.
- Guminski, A., & Kurek, M. (2022). Coal mine water drainage: current status and technologies. In *Mine Water and the Environment* (hal. 41(4), 1025–1040).
- Harahap, J., Ashari, T. M., & Munar, C. H. (2022). PEMANFAATAN SERBUK BIJI KELOR (*Moringa oleifera*) SEBAGAI BIOKOAGULAN PADA PENGOLAHAN AIR LIMBAH PENATU. *Amina*, 4(1), 7–16. <https://doi.org/10.22373/amina.v4i1.2468>
- Holmes, E. B., Oza, H. H., Bailey, E. S., & Sobsey, M. D. (2023). Evaluation of Chitosans as Coagulants-Flocculants to Improve Sand Filtration for Drinking Water Treatment. *International Journal of Molecular Sciences*, 24(2). <https://doi.org/10.3390/ijms24021295>
- Jiang, J.-Q. (2015). The role of coagulation in water treatment. *Current Opinion in Chemical Engineering*, 8, 36–43. <https://doi.org/doi:10.1016/j.coche.2015.05.002>
- Junior, L. R. N., Almeida, J. L. I. O., & Abreu, F. O. M. S. (2018). Use of chitosan as a biocoagulant for treatment of water with high turbidity. *The International Journal of Engineering and Science (IJES)*, 7(10), 54–58. <https://doi.org/10.9790/1813-0710025458>
- Kurniawan, S. B., Abdullah, S., Imron, M., Mohd Said, N., Ismail, N. 'Izzati, Abu Hasan, H., Othman, A., & Purwanti, I. (2020). Challenges and Opportunities of

Biocoagulant/Biofloculant Application for Drinking Water and Wastewater Treatment and Its Potential for Sludge Recovery. *International Journal of Environmental Research and Public Health*, 17. <https://doi.org/10.3390/ijerph17249312>

- Maćczak, P., Kaczmarek, H., & Ziegler-Borowska, M. (2023). Application of Chitosan and Its Derivatives as Biofloculants for Iron and Turbidity Removal from Filter Backwash Water. *Water (Switzerland)*, 15(16). <https://doi.org/10.3390/w15162913>
- Matilainen, A., Vepsäläinen, M., & Sillanpää, M. (2010). Natural organic matter removal by coagulation during drinking water treatment: A review. *Advances in Colloid and Interface Science*, 159(2), 189–197. <https://doi.org/10.1016/J.CIS.2010.06.007>
- Mroczo, D., & Zimoch, I. (2020). The use of zeta potential measurement as a control tool of surface water coagulation. *Journal of Ecological Engineering*, 21(3), 237–242. <https://doi.org/10.12911/22998993/118273>
- Ndabigengesere, A., Narasiah, K. S., & Talbot, B. G. (1995). Active agents and mechanism of coagulation of turbid waters using Moringa oleifera. *Water Research*, 29(2), 703–710. [https://doi.org/10.1016/0043-1354\(94\)00161-Y](https://doi.org/10.1016/0043-1354(94)00161-Y)
- Okuda, T., Baes, A. U., Nishijima, W., & Okada, M. (2001). Coagulation Mechanism of Salt Solution-Extracted Active Component in Moringa oleifera Seeds. *Water Research*, 35(3), 830–834. [https://doi.org/10.1016/S0043-1354\(00\)00296-7](https://doi.org/10.1016/S0043-1354(00)00296-7)
- Opitz, J., Alte, M., Bauer, ·, & Peiffer, S. (2021). The Role of Macrophytes in Constructed Surface-flow Wetlands for Mine Water Treatment: A Review. *Mine Water and the Environment*, 40, 587–605. <https://doi.org/10.1007/s10230-021-00779-x>
- Pandey, P., & Khan, F. (2022). *Efficacy of Moringa Extract in Textile Wastewater Treatment Process*. 1–10.
- Priyanga, A., Atmaja, L., Santoso, M., Jaafar, J., Santoso, E., Hartanto, D., Adya Salsabila, R., Ningtyas, A., & Putra Ramdhani, E. (2023). The Potential Development of Shrimp Shell Waste Into Chitosan Originating from Pacitan Coast, Indonesia. *BIO Web of Conferences*, 70. <https://doi.org/10.1051/bioconf/20237002002>
- Renault, F., Sancey, B., Badot, P. M., & Crini, G. (2009). Chitosan for coagulation/flocculation processes – An eco-friendly approach. *European Polymer Journal*, 45(5), 1337–1348.

- RIDWAN, R., Hamim, H., SUHARSONO, S., Hidayati, N., & GUNAWAN, I. (2021). Drumstick (*Moringa oleifera*) variation in biomass and total flavonoid content in Indonesia. *Biodiversitas Journal of Biological Diversity*, 22. <https://doi.org/10.13057/biodiv/d220159>
- Roussy, J., Van Vooren, M., Dempsey, B. A., & Guibal, E. (2005). Influence of chitosan characteristics on the coagulation and the flocculation of bentonite suspensions. *Water Research*, 39(14), 3247–3258. <https://doi.org/10.1016/J.WATRES.2005.05.039>
- Saini, R. K., Sivanesan, I., & Keum, Y.-S. (2016). Phytochemicals of *Moringa oleifera*: a review of their nutritional, therapeutic and industrial significance. *3Biotech*, 6. <https://doi.org/10.1007/s13205-016-0526-3>
- Sasikala, S., & Muthuraman, G. (2016). A Laboratory Study for the Treatment of Turbidity and Total Hardness Bearing Synthetic Wastewater/Ground Water Using *Moringa oleifera*. *Industrial Chemistry*, 02. <https://doi.org/10.4172/2469-9764.1000112>
- Satterfield, Z. (2005). Jar Testing. *Spring*, 5(1), 1–4.
- Sinardi, Soewondo, P., Notodarmojo, S., & Radiman, C. (2016). *Mechanism of Coagulation Using Chitosan From Mytilus Viridis Linneaus Shells in Water Treatment*. 2016, 876–879.
- Tahraoui, H., Toumi, S., Boudoukhani, M., Touzout, N., Sid, A. N. E. H., Amrane, A., Belhadj, A. E., Hadjadj, M., Laichi, Y., Aboumustapha, M., Kebir, M., Bouguettoucha, A., Chebli, D., Assadi, A. A., & Zhang, J. (2024). Evaluating the Effectiveness of Coagulation–Flocculation Treatment Using Aluminum Sulfate on a Polluted Surface Water Source: A Year-Long Study. *Water (Switzerland)*, 16(3). <https://doi.org/10.3390/w16030400>
- Thakur, S., & Choubey, S. (2014). *Assessment of coagulation efficiency of Moringa oleifera and Okra for treatment of turbid water*. 6, 24–30.
- Tzoupanos, N. D., & Zouboulis, A. I. (2008). Coagulation–flocculation processes in water/wastewater treatment: the application of new generation of chemical reagents. *Global NEST Journal*, 10(3), 376–385. <https://doi.org/10.1016/j.desal.2007.11.045>
- Vigneshwaran, S., Karthikeyan, P., Sirajudheen, P., & Meenakshi, S. (2020). Optimization of



UNIVERSITAS
GADJAH MADA

Kajian Kinerja Proses Koagulasi-Flokulasi Menggunakan Biokoagulan pada Berbagai Variasi Waktu dan Kecepatan pada Air Limpasan Tambang Batubara

Kathleene Ronaully Sitompul, Ir.Ni Nyoman Nepi Marleni, S.T., M.Sc., Ph.D., IPM.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

sustainable chitosan/Moringa. oleifera as coagulant aid for the treatment of synthetic turbid water – A systemic study. *Environmental Chemistry and Ecotoxicology*, 2, 132–140. <https://doi.org/10.1016/J.ENCECO.2020.08.002>

Wang, L. K., Hung, Y., & Shamma, N. K. (2012). Chemical coagulation and flocculation. In *Physicochemical Treatment Processes* (hal. 43–60). Humana Press. <https://doi.org/10.1385/1-59259-820-x:315>

Zea Cobos, A. G., Gutiérrez, J., & Caballero, P. (2024). Use of Moringa Oleifera as a Natural Coagulant in the Reduction of Water Turbidity in Mining Activities. *Water (Switzerland)*, 16(16). <https://doi.org/10.3390/w16162315>