

## DAFTAR PUSTAKA

- [1] Pemerintah Republik Indonesia, *Peraturan Pemerintah Nomor 61 Tahun 2013 tentang Pengelolaan Limbah Radioaktif*, vol. 152. 2013. [Daring]. Tersedia pada: <https://jdih.bapeten.go.id/id/dokumen/peraturan/peraturan-pemerintah-nomor-61-tahun-2013-tentang-pengelolaan-limbah-radioaktif>
- [2] A. Wijayanto dan T. Sundari, “Radiological safety assessments for sipping test on spent fuel of G.A. Siwabessy Reactor 30 MWT in Indonesia,” dalam *IAEA International Conference on the Management of Spent Fuel from Nuclear Power Reactors (SFM19)*, Vienna, Austria, Jun 2019.
- [3] Wati, J. Rachmadetin, Y. Purwanto, D. L. I. Saputra, Ratiko, Aisyah, dan P. A. Artiani, “Pengolahan limbah radioaktif cair aktivitas tinggi melalui vitrifikasi gelas borosilikat,” *Urania J. Ilm. Daur Bahan Bakar Nukl.*, vol. 30, no. 2, hlm. 123–138, 2024, doi: [doi.org/10.55981/Urania.2024.7119](https://doi.org/10.55981/Urania.2024.7119).
- [4] O. Pinet, E. Vernaz, C. Ladirat, dan S. Gin, “Nuclear waste vitrification,” dalam *Encyclopedia of Glass Science, Technology, History, and Culture*, Hoboken, N.J: John Wiley & Sons, Ltd, 2021, hlm. 1205–1218. doi: [10.1002/9781118801017.ch9.11](https://doi.org/10.1002/9781118801017.ch9.11).
- [5] T. Advocat, P. Jollivet, J. L. Crovisier, dan M. Del Nero, “Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass,” *J. Nucl. Mater.*, vol. 298, no. 1–2, hlm. 55–62, Sep 2001, doi: [10.1016/S0022-3115\(01\)00621-3](https://doi.org/10.1016/S0022-3115(01)00621-3).
- [6] Y. Inagaki, A. Shinkai, K. Idemitsu, T. Arima, H. Yoshikawa, dan M. Yui, “Aqueous alteration of Japanese simulated waste glass P0798: Effects of alteration-phase formation on alteration rate and cesium retention,” *J. Nucl. Mater.*, vol. 354, no. 1, hlm. 171–184, Agu 2006, doi: [10.1016/j.jnucmat.2006.04.002](https://doi.org/10.1016/j.jnucmat.2006.04.002).
- [7] S. A. Ajeel, K. A. Sukkar, dan N. K. Zedin, “Chemical extraction process for producing high purity nanosilica from Iraqi rice husk,” *Eng. Technol. J.*, vol. 39, no. 1A, hlm. 56–63, Jan 2021, doi: [10.30684/etj.v39i1a.1696](https://doi.org/10.30684/etj.v39i1a.1696).
- [8] J. S. Park, S. Taniguchi, dan Y. J. Park, “Alkali borosilicate glass by fly ash from a coal-fired power plant,” *Chemosphere*, vol. 74, no. 2, hlm. 320–324, Jan 2009, doi: [10.1016/j.chemosphere.2008.08.044](https://doi.org/10.1016/j.chemosphere.2008.08.044).
- [9] A. Alhodaib, O. Ibrahim, S. Abd El All, dan F. Ezzeldin, “Effect of Rare-Earth Ions on the Optical and PL Properties of Novel Borosilicate Glass Developed from Agricultural Waste,” *Materials*, vol. 14, no. 19, hlm. 5607, Jan 2021, doi: [10.3390/ma14195607](https://doi.org/10.3390/ma14195607).



- [10] B. P. S. Indonesia, “Luas panen, produksi, dan produktivitas padi menurut provinsi.” Diakses: 14 Maret 2025. [Daring]. Tersedia pada: <https://www.bps.go.id/id/statistics-table/2/MTQ5OCMy/luas-panen--produksi--dan-produktivitas-padi-menurut-provinsi.html>
- [11] E. L. Foletto, E. Gratieri, L. H. D. Oliveira, dan S. L. Jahn, “Conversion of rice hull ash into soluble sodium silicate,” *Mater. Res.*, vol. 9, no. 3, hlm. 335–338, Sep 2006, doi: 10.1590/S1516-14392006000300014.
- [12] A. W. Aisya, Taryono, dan E. Ambarwati, “Kajian kebenaran hasil persilangan dan daya gabung padi,” Universitas Gadjah Mada, 2024. Diakses: 13 Oktober 2025. [Daring]. Tersedia pada: <https://etd.repository.ugm.ac.id/penelitian/detail/245937>
- [13] A. Nugroho, “Lolos uji, varietas padi Gamagora 7 ditanam di sejumlah lokasi di Jateng dan Jatim,” Universitas Gadjah Mada. Diakses: 13 Oktober 2025. [Daring]. Tersedia pada: <https://ugm.ac.id/id/berita/lolos-uji-varietas-padi-gamagora-7-ditanam-di-sejumlah-lokasi-di-jateng-dan-jatim/>
- [14] A. IH, M. Khedr, R. M. Sabry, R. MO, H. M. Ali, dan I. MI, “Preparation and characterization of Egyptian rice husk ash,” *Water Energy Food Env.*, vol. 1, no. 3, hlm. 25–36, 2022.
- [15] D. F. Hincapié Rojas, P. Pineda Gómez, dan A. Rosales Rivera, “Production and characterization of silica nanoparticles from rice husk,” *Adv. Mater. Lett.*, vol. 10, no. 1, hlm. 67–73, Jan 2019, doi: 10.5185/amlett.2019.2142.
- [16] S. H. Javed, S. Tajwar, M. Shafaq, M. Zafar, dan M. Kazmi, “Characterization of silica from sodium hydroxide treated rice husk,” *J. Pak. Inst. Chem. Eng.*, vol. 37, no. 1, hlm. 97–101, 2009.
- [17] Y. T. Zewide, T. A. Yemata, A. A. Ayalew, H. J. Kedir, A. A. Tadesse, A. Y. Fekad, A. K. Shibesh, F. A. Getie, T. D. Tessema, T. A. Wubieneh, W. W. Kululo, dan M. T. Mihiret, “Application of response surface methodology (RSM) for experimental optimization in biogenic silica extraction from rice husk and straw ash,” *Sci. Rep.*, vol. 15, no. 1, hlm. 132, Jan 2025, doi: 10.1038/s41598-024-83724-6.
- [18] D. R. Mujiyanti, D. Ariyani, dan M. Lisa, “Silica content analysis of siam unus rice husks from South Kalimantan,” *Indones. J. Chem. Res.*, vol. 9, no. 2, hlm. 81–87, 2021, doi: 10.30598/ijcr.2021.9-muj.
- [19] V. M. Pereira, L. G. Hardt, L. S. C. Lima, J. W. Menezes, C. Valsecchi, M. V. T. Heckler, dan L. E. G. Armas, “Experimental characterization of borosilicate glasses fabricated from rice husk ash using the resonant cavity method,” *Mater. Sci. Eng. B*, vol. 287, hlm. 116138, Jan 2023, doi: 10.1016/j.mseb.2022.116138.



- [20] D. R. Mujiyanti, D. Ariyani, dan N. Paujiah, “Kajian variasi konsentrasi NaOH dalam ekstraksi silika dari limbah sekam padi Banjar jenis ‘Pandak,’” *J. Sains Dan Terap. Kim.*, vol. 15, no. 2, hlm. 143, Agu 2021, doi: 10.20527/jstk.v15i2.10373.
- [21] R. Putri, R. Mulyawan, N. Za, dan R. Nurlaila, “Karakteristik silika dari sekam padi berdasarkan variasi waktu dan suhu pembakaran,” dalam *Prosiding Seminar Nasional Fakultas Teknik Universitas Malikussaleh (SNFT 2022)*, 2022, hlm. 906–911.
- [22] V. Sawasdee dan N. Pisutpaisal, “Rice husk ash characterization and utilization as a source of silica material,” *Chem. Eng. Trans.*, vol. 93, hlm. 79–84, 2022.
- [23] S. Song, H. Cho, dan H. T. Kim, “Surfactant-free synthesis of high surface area silica nanoparticles derived from rice husks by employing the Taguchi approach,” *J. Ind. Eng. Chem.*, vol. 61, hlm. 281–287, Mei 2018, doi: 10.1016/j.jiec.2017.12.025.
- [24] Y. E. Şimşek, “Preparation and characterization of high purity silica obtained from rice husks,” *Acta Phys. Pol. A*, vol. 132, no. 3, hlm. 1002–1005, 2017, doi: 10.12693/APhysPolA.132.1002.
- [25] L. Wu, K. Yick, S. Ng, dan J. Yip, “Application of the Box–Behnken design to the optimization of process parameters in foam cup molding,” *Expert Syst. Appl.*, vol. 39, no. 9, hlm. 8059–8065, 2012.
- [26] International Atomic Energy Agency, “Classification of radioactive waste,” IAEA, Vienna, Austria, STI/PUB/1419, 2009. [Daring]. Tersedia pada: [https://www-pub.iaea.org/MTCD/Publications/PDF/Pub1419\\_web.pdf](https://www-pub.iaea.org/MTCD/Publications/PDF/Pub1419_web.pdf)
- [27] D. H. Salimy, I. N. Finahari, dan Masdin, “Daur bahan bakar nuklir berbasis teknologi ATW,” *J. Pengemb. Energi Nukl.*, vol. 7, no. 1, hlm. 53–62, 2005.
- [28] International Atomic Energy Agency, “Glossary,” IAEA Capacity Building Hub (CONNECT) — E-Learning Modules. Diakses: 14 Oktober 2025. [Daring]. Tersedia pada: [https://nucleus.iaea.org/sites/connect-members/cbh/publicpages/E\\_Learning\\_Modules/13/Content/Glossary.htm](https://nucleus.iaea.org/sites/connect-members/cbh/publicpages/E_Learning_Modules/13/Content/Glossary.htm)
- [29] M. I. Ojovan dan W. E. Lee, “Chapter 17 - Immobilisation of radioactive wastes in glass,” dalam *An Introduction to Nuclear Waste Immobilisation*, Oxford: Elsevier, 2005, hlm. 213–249. doi: <https://doi.org/10.1016/B978-008044462-8/50019-3>.
- [30] M. J. Plodinec, “Borosilicate glasses for nuclear waste immobilisation,” *Glass Technol.*, vol. 41, no. 6, hlm. 186–192, Des 2000.



- [31] S. Hossain, L. Mathur, dan P. Roy, “Rice husk/rice husk ash as an alternative source of silica in ceramics: A review,” *J. Asian Ceram. Soc.*, vol. 6, Okt 2018, doi: 10.1080/21870764.2018.1539210.
- [32] N. N. Ngoc, L. X. Thanh, L. T. Vinh, dan B. T. Van Anh, “High-purity amorphous silica from rice husk: Preparation and characterization,” *Vietnam J. Chem.*, vol. 56, no. 6, hlm. 730–736, 2018.
- [33] M. Saldaña, E. Gálvez, P. Robles, J. Castillo, dan N. Toro, “Copper mineral leaching mathematical models—A review,” *Materials*, vol. 15, no. 5, hlm. 1757, Feb 2022, doi: 10.3390/ma15051757.
- [34] F. Faraji, A. Alizadeh, F. Rashchi, dan N. Mostoufi, “Kinetics of leaching: a review,” *Rev. Chem. Eng.*, vol. 38, no. 2, hlm. 113–148, Agu 2020, doi: 10.1515/revce-2019-0073.
- [35] “Reactions of Group I Elements with Oxygen,” Chemistry LibreTexts. Diakses: 22 Agustus 2025. [Daring]. Tersedia pada: [https://chem.libretexts.org/Bookshelves/Inorganic\\_Chemistry/Supplemental\\_Modules\\_and\\_Websites\\_\(Inorganic\\_Chemistry\)/Descriptive\\_Chemistry/Elements\\_Organized\\_by\\_Block/1\\_s-Block\\_Elements/Group\\_1%3A\\_The\\_Alkali\\_Metals/2Reactions\\_of\\_the\\_Group\\_1\\_Elements/Reactions\\_of\\_Group\\_I\\_Elements\\_with\\_Oxygen](https://chem.libretexts.org/Bookshelves/Inorganic_Chemistry/Supplemental_Modules_and_Websites_(Inorganic_Chemistry)/Descriptive_Chemistry/Elements_Organized_by_Block/1_s-Block_Elements/Group_1%3A_The_Alkali_Metals/2Reactions_of_the_Group_1_Elements/Reactions_of_Group_I_Elements_with_Oxygen)
- [36] N. Setyawan dan S. Yuliani, “Synthesis of silica from rice husk by sol-gel method,” dalam *Iop Conference Series: Earth and Environmental Science*, IOP Publishing, 2021, hlm. 012149.
- [37] U. Kalapathy, A. Proctor, dan J. Shultz, “A simple method for production of pure silica from rice hull ash,” *Bioresour. Technol.*, vol. 73, no. 3, hlm. 257–262, 2000.
- [38] M. Fertani-Gmati, K. Brahim, I. Khattech, dan M. Jemal, “Thermochemistry and kinetics of silica dissolution in NaOH solutions: Effect of the alkali concentration,” *Thermochim. Acta*, vol. 594, hlm. 58–67, Okt 2014, doi: 10.1016/j.tca.2014.09.003.
- [39] D. J. Benke, M. S. Wainwright, K. D. P. Nigam, dan T. R. Rao, “Kinetics of Silica Dissolution from Rice Husk Char,” *Can. J. Chem. Eng.*, vol. 84, no. 6, hlm. 688–692, Des 2006, doi: 10.1002/cjce.5450840607.
- [40] S. Samuel Owoeye, “Effects of extraction temperature and time on the physical properties of soluble sodium silicate from rice husk ash,” *Sci. J. Chem.*, vol. 5, no. 1, hlm. 8, 2017, doi: 10.11648/j.sjc.20170501.12.



- [41] U. Kalapathy, A. Proctor, dan J. Shultz, “An improved method for production of silica from rice hull ash,” *Bioresour. Technol.*, vol. 85, no. 3, hlm. 285–289, 2002.
- [42] L. T. Zhuravlev, “The surface chemistry of amorphous silica. Zhuravlev model,” *Colloids Surf. Physicochem. Eng. Asp.*, vol. 173, no. 1, hlm. 1–38, Nov 2000, doi: 10.1016/S0927-7757(00)00556-2.
- [43] E. P. Bertin, *Principles and Practice of X-Ray Spectrometric Analysis*. Boston, MA: Springer US, 1975. doi: 10.1007/978-1-4613-4416-2.
- [44] N. Tsoulfanidis dan S. Landsberger, *Measurement and Detection of Radiation*, 4 ed. Boca Raton: CRC Press, Taylor & Francis Group, 2015. [Daring]. Tersedia pada: 10.1201/b18203
- [45] B. Beckhoff, B. Kanngießner, N. Langhoff, R. Wedell, dan H. Wolff, *Handbook of Practical X-Ray Fluorescence Analysis*, 1 ed. Berlin, Heidelberg: Springer Science & Business Media, 2007. [Daring]. Tersedia pada: 10.1007/978-3-540-36722-2
- [46] M. A. Bezerra, R. E. Santelli, E. P. Oliveira, L. S. Villar, dan L. A. Escaleira, “Response surface methodology (RSM) as a tool for optimization in analytical chemistry,” *Talanta*, vol. 76, no. 5, hlm. 965–977, Sep 2008, doi: 10.1016/j.talanta.2008.05.019.
- [47] S. C. Ferreira, R. E. Bruns, H. S. Ferreira, G. D. Matos, J. M. David, G. C. Brandão, E. P. da Silva, L. A. Portugal, P. S. Dos Reis, dan A. S. Souza, “Box–Behnken design: An alternative for the optimization of analytical methods,” *Anal. Chim. Acta*, vol. 597, no. 2, hlm. 179–186, 2007.
- [48] N. Szpisják-Gulyás, A. N. Al-Tayawi, Z. H. Horváth, Z. László, S. Kertész, dan C. Hodúr, “Methods for experimental design, central composite design and the Box–Behnken design, to optimise operational parameters: A review,” *Acta Aliment.*, vol. 52, no. 4, hlm. 521–537, 2023.
- [49] J. Chun dan J. H. Lee, “Recent Progress on the Development of Engineered Silica Particles Derived from Rice Husk,” *Sustainability*, vol. 12, no. 24, hlm. 10683, Jan 2020, doi: 10.3390/su122410683.
- [50] Stat-Ease, Inc., “All Hierarchical Model Selection,” Design-Expert v23.1 Online Documentation. Diakses: 12 September 2025. [Daring]. Tersedia pada: <https://statease.com/docs/v23.1/contents/analysis/all-hierarchical-model-selection/>
- [51] R. DeLoach, “The Role of Hierarchy in Response Surface Modeling of Wind Tunnel Data,” dalam *48th AIAA Aerospace Sciences Meeting Including the*



*New Horizons Forum and Aerospace Exposition*, Orlando, Florida: American Institute of Aeronautics and Astronautics, Jan 2010. doi: 10.2514/6.2010-931.

