

## DAFTAR PUSTAKA

- Abdurrahman, U. (2006). *Kinerja Sistem Lumpur Aktif pada Pengolahan Limbah Cair*. Surabaya.
- Almu, M. Afif, S. Syahrul, and Yesung Allo Padang. (2014). Analisa Nilai Kalor dan Laju Pembakaran pada Briket Campuran Biji Nyamplung (*Calophyllum Inophyllum*) dan Abu Sekam Padi. *Dinamika Teknik Mesin*, 4(2), 117-122. <https://doi.org/10.29303/d.v4i2.61>
- American Society for Testing and Method. (1999). *ASTM Standards Pertaining to the Biodegradability and Compostbility of Plastic*. West Conshocken: Author.
- Awad, A., Trenfield, S. J., & Basit, A. W. (2020). *Solid Oral Dosage Forms*. Dalam Adejare, A. (Ed), *Remington: The Science and Practice of Pharmacy*, Academic Press, United States.
- Breuninger, W. F., Piyachomkwan, K., & Sriroth, K. (2009). *Chapter 12 - Tapioca/Cassava Starch: Production and Use*. Dalam BeMiller, J. & Whistler, R. (Ed), *Starch Chemistry and Technology (3<sup>rd</sup> Edition)*, Academic Press, United States.
- Chrismana, A. H. (2017). Analisis Pengaruh Biaya Pengolahan Limbah terhadap Laba Perusahaan. *Seminar Nasional Mahasiswa Ekonomi dan Bisnis*, 1(1), 1-9.
- Dixit, D., Pal, R., Kapoor, G., & Stabenau, M. (2016). *Lightweight Composite Materials Processing*. Dalam Bhatnagar, A. (Ed), *Lightweight Ballistic Composites (2<sup>nd</sup> Edition)*, Woodhad Publishing, United Kingdom.
- Dudeja, I., Mankoo, R. K., Singh, A., & Kaur, J. (2023). Citric Acid: An Ecofriendly Cross-linker for the Production of Functional Biopolymeric Materials. *Sustainable Chemistry and Pharmacy*, 36, 101307.
- Ermawati & Hartanti. (2014). Aplikasi Metode Taguchi dalam Pengendalian Kualitas Produksi. *Jurnal Teknosains*, 8(2), 185-194.

- Eslami, Z., Elkoun, S., Robert, M., & Adjallé, K. (2023). A Review of the Effect of Plasticizers on the Physical and Mechanical Properties of Alginate-Based Films. *Molecules*, 28, 1-33.
- Faijah, Fadilah, R., & Nurmila. (2020). Perbandingan Tapioka dan Sagu pada Pembuatan Briket Kulit Buah Nipah (*Nypafruticans*). *Jurnal Pendidikan Teknologi Pertanian*, 6(2), 201-210.
- Gerezgiher, A. A. & Szabó, T. (2022). Crosslinking of Starch Using Citric Acid. *Journal of Physics: Conference Series*, 2315(1), 012036. <https://doi.org/10.1088/1742-6596/2315/1/012036>
- Haryanto, A., Hidayat, W., Hasanudin, U., Iryani, D. A., Kim, S. Lee, S., & Yoo, J. (2021). Valorization of Indonesian Wood Wastes through Pyrolysis: A Review. *Energies*, 14, 1407.
- Hendrasty, H. K., Sugiarto, R., Setyaningsih, S., & Kurniasih, I. (2023). Analysis Model Approach of the Rate Change of Absorption and Cooking Loss of Dry Noodles made from Cassava Starch. *Jurnal Agroteknologi Terapan*, 4(2), 231-241.
- Hendrawati, N. Sofiana, A. R., & Widyantini, I. N. (2015). Pengaruh Penambahan Magnesium Stearat dan Jenis Protein pada Pembuatan *Biodegradable Foam* dengan Metode *Baking Process*. *Jurnal Bahan Alam Terbarukan*, 4(2), 34-39.
- Hendrawati, N., Wibowo, A. A., & Chrisandari, R. D. (2020). Biodegradable Foam dari Pati Sagu Terasitilasi dengan Penambahan Blowing Agent NaHCO<sub>3</sub>. *Jurnal Teknik Kimia dan Lingkungan*, 4(2), 186-195.
- Indrianti, E., Rahmadi, A., Thamrin, G. A. R. (2023). Sifat Fisik *Biodegradable Pot (Biopot)* dari Tandan Kosong Kelapa Sawit (*Elaeis guineensis*), Eceng Gondok (*Eichhornia crassipes*), Gamal (*Gliricidia maculata*), Pupuk Organik, dan Tapioka. *Jurnal Sylva Scientiae*, 6(5), 758-763.
- Javadian, N., Nafchi, A. M., & Bolandi, M. (2021). The Effects of Dual Modification on Functional, Microstructural, and Thermal Properties of Tapioca Starch. *Food Science & Nutrition*, 9(10), 5467-5476, doi: [10.1002/fsn3.2506](https://doi.org/10.1002/fsn3.2506).

- Jaya, J. D., Nuryati, A. M., & Ningsih Y. (2023). Biodegradable Pot from Oil Palm Fronds Waste: Production Process, Physical Properties, and Biodegradability Study. *Agrointek*, 18(3), 753-760.
- Kementrian Lingkungan Hidup dan Kehutanan. (2024). *The State of Indonesia's Forest 2024*. Jakarta: Kementrian Lingkungan Hidup dan Kehutanan.
- Khadsai, S., Janmanee, R., Sam-Ang, P., Nuanchawee, Y., Rakitikul, W., Mankhong, W., Likittrakulwong, W., & Ninjjaranai, P. (2024). Influence of Crosslinking Concentration on the Properties of Biodegradable Modified Cassava Starch-Based Films for Packaging Applications. *Polymer*, 16(12).
- Krisnaiah, K. & Shahabudeen, P. (2012). *Applied Design and Taguchi Methods*. PHI Learning Private Limited, New Delhi.
- Liu, S. (2025). *Grey System Analysis: Methods, Models and Applications (2<sup>nd</sup> ed)*. Springer Nature Singapore, Singapore.
- Manafi-Dastjerdi, M., Ebrahimi-Nik, M., Rohani, A., & Lawson, S. (2022). Production of Biodegradable Pots from Cattle Manure and Wood Waste: Effects of Natural Binders on Mechanical Performances and Biodegradability. *Environmental Science and Pollution Research*, 29, 20265-20278.
- Melani, L. & Kim, H. J. (2019). Physicochemical Properties of Starches from Several Agricultural Sources: Application to a Starch-based Adhesive. *Journal of Korea TAPPI*, 100-107.
- Nisah, K. (2017). Study Pengaruh Kandungan Amilosa dan Amilopektin Umbi-Umbian terhadap Karakteristik Fisik Plastik Biodegradable dengan *Plastizicer* Gliserol. *Jurnal Biotik*, 5(2), 106-113.
- PT Kutai Timber Indonesia. (2021). *About KTI-Brief Profile*. Diakses dari <https://www.kti.co.id/en/about-kti/brief-profile/> pada 9 September 2024 pukul 11.57 WIB.
- Putra, A. C., Arifin, V. B. P., Astuti, D. H., & Sani. (2023). Pembuatan Biodegradable Foam dari Selulosa Jerami dan Tepung Singkong dengan Proses Thermopressing. *Seminar Nasional Teknik Kimia Soeardjo Brotohardjono XIX*, 148-153.

- Rad, I. Z. (2015). Evaluating the Competitiveness of Wood Processing Industry, *Drvna Industrija*, 66(5), 281-288.
- Rahmadi, A., Sari, N. M., & Indriyani, E. (2021). *Buku Ajar Pemanfaatan Limbah Industri*. CV Banyubening Cipta Sejahtera: Kalimantan Selatan.
- Rakshit, A., Ghosh, S., & Chatterjee, S. (2019). Two Way Analysis of Variance: The Fundamental Concepts with the Aid of Applications. *International Journal of Innovative Science, Engineering, and Technology (IJISSET)*, 6(1), 6-14.
- Roy, R. K. (2010). *A Primer on Taguchi Method (2<sup>nd</sup> Edition)*. Society of Manufacturing Engineers (SME), United States.
- Sayuti, I., Zulfarina, Widodo, T. J. (2022). Pengaruh pH terhadap Pertumbuhan *Bacillus cereus* IMB-11 selama Degradasi Hidrokarbon secara *in vitro*. *Jurnal Pembelajaran dan Biologi Nukleus*, 8(3), 686-693
- Seligra, P. G., Jaramillo, C. M., Famá, L., & Goyanees, S. (2016). Biodegradable and Non-Retrogradable Ecofilms based on Starch-Glycerol with Citric Acid as Crosslinking Agent. *Carbohydrate Polymers*, 138, 66-74.
- Shobib, A., Silva, T. D., Pramudono, B., Rokhati, N., & Kasmiyatun, M. (2023). Analisis Komposisi Selulosa, Hemiselulosa, dan Lignin dalam Berbagai Jenis Kayu : Metode Chesson-Datta. *Inovasi Teknik Kimia*, 8(4), 309-314.
- Shuvo, Z. H., Rahman, M. Z., Saha, B., Ador, M. S. H. (2024). *Composite Materials from Synthetic and Natural Sources: Fabrication Techniques and Applications*. Dalam Hashmi, S. (Ed), *Comprehensive Materials Processing (2<sup>nd</sup> Edition)*, Elsevier, Netherlands.
- Sidi, P. & Wahyudi, M. T. (2013). Aplikasi Metode Taguchi untuk Mengetahui Optimasi Kebulatan pada Proses Bubut Cnc. *Jurnal Rekayasa Mesin*, 4(2), 101-108.
- Sjafarina, H., Syahbanu, I., & Nurlina. (2020). Pengaruh Variasi Komposisi Selulosa Jerani Padi dan Limbah Botol Plastik Polietilen Tereftalat (PET) terhadap Karakteristik *Biodegradable Plastic*. *Indonesian Journal of Pure and Applied Chemistry*, 3(3), 25-32.

- Soejanto, Irwan. (2009). *Desain Eksperimen dalam Metode Taguchi*. Yogyakarta: Graha Ilmu.
- Srisunont, T., Wongsakoonkan, W., Tongphanpharn, N., Ratanasongtham, P., & Srisunont, C. (2024). A Brief Overview of Biodegradable Pots for Sustainable Environment in Thailand. *Current Applied Science and Technology*, 24(5).
- Srisunont, T., Wongsakoonkan, W., Tongphanpharn, N., Ratanasongtham, P., & Srisunont, C. (2024). A Brief Overview of Biodegradable Pots for Sustainable Environment in Thailand. *Current Applied Science and Technology*, 24(5).
- Sunardi, Lusiani, R., Saefuloh, I., Listijorini, E., Sumarna, A. E., Fawaid, M., & Meliana, Y. (2020). Particleboard Characterization using Sawdust from Sengon Wood, Mahogany Wood, Bayur Wood, and Rice Husk Ash as Composite Fillers. *International Conference on Advanced Mechanical and Industrial Engineering*, 909, doi:10.1088/1757-899X/909/1/012028.
- Tomadoni, B., Merino, D., Casalongue, C. & Alvarez, V. (2020). Biodegradable Materials for Planting Pots. *Advanced Applications of Bio-degradable Green Composites*, 68, 85-103.
- Vasile, C. & Baican, M. (2023). Lignins as Promising Renewable Biopolymers and Bioactive Compounds for High-Performance Materials. *Polymers*, 15(15).
- Wu, H., Lei, Y., Lu, J., Zhu, R., Xiao, D., Jiao, C., Xia, R., Zhang, Z., Shen, G., Liu, Y., Li, S., & Li, M. (2019). Effect on Citric Acid Induced Crosslinking on the Structure and Properties of Potato Starch/Chitosan Composite Films. *Food Hydrocolloids*, 97, 105208.
- Wulandari, F. T. (2019). Limbah Industri Penggergajian: Kajian dan Pemanfaatannya. *Jurnal Silva Samalas*, 2(2), 75-78.
- Xie, F., Zhang, B., & Wang, D. K. (2018). *Starch Thermal Processing: Technologies at Laboratory and Semi-Industrial Scales*. Dalam Villar, M. A., Garcia, M. A., Barbosa, S. E., Castillo, L. A., & López, O. V. (Ed), *Starch-Based Materials in Food Packaging*, Academic Press, United States.

- Yang, T., Luo, D., Wang, L., Hu, C., Mei, C. (2024). New Insights into the Influencing Mechanisms of Hemicellulose Removal on Dynamic Wood-Water Interactions Characterized with Low-Field NMR. *Industrial Crops and Products*, 219.
- Yu, W., Qiu, R., Li, M., & Lei, W. (2023). Effects on Wood Content and Modification on Properties of Wood Flour/Polybutylene Adipate Terephthalate Biocomposites. *Molecules*, 28(24).
- Zhang, W., Roy, S., Assadpour, E., Cong, X., & Jafari, S. M. (2023). Cross-linked Biopolymeric Films by Citric Acid for Food Packaging and Preservation. *Advances in Colloid and Interface Science*, 314, 102886.