



REFERENCES

- Adalibieke, W., X. Cui, H. Cai, and F. Zhou. 2023. Global crop-specific nitrogen fertilization dataset in 1961–2020. *Scientific Data*, 10(617): 1–17.
- Ajayi, O.O., M. Dianda, and O.E. Fagade. 2024. Rhizobia inoculation's impact on the biomass and moisture content of leguminous Bambara groundnut (*Vigna subterranean* L. Verdc). *Discover Sustainability*, 315(5): 1–16.
- Allito, B.B., N. Ewusi-Mensah, V. Logah, and D.K. Hunegnaw. 2021. Legume-rhizobium specificity effect on nodulation, biomass production, and partitioning of faba bean (*Vicia faba* L.). *Scientific Reports*, 11(3678): 1–13.
- Anil, L., J. Park, R.H. Phipps, and F.A. Miller. 1998. Temperate intercropping of cereals for forage: A review of the potential for growth and utilization with particular reference to the UK. *Grass and Forage Science*, 53(4): 301–317.
- Ariyama, K. and A. Yasui. 2006. The determination technique of the geographic origin of Welsh onions by mineral composition and perspective for the future. *Japan Agricultural Research Quarterly*, 40(4): 333–339.
- Beeckmans, S. and J.P. Xie. 2015. *Reference Module in Biomedical Sciences*. Elsevier, Amsterdam.
- Bong, Y.S. and K.S. Lee. 2007. A fast, simple calibration method for organic carbon isotope analysis using continuous-flow elemental analyzer interfaced with an isotope ratio mass spectrometer. *Analytical Sciences*, 23(1): 1447–1449.
- Brophy, L.S., G.H. Heichel, and M.P. Russelle. 1987. Nitrogen transfer from forage legumes to grass in a systematic planting design. *Crop Science*, 27(4): 753–758.
- Brophy, L.S. and G.H. Heichel. 1989. Nitrogen release from roots of alfalfa and soybean grown in sand culture. *Plant and Soil*, 116(1989): 77–84.
- Carlsson, G. and K. Huss-Danell. 2014. Does nitrogen transfer between plants confound ¹⁵N-based quantifications of N₂ fixation? *Plant Soil*, 374(1): 345–358.
- Chalk, P.M., M.B. Peoples, A.M. McNeill, R. Boddey, M.J. Unkovich, M.J. Gardener, C.F. Silva, and D. Chen. 2014. Methodologies for estimating nitrogen transfer between legumes and companion species in agro-ecosystems: A review of ¹⁵N-enriched techniques. *Soil Biology and Biochemistry*, 73(2014): 10–21.
- Choi, J., W. Summers, and U. Paszkowski. 2018. Mechanisms underlying establishment of arbuscular mycorrhizal symbioses. *Annual Review of Phytopathology*, 56(2018): 135–160.
- Dickie, I.A., R.T. Koide, and K.C. Steiner. 2002. Influences of established trees on mycorrhizas, nutrition, and growth of *Quercus rubra* seedlings. *Ecological Monographs*, 72(4): 505–521.
- Dong, N., M.M. Tang, W.P. Zhang, X.G. Bao, Y. Wang, P. Christie, and L. Li. 2018. Temporal differentiation of crop growth as one of the drivers of intercropping yield advantage. *Scientific Reports*, 8(3110): 1–11.
- Eskelinen, A., W.S. Harpole, M.T. Jessen, R. Virtanen, and Y. Hautier. 2022. Light competition drives herbivore and nutrient effects on plant diversity. *Nature*, 611(2022): 301–305.
- Fang, L., X. He, X. Zhang, Y. Yang, R. Liu, S. Shi, X. Shi, and Y. Zhang. 2021. A small amount of nitrogen transfer from white clover to citrus seedling via common arbuscular mycorrhizal networks. *Agronomy*, 11(32): 1–15.
- Fellbaum, C.R., J.A. Mensah, A.J. Cloos, G.E. Strahan, P.E. Pfeffer, E.T. Kiers, and H. Bücking. 2014. Fungal nutrient allocation in common mycorrhizal networks is



- regulated by the carbon source strength of individual host plants. *New Phytologist*, 203(2): 646–656.
- Fujita, K., K.G. Ofosu-Budu, and S. Ogata. 1992. Biological nitrogen fixation in mixed legume-cereal cropping systems. *Plant and Soil*, 141(1992): 155–175.
- Fustec, J., F. Lesuffleur, S. Mahieu, and J.B. Clique. 2010. Nitrogen rhizodeposition of legumes. A review. *Agronomy for Sustainable Development*, 30(1): 57–66.
- Genre, A. L. Lanfranco, S. Perotto, and P. Bonfante. 2020. Unique and common traits in mycorrhizal symbioses. *Nature Review Microbiology*, 18(2020): 649–660.
- Giovannetti, M. and B. Mosse. 1980. An evaluation of techniques for measuring vesicular arbuscular mycorrhizal infection in roots. *New Phytologist*, 84(3): 489–500.
- Gosling, P., A. Mead, M. Proctor, J.P. Hammond, and G.D. Bending. 2013. Contrasting arbuscular mycorrhizal communities colonizing different host plants show a similar response to a soil phosphorus concentration gradient. *New Phytologist*, 198(2): 546–556.
- Guo, J.H., X.J. Liu, Y. Zhang, J.L. Shen, W.X. Han, P. Christie, K.W.T. Goulding, P.M. Vitousek, and F.S. Zhang. 2010. Significant acidification in major Chinese croplands. *Science*, 327(5968): 1008–1010.
- Harris, C., R. Christopher, S. Humphrey-Ackumey, R. Mercer, P. Ney, and F.L.W. Ratnieks. 2023. Pollinator spillover: Hay cutting of grass with white clover, *Trifolium repens*, displaces bees and increases their abundance in adjacent patches of bramble, *Rubus fruticosus*. *Agriculture, Ecosystems & Environment*, 354(108581): 1–9.
- Hawkins, H.J., A. Johandsen, and E. George. 2000. Uptake and transport of organic and inorganic nitrogen by arbuscular mycorrhizal fungi. *Plant and Soil*, 226: 275–285.
- Haystead, A., N. Malajczuk, and T. Grove. 1988. Underground transfer of nitrogen between pasture plants infected with vesicular-arbuscular mycorrhizal fungi. *New Phytologist*, 108(4): 417–423.
- He, X., C. Critchley, H. Ng, and C. Bledsoe. 2004. Reciprocal N ($^{15}\text{NH}_4^+$ or $^{15}\text{NO}_3^-$) transfer between non N_2 -fixing *Eucalyptus maculata* and N_2 -fixing *Casuarina cunninghamiana* linked by the ectomycorrhizal fungus *Pisolithus sp.* *New Phytologist*, 163(3): 629–640.
- He, X., M. Xu, G.Y. Qiu, and J. Zhou. 2009. Use of ^{15}N stable isotope to quantify nitrogen transfer between mycorrhizal plants. *Journal of Plant Ecology*, 2(3): 107–118.
- He, Y., J.H.C. Cornelissen, P. Wang, M. Dong, and J. Ou. 2019. Nitrogen transfer from one plant to another depends on plant biomass production between conspecific and heterospecific species via a common arbuscular mycorrhizal network. *Environmental Science and Pollution Research*, 26(2019): 8828–8837.
- Hu, W., S. Wei, H. Chen, and M. Tang. 2019. Effect of sterilization on arbuscular mycorrhizal fungal activity and soil nutrient status. *Journal of Soil Science and Plant Nutrition*, 20(2020): 684–689.
- Høgh-Jensen, H. 2006. The nitrogen transfer between plants: An important but difficult flux to quantify. *Plant and Soil*, 282(2016): 1–5.
- International Atomic Energy Agency (IAEA). 2009. *Manual for the Use of Stable Isotopes in Entomology*. IAEA, Vienna.



- International Fertilizer Association. 2023. Nitrogen Fertilizer Consumption. <<https://www.ifastat.org/databases>>. Accessed on 19 August 2025.
- Jalonen, R., P. Nygren, and J. Sierra. 2009. Transfer of nitrogen from a tropical legume tree to an associated fodder grass via root exudation and common mycelial networks. *Plant, Cell, and Environment*, 32(10): 1366–1376.
- Jin, H., P.E. Pfeffer, D.D. Douds, E. Piotrowski, P.J. Lammers, and Y. Shachar-Hill. 2005. The uptake, metabolism, transport and transfer of nitrogen in an arbuscular mycorrhizal symbiosis. *New Phytologist*, 168(3): 687–696.
- Kameoka, H. and C. Gutjahr. 2022. Functions of lipids in development and reproduction of arbuscular mycorrhizal fungi. *Plant and Cell Physiology*, 63(10): 1356–1365.
- Karst, J., M.D. Jones, and J.D. Hoeksema. 2023. Positive citation bias and overinterpreted results lead to misinformation on common mycorrhizal networks in forests. *Nature Ecology & Evolution*, 7(4): 501–511.
- Khan, U.K., W. Murad, A. Azizullah, H. Rahman, and M.D. Khan. 2017. Mix cropping of legume (*Vigna radiata*) and non-legume (*Zea mays*) crops alleviates water stress as revealed by growth and biochemical parameters. *Acta Physiologiae Plantarum*, 39(1): 1–11.
- Latati, M., D. Blaver, N. Alkama, H. Laoufi, J.J. Drevon, F. Gerard, M. Pansu, and S.M. Ounane. 2014. The intercropping cowpea-maize improves soil phosphorus availability and maize yields in an alkaline soil. *Plant and Soil*, 385(2014): 181–191.
- Li, D., Y. Wang, X. Li, Z. Zhang, G. Wang, Y. Zhang, and L. Chen. 2024. Exploring microbial diversity and function in companion planting systems of white clover and orchard grass. *Scientific Reports*, 14(2169): 1–10.
- Li, X., Y. Wu, C. Huang, M.A. Rahman, E. Argaman, and Y. Xiao. 2025. Inoculation with arbuscular mycorrhizal fungi in the field promotes plant colonization rate and yield. *European Journal of Agronomy*, 164(2025): 1–10.
- Liu, B., L. Hongbo, B. Zhu, R.T. Koide, D.M. Eissenstat, and D. Guo. 2015. Complementarity in nutrient foraging strategies of absorptive fine roots and arbuscular mycorrhizal fungi across 14 coexisting subtropical tree species. *New Phytologist*, 208(1): 125–136.
- Louarn, G., E. Pereira-Lopès., J. Fustec, B. Mary, A.S. Voisin, P. de Faccio Carvalho, F. Carvalho, and F. Gastal. 2015. The amounts and dynamics of nitrogen transfer to grasses differ in alfalfa and white clover-based grass-legume mixtures as a result of rooting strategies and rhizodeposit quality. *Plant and Soil*, 389(1): 289–305.
- Lu, C. and H. Tian. 2017. Global nitrogen and phosphorus fertilizer use for agriculture production in the past half century: Shifted hot spots and nutrient imbalance. *Earth System Science Data*, 9(1): 181–192.
- Ma, X. Q. Geng, H. Zhang, C. Bian, H.Y.H. Chen, D. Jiang, and X. Xu. 2020. Global negative effects of nutrient enrichment on arbuscular mycorrhizal fungi, plant diversity and ecosystem multifunctionality. *New Phytologist*, 229(5): 2957–2969.
- Maitra, S., A. Hossain, M. Brestic, M. Skalicky, P. Ondrisik, H. Gitari, K. Brahmachari, T. Shankar, P. Bhadra, and J.B. Palai. 2021. Intercropping—A low input agricultural strategy for food and environmental security. *Agronomy*, 11(343): 1–28.



- Maitra, S., J.B. Palai, P. Manasa, and D.P. Kumar. 2019. Potential of intercropping system in sustaining crop productivity. *International Journal of Agriculture, Environment and Biotechnology*, 12(1): 39–45.
- Meng, L., A. Zhang, F. Wang, X. Han, D. Wang, and S. Li. 2015. Arbuscular mycorrhizal fungi and rhizobium facilitate nitrogen uptake and transfer in soybean/maize intercropping system. *Frontiers in Plant Science*, 6(339): 1–10.
- Mollavali, M., H. Perner, S. Rohn, P. Riehle, F.S. Hanschen, and D. Schwarz. 2018. Nitrogen form and mycorrhizal inoculation amount and timing affect flavonol biosynthesis in onion (*Allium cepa* L.). *Mycorrhiza*, 28(1): 59–70.
- Moyer-Henry, K.A., J.W. Burton, D.W. Israel, and T.W. Rufty. 2006. Nitrogen transfer between plants: A ¹⁵N natural abundance study with crop and weed species. *Plant and Soil*, 282(2006): 7–20.
- Muccio, Z. and G.P. Jackson. 2009. Isotope ratio mass spectrometry. *Analyst*, 134(1): 213–222.
- Muneer, M.A., P. Wang, J. Zhang, Y. Li, M.Z. Munir, and B. Ji. 2020a. Formation of common mycorrhizal networks significantly affects plant biomass and soil properties of the neighboring plants under various nitrogen levels. *Microorganisms*, 8(230): 1–17.
- Muneer, M.A., P. Wang, Z. Nisa, C. Lin, and B. Ji. 2020b. Potential role of common mycorrhizal networks in improving plant growth and soil physicochemical properties under varying nitrogen levels in a grassland ecosystem. *Global Ecology and Conservation*, 24(2020): 1–17.
- Muneer, M.A., X. Chen, M.Z. Munir, Z. Nisa, M.A.B. Saddique, S. Mehmood, D. Su, C. Zheng, and B. Ji. 2022. Interplant transfer of nitrogen between C₃ and C₄ plants through common mycorrhizal networks under different nitrogen availability. *Journal of Plant Ecology*, 16(2): 1–11.
- Munroe, J.W. and M.E. Isaac. 2014. N₂-fixing trees and the transfer of fixed-N for sustainable agroforestry: A review. *Agronomy for Sustainable Development*, 34(2014): 417–427.
- Newman, E.I. 1966. A method of estimating the total length of root in a sample. *Journal of Applied Ecology*, 3(1): 139–145.
- Nguyen, N.T., K. Nakabayashi, K.P. Mohapatra, J. Thompson, and K. Fujita. 2003. Effect of nitrogen deficiency on biomass production, photosynthesis, carbon partitioning, and nitrogen nutrition status of *Melaleuca* and *Eucalyptus* species. *Soil Science and Plant Nutrition*, 49(1): 99–109.
- Ngwene, B., E. George, W. Claussen, and E. Neumann. 2010. Phosphorus uptake by cowpea plants from sparingly available or soluble sources as affected by nitrogen form and arbuscular-mycorrhiza-fungal inoculation. *Journal of Plant Nutrition and Soil Science*, 173(3): 353–359.
- Ofosu-Budu, K.G., K. Noumura, and K. Fujita. 1995. N₂ fixation, N transfer and biomass production of soybean cv. Bragg or its supernodulating nts1007 and sorghum mixed-cropping at two rates of N fertilizer. *Soil Biology and Biochemistry*, 27(3): 311–317.
- Padula, G., X. Xia, and R. Holubowicz. 2022. Welsh onion (*Allium fistulosum* L.) seed physiology, breeding, production and trade. *Plants*, 11(343): 1–11.
- Paynel, F., F. Lesuffleur, J. Bigot, S. Diquelou, and J. Cliquet. 2008. A study of ¹⁵N transfer between legumes and grasses. *Agronomy for Sustainable Development*, 28(2008): 281–290.



- Pérez-Tienda, J., A. Corrêa, C. Azcón-Aguilar, and N. Ferrol. 2014. Transcriptional regulation of host NH_4^+ transporters and GS/GOGAT pathway in arbuscular mycorrhizal rice roots. *Plant Physiology and Biochemistry*, 75(2014): 1–8.
- Perry, B.J., S. Ferguson, A. Laugraud, A. Steve, Wakelin, W. Reeve, and C.W. Ronson. 2021. Complete genome sequences of *Trifolium* spp. inoculant strains *Rhizobium leguminosarum* sv. *trifolii* TA1 and CC275e: Resources for genomic study of the *Rhizobium-Trifolium* symbiosis. *Molecular Plant-Microbe Interactions*, 34(1): 1–4.
- Pirhofer-Walzl, K., J. Rasmussen, H. Høgh-Jensen, J. Eriksen, K. Søgaard, J. Rasmussen. 2012. Nitrogen transfer from forage legumes to nine neighbouring plants in a multi-species grassland. *Plant and Soil*, 350(2012): 71–84.
- Rasmussen, J., T. Gylfadóttir, R. Loges, J. Eriksen, and A. Helgadóttir. 2013. Spatial and temporal variation in N transfer in grass-white clover mixtures at three Northern European field sites. *Soil Biology and Biochemistry*, 57(2013): 654–662.
- Rilig, M.C., A. Lehmann, L. Lanfranco, T. Caruso, and D. Johnson. 2023. Clarifying the definition of common mycorrhizal networks. *Functional Ecology*, 39(6): 1411–1417.
- Ruthenberg, H. 1971. *Farming Systems in The Tropics*. Clarendon Press, Oxford.
- San-nai, J. and Z. Ming-pu, 2000. Nitrogen transfer between N_2 -fixing plant and non- N_2 -fixing plant. *Journal of Forestry Research*, 11(2): 75–80.
- Suter, M., J. Connolly, J.A. Finn, R. Loges, L. Kirwan, M.T. Sebastia, and A. Luscher. 2015. Nitrogen yield advantage from grass–legume mixtures is robust over a wide range of legume proportions and environmental conditions. *Global Change Biology*, 21(6): 2424–2438.
- Szpunar-Krok, E., D. Bobrecka-Jamro, W. Pikula, and M. Jańczak-Pieniążek. 2023. Effect of nitrogen fertilization and inoculation with *Bradyrhizobium japonicum* on nodulation and yielding of soybean. *Agronomy*, 13(5): 1–18.
- Tawaraya, K., K. Hashimoto, and T. Wagatsuma. 1998. Effect of root exudate fractions from P-deficient and P-sufficient onion plants on root colonisation by the arbuscular mycorrhizal fungus *Gigaspora margarita*. *Mycorrhiza*, 8(1998): 67–70.
- Tawaraya, K., K. Tokairin, and T. Wagatsuma. 2001. Dependence of *Allium fistulosum* cultivars on the arbuscular mycorrhizal fungus, *Glomus fasciculatum*. *Applied Soil Ecology*, 17(2): 119–124.
- Thilakarathna, M.S., M.S. McElroy, T. Chapagain, Y.A. Papadopoulos, and M.A. Raizada. 2016. Belowground nitrogen transfer from legumes to non-legumes under managed herbaceous cropping systems. A review. *Agronomy for Sustainable Development*, 36(58): 1–16.
- Thirkell, T., D. Cameron, and A. Hodge. 2019. Contrasting nitrogen fertilisation rates alter mycorrhizal contribution to barley nutrition in a field trial. *Frontiers in Plant Science*, 10(1312): 1–9.
- Thirkell, T.J. D.D. Cameron, and A. Hodge. 2016. Resolving the ‘nitrogen paradox’ of arbuscular mycorrhizas: Fertilization with organic matter brings considerable benefits for plant nutrition and growth. *Plant, Cell, and Environment*, 39(206): 1683–1690.
- Undie, U.L., D.F. Uwah, and E.E. Attoe. 2012. Effect of intercropping and crop arrangement on yield and productivity of late season maize/soybean mixtures in



- the humid environment of South Southern Nigeria. *Journal of Agriculture Science*, 4(4): 1–14.
- Unkovich, M., J. Pate, and A. McNeill. 2001. *Stable Isotope Techniques in the Study of Biological Processes and Functioning of Ecosystems*. Springer Science & Business Media, Berlin.
- Wahbi, S., Y. Prin, J., Thioulouse, H. Sanguin, E. Baudoin, T. Maghraoui, K. Oufdou, L.C. Roux, A. Galiana, M. Hafidi, and R. Duponnois, 2016a. Impact of wheat/faba bean mixed cropping or rotation systems on soil microbial functionalities. *Frontiers in Plant Science*, 7(1364): 1–9.
- Wahbi, S., T. Maghraoui, M. Hafidi, H. Sanguin, K. Oufdou, Y. Prin, R. Duponnois, and A. Galiana. 2016b. Enhanced transfer of biologically fixed N from faba bean to intercropped wheat through mycorrhizal symbiosis. *Applied Soil Ecology*, 107(2016): 91–98.
- Wang, J., U.M. Sainju, and S. Zhang. 2024a. A mixture of summer legume and nonlegume cover crops enhances winter wheat yield, nitrogen uptake, and nitrogen balance. *Nitrogen*, 5(4): 871–890.
- Wang, Q., M. Liu, Z. Wang, J. Li, K. Liu, and D. Huang. 2024b. The role of arbuscular mycorrhizal symbiosis in plant abiotic stress. *Frontiers in Microbiology*, 14(2024): 1–14.
- Wang, W., J. Shi, Q. Xie, Y. Jiang, N. Yu1, and E. Wang. 2017. Nutrient exchange and regulation in arbuscular mycorrhizal symbiosis. *Molecular Plant*, 10(9): 1147–1158.
- Weith, S.K., M.Z.Z. Jahufer, R.W. Hofmann, C.B. Anderson, D. Luo, O.G. Ehoche, G. Cousins, E.E. Jones, R.A. Ballard, A.G. and Griffiths. 2022. Quantitative genetic analysis reveals potential to breed for improved white clover growth in symbiosis with nitrogen-fixing *Rhizobium* bacteria. *Frontiers in Plant Science*, 13(953400): 1–17.
- Xie, K. Y. Ren, A. Chen, C. Yang, Q. Zheng, J. Chen, D. Wang, Y. Li, S. Hu, and G. Xu. 2022. Plant nitrogen nutrition: The roles of arbuscular mycorrhizal fungi. *Journal of Plant Physiology*, 269(2022): 1–12.
- Xie, K., Y. Chen, X. Wang, X. Zhou, Y. Cheng, X. Yu, J. Wang, M. Sun, Y. Li, and C. He. 2025a. Physiological and multi-omics analysis revealed the mechanism of arbuscular mycorrhizal fungi to cadmium toxicity in green onion. *Ecotoxicology and Environmental Safety*, 290(2025): 1–11.
- Xie, Y., Song, X., Lu, Y., Hu, X., Pan, S., Xu, W., and Xue, Y. 2025b. Different forms of nitrogen uptake in tobacco promoted by the arbuscular mycorrhizal fungi. *Frontiers in Plant Science*, 16(1600887); 1–10.
- Xu, X., Chen, C., Z. Zhang, Z. Sun, Y. Chen, J. Jiang, and Z. Shen. 2017. The influence of environmental factors on communities of arbuscular mycorrhizal fungi associated with *Chenopodium ambrosioides* revealed by MiSeq sequencing investigation. *Scientific Report*, 7(43134): 1–11.
- Xue, J., L. Guo, L. Li, Z. Zhang, M. Huang, J. Cai, X. Wang, Y. Zhong, T. Dai, D. Jiang, and Q. Zhou. 2024. Effects of arbuscular mycorrhizal fungi on uptake, partitioning and use efficiency of nitrogen in wheat. *Field Crops Research*, 306(2024): 1–13.
- Yao, S., L. Li, H. Xiong, P. Zhang, T. Ju, Z. Chen, and L. Zheng. 2025. The involvement of arbuscular mycorrhizal fungi in modulating polyamine metabolism and low-



- temperature tolerance enhancement in white clover. *Frontiers in Plant Science*, 16(2025): 1–11.
- Yokota, K. and M. Hayashi. 2011. Function and evolution of nodulation genes in legumes. *Cellular and Molecular Life Sciences*, 68(8):1341–1351.
- Yong, T., X. Liu, and F. Yang. 2015. Characteristics of nitrogen uptake, use and transfer in a wheat-maize-soybean relay intercropping system. *Plant Production Science*, 18(3): 388–397.
- Yu, H., P. Chaimbault, I. Clarot, Z. Chen, and P. Leroy. 2019. Labeling nitrogen species with the stable isotope ^{15}N for their measurement by separative methods coupled with mass spectrometry: A review. *Talanta*, 191(2019): 491–503.
- Zhang, N., C.Z. Jin, Y. Zhuo, T. Li, F.J. Jin, H.G. Lee, and L. Jin. 2023. Genetic diversity into a novel free-living species of *Bradyrhizobium* from contaminated freshwater sediment. *Frontiers in Microbiology*, 14(2023): 1–13.