

DAFTAR PUSTAKA

Adham, M., Stoker, S. D., Wildeman, M. A., Rachmadi, L., Gondhowiardjo, S., Atmakusumah, D., Gatot, D., Fles, R., Greijer, A. E., Hermani, B., Middeldorp, J. M., & Tan, I. B. (2014). Current status of cancer care for young patients with nasopharyngeal carcinoma in Jakarta, Indonesia. *PLoS ONE*, *9*(7), e102353. <https://doi.org/10.1371/journal.pone.0102353>

Akcaý, M., Etiz, D., Celik, O., & Ozen, A. (2020). Evaluation of prognosis in nasopharyngeal cancer using machine learning. *Technology in Cancer Research and Treatment*, *19*, 1–9. <https://doi.org/10.1177/1533033820909829>

Ariani, S., Saputra, R. B., & Sudiasa, I. P. (2019a). Diagnosa dan penatalaksanaan karsinoma nasofaring. *Jurnal Kedokteran*, *3*(2), 595. <https://doi.org/10.36679/kedokteran.v3i2.77>

Ariani, S., Saputra, R. B., & Sudiasa, I. P. (2019b). Diagnosa dan penatalaksanaan karsinoma nasofaring. *Jurnal Kedokteran*, *3*(2), 595. <https://doi.org/10.36679/kedokteran.v3i2.77>

Avdulla, C. S., Papadas, T., Mastronikolis, N., & Jelastopulu, E. (2021). Epidemiological characteristics and survival analysis of patients with nasopharyngeal cancer in Western Greece. *Cureus*, *13*(4). <https://doi.org/10.7759/cureus.14711>

Chang, E. T., Ye, W., Zeng, Y. X., & Adami, H. O. (2021). The evolving epidemiology of nasopharyngeal carcinoma. *Cancer Epidemiology Biomarkers and Prevention*, *30*(6), 1035–1047. <https://doi.org/10.1158/1055-9965.EPI-20-1702>

Chen, Y., Liu, X., Zheng, D., Xu, L., Hong, L., Xu, Y., & Pan, J. (2014). Diffusion-weighted magnetic resonance imaging for early response assessment of chemoradiotherapy in patients with nasopharyngeal carcinoma. *Magnetic Resonance Imaging*, *32*(6), 630–637. <https://doi.org/10.1016/j.mri.2014.02.009>

Fadhlia, Ferawati, & Irnawatii. (2019a). *Management of nasopharyngeal cancer in Dr. Zainoel Abidin General Hospital Banda Aceh. International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, 1(02), 50–54. <https://doi.org/10.32734/ijnpc.v1i2.1134>

Fadhlia, Ferawati, & Irnawatii. (2019b). *Management of nasopharyngeal cancer in Dr. Zainoel Abidin General Hospital Banda Aceh. International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, 1(02), 50–54. <https://doi.org/10.32734/ijnpc.v1i2.1134>

Feng, X.-P., Yi, H., Li, M.-Y., Li, X.-H., Yi, B., Zhang, P.-F., Li, C., Peng, F., Tang, C.-E., Li, J.-L., Chen, Z.-C., & Xiao, Z.-Q. (2010). Identification of biomarkers for predicting nasopharyngeal carcinoma response to radiotherapy by proteomics. *Cancer Research*, 70(9), 3450–3462. <https://doi.org/10.1158/0008-5472.CAN-09-4099>

Fitria, E. Z. C., Rumastika, N. S., & Wulandari, P. (2020). Association between risk factors with the event of nasopharynx carcinoma in Soebandi Hospital period of January 2017–March 2019. *Journal of Agromedicine and Medical Sciences*, 6(3), 130. <https://doi.org/10.19184/ams.v6i3.13814>

Guo, R., Mao, Y.-P., Tang, L.-L., Chen, L., Sun, Y., & Ma, J. (2019a). Nasopharyngeal carcinoma special feature: Review article the evolution of nasopharyngeal carcinoma staging. *British Journal of Radiology*, 92(June), 20190244.

Guo, R., Mao, Y.-P., Tang, L.-L., Chen, L., Sun, Y., & Ma, J. (2019b). Nasopharyngeal carcinoma special feature: Review article the evolution of nasopharyngeal carcinoma staging. *British Journal of Radiology*, 92(June), 20190244.

Herawati, C. (2019). Clinical significance of plasma Mir-21, Mir-141, Mir-29C, and Mir-Bart7 in patients with locally advanced nasopharyngeal cancer and their

alterations after chemoradiation therapy. *International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, 1(02), 45–49. <https://doi.org/10.32734/ijnpc.v1i2.1136>

Ho, J. Y. L., Ting, S. H., & Podin, Y. (2022a). Expressions of perceived susceptibility toward nasopharyngeal carcinoma. *The Indonesian Journal of Public Health*, 17(2), 196–206. <https://doi.org/10.20473/ijph.v17i2.2022.196-206>

Ho, J. Y. L., Ting, S. H., & Podin, Y. (2022b). Expressions of perceived susceptibility toward nasopharyngeal carcinoma. *The Indonesian Journal of Public Health*, 17(2), 196–206. <https://doi.org/10.20473/ijph.v17i2.2022.196-206>

Hua, Y. J., Ou-Yang, Y. F., Zou, X., Xia, L., Luo, D. H., & Chen, M. Y. (2021). The effect of prolonged duration of intensity modulated radiotherapy for nasopharyngeal carcinoma. *Frontiers in Oncology*, 11(September). <https://doi.org/10.3389/fonc.2021.648637>

Jiromaru, R., Nakagawa, T., & Yasumatsu, R. (2022a). Advanced nasopharyngeal carcinoma: Current and emerging treatment options. *Cancer Management and Research*, 14(September), 2681–2689. <https://doi.org/10.2147/CMAR.S341472>

Jiromaru, R., Nakagawa, T., & Yasumatsu, R. (2022b). Advanced nasopharyngeal carcinoma: Current and emerging treatment options. *Cancer and Research*, 14(September), 2681–2689. <https://doi.org/10.2147/CMAR.S341472>

Kuswandi, A., Kuswandi, N. H., Kasim, M., Tan'im, T., & Wulandari, M. (2020). Karakteristik histopatologi dan stadium klinis kanker nasofaring. *Jurnal Ilmiah Kesehatan Sandi Husada*, 11(1), 243–251. <https://doi.org/10.35816/jiskh.v11i1.259>

Lu, S., Chang, H., Sun, X., Zhen, Z., Sun, F., Zhu, J., Wang, J., Huang, J., Liao, R., Guo, X., Lu, L., & Gao, Y. (2016). Long-term outcomes of nasopharyngeal carcinoma in 148 children and adolescents. *Medicine (United States)*, 95(17), 1–7. <https://doi.org/10.1097/MD.0000000000003445>

Mentari, S., & Imanto, M. (2019a). Kualitas hidup pasien karsinoma nasofaring: Review naratif. *Health-Related Quality of Life in Nasopharyngeal Carcinoma Patient: A Narrative Review. Medical Journal of Lampung University*, 8(2), 227–233.

Mentari, S., & Imanto, M. (2019b). Kualitas hidup pasien karsinoma nasofaring: Review naratif. *Health-Related Quality of Life in Nasopharyngeal Carcinoma Patient: A Narrative Review. Medical Journal of Lampung University*, 8(2), 227–233.

Nafisa, I. M., Utama, M. S., Sunardi, M. A., & Adibrata, A. A. (2022a). Indonesian Journal of Cancer, 16(2), 88. <https://doi.org/10.33371/ijoc.v16i2.869>

Ng, W. T., Chow, J. C. H., Beitler, J. J., Corry, J., Mendenhall, W., Lee, A. W. M., Robbins, K. T., Nuyts, S., Saba, N. F., Smee, R., Stokes, W. A., Strojjan, P., & Ferlito, A. (2022a). Current radiotherapy considerations for nasopharyngeal carcinoma. *Cancers*, 14(23), 1–15. <https://doi.org/10.3390/cancers14235773>

Ngeow, J., Lim, W. T., Leong, S. S., Ang, M. K., Toh, C. K., Gao, F., Chowbay, B., & Tan, E. H. (2011). Docetaxel is effective in heavily pretreated patients with disseminated nasopharyngeal carcinoma. *Annals of Oncology*, 22(3), 718–722. <https://doi.org/10.1093/annonc/mdq425>

Peng, H., Chen, L., Zhang, Y., Li, W.-F., Mao, Y.-P., Liu, X., Zhang, F., Guo, R., Liu, L.-Z., Tian, L., Lin, A.-H., Sun, Y., & Ma, J. (2016). The tumour response to induction chemotherapy has prognostic value for long-term survival outcomes after intensity-modulated radiation therapy in nasopharyngeal carcinoma. *Scientific Reports*, 6(1), 24835. <https://doi.org/10.1038/srep24835>

SATO, H., FUSHIMI, C., OKADA, T., MATSUKI, T., KONDO, T., OMURA, G., MIURA, K., YAMASHITA, T., OKAMOTO, I., & TSUKAHARA, K. (2020). Investigation of the efficacy and safety of nivolumab in recurrent and metastatic

nasopharyngeal carcinoma. *In Vivo*, 34(5), 2967–2972.

<https://doi.org/10.21873/invivo.12127>

Shah, A. B., & Nagalli, S. (2022). Nasopharyngeal carcinoma. *StatPearls [Internet]*.

Simanjuntak, S. O. S., Farhat, & Daulay, E. R. (2021a). Chemotherapy management of nasopharyngeal carcinoma patient in general hospital Haji Adam Malik Medan: A case report. *International Journal of Nasopharyngeal Carcinoma*, 3(2), 36–37. <https://doi.org/10.32734/ijnpc.v3i02.6344>

Simanjuntak, S. O. S., Farhat, & Daulay, E. R. (2021b). Chemotherapy management of nasopharyngeal carcinoma patient in general hospital Haji Adam Malik Medan: A case report. *International Journal of Nasopharyngeal Carcinoma*, 3(2), 36–37. <https://doi.org/10.32734/ijnpc.v3i02.6344>

Siti-Azrin, A. H., Norsa'adah, B., & Naing, N. N. (2017). Prognostic factors of nasopharyngeal carcinoma patients in a tertiary referral hospital: A retrospective cohort study. *BMC Research Notes*, 10(1), 705. <https://doi.org/10.1186/s13104-017-2990-1>

Stoker, S. D., Fles, R., Herdini, C., Rijntjes, F. J. F., Tjokronagoro, M., Dwidanarti, S. R., Sikorska, K., Leemans, C. R., Schmidt, M. K., Al-Mamgani, A., Wildeman, M. A., Haryana, S. M., Indrasari, S. R., & Tan, I. B. (2016a). The impact of the overall radiotherapy time on clinical outcome of patients with nasopharyngeal carcinoma: A retrospective study. *PLOS ONE*, 11(3), e0151899. <https://doi.org/10.1371/journal.pone.0151899>

Stoker, S. D., Fles, R., Herdini, C., Rijntjes, F. J. F., Tjokronagoro, M., Dwidanarti, S. R., Sikorska, K., Leemans, C. R., Schmidt, M. K., Al-Mamgani, A., Wildeman, M. A., Haryana, S. M., Indrasari, S. R., & Tan, I. B. (2016b). The impact of the overall radiotherapy time on clinical outcome of patients with nasopharyngeal

carcinoma: A retrospective study. *PLOS ONE*, *11*(3), e0151899.
<https://doi.org/10.1371/journal.pone.0151899>

Stoker, S. D., Indrasari, S. R., Herdini, C., Hariwiyanto, B., Karakullukcu, B., Dhamiyati, W., Widayati, K., Romdhoni, A. C., Fles, R., Haryana, S. M., Wildeman, M. A. M., & Tan, I. B. (2015). Photodynamic therapy as salvage therapy for patients with nasopharyngeal carcinoma experiencing local failures following definitive radiotherapy. *Photodiagnosis and Photodynamic Therapy*, *12*(3), 519–525. <https://doi.org/10.1016/j.pdpdt.2015.04.005>

Stoker, S. D., Wildeman, M. A., Fles, R., Indrasari, S. R., Herdini, C., Wildeman, P. L., van Diessen, J. N. A., Tjokronagoro, M., & Tan, I. B. (2014). A prospective study: Current problems in radiotherapy for nasopharyngeal carcinoma in Yogyakarta, Indonesia. *PLoS ONE*, *9*(1), e85959.
<https://doi.org/10.1371/journal.pone.0085959>

Subroto, H., Rahman, S., Budiman, B. J., Asri, A., & Bachtiar, H. (2019a). Epidermal growth factor receptor expression in non-keratinized nasopharyngeal carcinoma subtype at Padang. *International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, *1*(02), 73–74. <https://doi.org/10.32734/ijnpc.v1i2.1140>

Subroto, H., Rahman, S., Budiman, B. J., Asri, A., & Bachtiar, H. (2019b). Epidermal growth factor receptor expression in non-keratinized nasopharyngeal carcinoma subtype at Padang. *International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, *1*(02), 73–74. <https://doi.org/10.32734/ijnpc.v1i2.1140>

Svajdova, M., Sicak, M., Dubinsky, P., Slavik, M., Slampa, P., & Kazda, T. (2020). Recurrent nasopharyngeal cancer: Critical review of local treatment options including recommendations during the COVID-19 pandemic. *Cancers*, *12*(12), 1–19. <https://doi.org/10.3390/cancers12123510>

Teo, P. M. L., Leung, S. F., Tung, S. Y., Zee, B., Sham, J. S. T., Lee, A. W. M., Lau, W. H., Kwan, W. H., Leung, T. W., Chua, D., Sze, W. M., Au, J. S. K., Yu,

K. H., O, S. K., Kwong, D., Yau, T. K., Law, S. C. K., Sze, W. K., Au, G., & Chan, A. T. C. (2006). Dose–response relationship of nasopharyngeal carcinoma above conventional tumoricidal level: A study by the Hong Kong nasopharyngeal carcinoma study group (HKNPCSG). *Radiotherapy and Oncology*, 79(1), 27–33. <https://doi.org/10.1016/j.radonc.2006.03.012>

Tobing, I. N. (2019a). Early-stage nasopharyngeal carcinoma: A case report. *International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, 1(02), 75–77. <https://doi.org/10.32734/ijnpc.v1i2.1133>

Tobing, I. N. (2019b). Early-stage nasopharyngeal carcinoma: A case report. *International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, 1(02), 75–77. <https://doi.org/10.32734/ijnpc.v1i2.1133>

Toumi, N., Ennouri, S., Charfeddine, I., Daoud, J., & Khanfir, A. (2022a). Prognostic factors in metastatic nasopharyngeal carcinoma. *Brazilian Journal of Otorhinolaryngology*, 88(2), 212–219. <https://doi.org/10.1016/j.bjorl.2020.05.022>

Toumi, N., Ennouri, S., Charfeddine, I., Daoud, J., & Khanfir, A. (2022b). Prognostic factors in metastatic nasopharyngeal carcinoma. *Brazilian Journal of Otorhinolaryngology*, 88(2), 212–219. <https://doi.org/10.1016/j.bjorl.2020.05.022>

Toya, R., Murakami, R., Saito, T., Murakami, D., Matsuyama, T., Baba, Y., Nishimura, R., Hirai, T., Semba, A., Yumoto, E., Yamashita, Y., & Oya, N. (2016). Radiation therapy for nasopharyngeal carcinoma: The predictive value of interim survival assessment. *Journal of Radiation Research*, 57(5), 541–547. <https://doi.org/10.1093/jrr/trw038>

Tsang, R. K. (2020). Nasopharyngeal carcinoma – Improving cure with technology and clinical trials. *World Journal of Otorhinolaryngology - Head and Neck Surgery*, 6(1), 1–3. <https://doi.org/10.1016/j.wjorl.2020.03.001>

Tseng, M., Ho, F., Leong, Y. H., Wong, L. C., Tham, I. W. K., Cheo, T., & Lee, A. W. M. (2020a). Emerging radiotherapy technologies and trends in nasopharyngeal

cancer. *Cancer Communications*, 40(9), 395–405.

<https://doi.org/10.1002/cac2.12082>

Tseng, M., Ho, F., Leong, Y. H., Wong, L. C., Tham, I. W. K., Cheo, T., & Lee, A. W. M. (2020b). Emerging radiotherapy technologies and trends in nasopharyngeal cancer. *Cancer Communications*, 40(9), 395–405.

<https://doi.org/10.1002/cac2.12082>

Wang, C., Wang, F., Min, X., Zhang, Q., Shen, L. J., Jiang, Y., & Yan, J. (2019). Toxicities of chemoradiotherapy and radiotherapy in nasopharyngeal carcinoma: An updated meta-analysis. *Journal of International Medical Research*, 47(7), 2832–2847. <https://doi.org/10.1177/0300060519858031>

Wang, Y., & Lu, X. (2017). The incidence and prognosis of nasopharyngeal carcinoma patients with family history. *International Journal of Radiation Oncology Biology*Physics*, 99(2), E381. <https://doi.org/10.1016/j.ijrobp.2017.06.1512>

Wildeman, M. A., Fles, R., Herdini, C., Indrasari, R. S., Vincent, A. D., Tjokronagoro, M., Stoker, S., Kurnianda, J., Karakullukcu, B., Taroeno-Hariadi, K. W., Hamming-Vrieze, O., Middeldorp, J. M., Hariwiyanto, B., Haryana, S. M., Indrasari, S. R., & Tan, I. B. (2013). Primary treatment results of nasopharyngeal carcinoma (NPC) in Yogyakarta, Indonesia. *PLoS ONE*, 8(5), e63706. <https://doi.org/10.1371/journal.pone.0063706>

Wu, V. W. C., & Tam, S. Y. (2020). Radiation induced temporal lobe necrosis in nasopharyngeal cancer patients after radical external beam radiotherapy. *Radiation Oncology (London, England)*, 15(1), 112. <https://doi.org/10.1186/s13014-020-01560-0>

Yeh, S. A., Hwang, T. Z., Wang, C. C., Yang, C. C., Lien, C. F., Wang, C. C., Hsu, T. Y., Hsu, R. F., Shih, Y. C., Huang, Y. C., Hsieh, M. C., Gau, J. S., Chang, L., & Lee, T. F. (2021). Outcomes of patients with nasopharyngeal carcinoma treated

with intensity-modulated radiotherapy. *Journal of Radiation Research*, 62(3), 438–447. <https://doi.org/10.1093/jrr/rrab008>

You, R., Liu, Y. P., Huang, P. Y., Zou, X., Sun, R., He, Y. X., Wu, Y. S., Shen, G. P., Zhang, H. D., Duan, C. Y., Tan, S. H., Cao, J. Y., Li, J. Bin, Xie, Y. L., Zhang, Y. N., Wang, Z. Q., Yang, Q., Lin, M., Jiang, R., Chen, M. Y. (2020). Efficacy and safety of locoregional radiotherapy with chemotherapy vs chemotherapy alone in de novo metastatic nasopharyngeal carcinoma: A multicenter phase 3 randomized clinical trial. *JAMA Oncology*, 6(9), 1345–1352. <https://doi.org/10.1001/jamaoncol.2020.1808>

Zhu, Y., Song, X., Li, R., Quan, H., & Yan, L. (2019a). Assessment of nasopharyngeal cancer in young patients aged ≤ 30 years. *Frontiers in Oncology*, 9(November), 1–8. <https://doi.org/10.3389/fonc.2019.01179>

Zhu, Y., Song, X., Li, R., Quan, H., & Yan, L. (2019b). Assessment of nasopharyngeal cancer in young patients aged ≤ 30 years. *Frontiers in Oncology*, 9(November), 1–8. <https://doi.org/10.3389/fonc.2019.01179>

Zein Cik Fitria, E., Rumastika, N. S., & Wulandari, P. (2020). Hubungan Faktor Risiko dengan Kejadian Karsinoma Nasofaring (KNF) di RSD dr. Soebandi Periode Januari 2017 - Maret 2019. *Journal of Agromedicine and Medical Sciences*, 6(3), 130-136.

Fortin, A. *et al.* (2002) ‘Effect of treatment delay on outcome of patients with early-stage head-and-neck carcinoma receiving radical radiotherapy’, *International Journal of Radiation Oncology*Biophysics*Physics*, 52(4), pp. 929–936. doi:10.1016/s0360-3016(01)02606-2.

Huang, J. *et al.* (2003) ‘Does delay in starting treatment affect the outcomes of radiotherapy? A systematic review’, *Journal of Clinical Oncology*, 21(3), pp. 555–563. doi:10.1200/jco.2003.04.171.

Fles, R., *et al.*, 2017. The role of Indonesian patients' health behaviors in delaying the diagnosis of nasopharyngeal carcinoma. *BMC Public Health*, 17(1), pp.510.

Maghri, R., Rahman, S., and Aladin, 2021. Gambaran Terapi dan Respons Terapi Karsinoma Nasofaring di RSUP Dr. M. Djamil Padang. *Jurnal Otorinolaringologi Kepala dan Leher Indonesia*, 1(1), pp.20-27.

Suta, P.D.D., Saputra, K.A.D., and Sutanegara, S.W.D., 2019. Profil penderita kanker nasofaring di Rumah Sakit Umum Pusat Sanglah Denpasar periode Januari-Desember tahun 2014. *E-Jurnal Medika*, 8(2), pp.1-14.

Wang, Q., Xu, G., Xia, Y., Zuo, J., Zeng, G., Xue, Z., *et al.*, 2020. Comparison of induction chemotherapy plus concurrent chemoradiotherapy and induction chemotherapy plus radiotherapy in locally advanced nasopharyngeal carcinoma. *Oral Oncology*, 111(104925), pp.1-9.

Ho, F. C. S., Tham, I. W. K., Earnest, A., Lee, K. M., & Lu, J. J. (2011). Patterns of distant metastasis in nasopharyngeal carcinoma: A retrospective study of 1931 patients. *International Journal of Radiation Oncology Biology Physics*, 79(3), 776–783. <https://doi.org/10.1016/j.ijrobp.2009.11.024>