UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adham, M., Stoker, S. D., Wildeman, M. A., Rachmadi, L., Gondhowiardjo, S., Atmakusumah, D., Gatot, D., Fles, R., Greijer, A. E., Hermani, B., Middeldorp, J. M., & Tan, I. B. (2014). Current status of cancer care for young patients with nasopharyngeal carcinoma in Jakarta, Indonesia. *PLoS ONE, 9*(7), e102353. https://doi.org/10.1371/journal.pone.0102353

Akcay, M., Etiz, D., Celik, O., & Ozen, A. (2020). Evaluation of prognosis in nasopharyngeal cancer using machine learning. *Technology in Cancer Research and Treatment, 19*, 1–9. https://doi.org/10.1177/1533033820909829

Ariani, S., Saputra, R. B., & Sudiasa, I. P. (2019a). Diagnosa dan penatalaksanaan karsinoma nasofaring. *Jurnal Kedokteran, 3*(2), 595. https://doi.org/10.36679/kedokteran.v3i2.77

Ariani, S., Saputra, R. B., & Sudiasa, I. P. (2019b). Diagnosa dan penatalaksanaan karsinoma nasofaring. *Jurnal Kedokteran, 3*(2), 595. https://doi.org/10.36679/kedokteran.v3i2.77

Avdulla, C. S., Papadas, T., Mastronikolis, N., & Jelastopulu, E. (2021). Epidemiological characteristics and survival analysis of patients with nasopharyngeal cancer in Western Greece. *Cureus, 13*(4). https://doi.org/10.7759/cureus.14711

Chang, E. T., Ye, W., Zeng, Y. X., & Adami, H. O. (2021). The evolving epidemiology of nasopharyngeal carcinoma. *Cancer Epidemiology Biomarkers and Prevention, 30*(6), 1035–1047. https://doi.org/10.1158/1055-9965.EPI-20-1702

Chen, Y., Liu, X., Zheng, D., Xu, L., Hong, L., Xu, Y., & Pan, J. (2014). Diffusion-weighted magnetic resonance imaging for early response assessment of chemoradiotherapy in patients with nasopharyngeal carcinoma. *Magnetic Resonance Imaging, 32*(6), 630–637. https://doi.org/10.1016/j.mri.2014.02.009

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Fadhlia, Ferawati, & Irnawatii. (2019a). *Management* of nasopharyngeal cancer in Dr. Zainoel Abidin General Hospital Banda Aceh. *International Journal of Nasopharyngeal Carcinoma (Ijnpc), 1*(02), 50–54. https://doi.org/10.32734/ijnpc.v1i2.1134

Fadhlia, Ferawati, & Irnawatii. (2019b). *Management* of nasopharyngeal cancer in Dr. Zainoel Abidin General Hospital Banda Aceh. *International Journal of Nasopharyngeal Carcinoma (Ijnpc), 1*(02), 50–54. https://doi.org/10.32734/ijnpc.v1i2.1134

Feng, X.-P., Yi, H., Li, M.-Y., Li, X.-H., Yi, B., Zhang, P.-F., Li, C., Peng, F., Tang, C.-E., Li, J.-L., Chen, Z.-C., & Xiao, Z.-Q. (2010). Identification of biomarkers for predicting nasopharyngeal carcinoma response to radiotherapy by proteomics. *Cancer Research, 70*(9), 3450–3462. https://doi.org/10.1158/0008-5472.CAN-09-4099

Fitria, E. Z. C., Rumastika, N. S., & Wulandari, P. (2020). Association between risk factors with the event of nasopharynx carcinoma in Soebandi Hospital period of January 2017–March 2019. *Journal of Agromedicine and Medical Sciences, 6*(3), 130. https://doi.org/10.19184/ams.v6i3.13814

Guo, R., Mao, Y.-P., Tang, L.-L., Chen, L., Sun, Y., & Ma, J. (2019a). Nasopharyngeal carcinoma special feature: Review article the evolution of nasopharyngeal carcinoma staging. *British Journal of Radiology, 92*(June), 20190244.

Guo, R., Mao, Y.-P., Tang, L.-L., Chen, L., Sun, Y., & Ma, J. (2019b). Nasopharyngeal carcinoma special feature: Review article the evolution of nasopharyngeal carcinoma staging. *British Journal of Radiology, 92*(June), 20190244.

Herawati, C. (2019). Clinical significance of plasma Mir-21, Mir-141, Mir-29C, and Mir-Bart7 in patients with locally advanced nasopharyngeal cancer and their

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

alterations after chemoradiation therapy. *International Journal of Nasopharyngeal Carcinoma (Ijnpc), 1*(02), 45–49. https://doi.org/10.32734/ijnpc.v1i2.1136

Ho, J. Y. L., Ting, S. H., & Podin, Y. (2022a). Expressions of perceived susceptibility toward nasopharyngeal carcinoma. *The Indonesian Journal of Public Health, 17*(2), 196–206. https://doi.org/10.20473/ijph.v17i2.2022.196-206

Ho, J. Y. L., Ting, S. H., & Podin, Y. (2022b). Expressions of perceived susceptibility toward nasopharyngeal carcinoma. *The Indonesian Journal of Public Health, 17*(2), 196–206. https://doi.org/10.20473/ijph.v17i2.2022.196-206

Hua, Y. J., Ou-Yang, Y. F., Zou, X., Xia, L., Luo, D. H., & Chen, M. Y. (2021). The effect of prolonged duration of intensity modulated radiotherapy for nasopharyngeal carcinoma. *Frontiers in Oncology, 11*(September). https://doi.org/10.3389/fonc.2021.648637

Jiromaru, R., Nakagawa, T., & Yasumatsu, R. (2022a). Advanced nasopharyngeal carcinoma: Current and emerging treatment options. *Cancer Management and Research, 14*(September), 2681–2689. https://doi.org/10.2147/CMAR.S341472

Jiromaru, R., Nakagawa, T., & Yasumatsu, R. (2022b). Advanced nasopharyngeal carcinoma: Current and emerging treatment options. *Cancer and Research, 14*(September), 2681–2689. https://doi.org/10.2147/CMAR.S341472

Kuswandi, A., Kuswandi, N. H., Kasim, M., Tan'im, T., & Wulandari, M. (2020). Karakteristik histopatologi dan stadium klinis kanker nasofaring. *Jurnal Ilmiah Kesehatan Sandi Husada, 11*(1), 243–251. https://doi.org/10.35816/jiskh.v11i1.259

Lu, S., Chang, H., Sun, X., Zhen, Z., Sun, F., Zhu, J., Wang, J., Huang, J., Liao, R., Guo, X., Lu, L., & Gao, Y. (2016). Long-term outcomes of nasopharyngeal carcinoma in 148 children and adolescents. *Medicine (United States), 95*(17), 1–7. https://doi.org/10.1097/MD.0000000000003445

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring
Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mentari, S., & Imanto, M. (2019a). Kualitas hidup pasien karsinoma nasofaring: Review naratif. *Health-Related Quality of Life in Nasopharyngeal Carcinoma Patient: A Narrative Review. Medical Journal of Lampung University, 8*(2), 227–233.

Mentari, S., & Imanto, M. (2019b). Kualitas hidup pasien karsinoma nasofaring: Review naratif. *Health-Related Quality of Life in Nasopharyngeal Carcinoma Patient: A Narrative Review. Medical Journal of Lampung University, 8*(2), 227–233.

Nafisa, I. M., Utama, M. S., Sunardi, M. A., & Adibrata, A. A. (2022a). Indonesian Journal of Cancer, 16(2), 88. https://doi.org/10.33371/ijoc.v16i2.869

Ng, W. T., Chow, J. C. H., Beitler, J. J., Corry, J., Mendenhall, W., Lee, A. W. M., Robbins, K. T., Nuyts, S., Saba, N. F., Smee, R., Stokes, W. A., Strojan, P., & Ferlito, A. (2022a). Current radiotherapy considerations for nasopharyngeal carcinoma. *Cancers, 14*(23), 1–15. https://doi.org/10.3390/cancers14235773

Ngeow, J., Lim, W. T., Leong, S. S., Ang, M. K., Toh, C. K., Gao, F., Chowbay, B., & Tan, E. H. (2011). Docetaxel is effective in heavily pretreated patients with disseminated nasopharyngeal carcinoma. *Annals of Oncology, 22*(3), 718–722. https://doi.org/10.1093/annonc/mdq425

Peng, H., Chen, L., Zhang, Y., Li, W.-F., Mao, Y.-P., Liu, X., Zhang, F., Guo, R., Liu, L.-Z., Tian, L., Lin, A.-H., Sun, Y., & Ma, J. (2016). The tumour response to induction chemotherapy has prognostic value for long-term survival outcomes after intensity-modulated radiation therapy in nasopharyngeal carcinoma. *Scientific Reports, 6*(1), 24835. https://doi.org/10.1038/srep24835

SATO, H., FUSHIMI, C., OKADA, T., MATSUKI, T., KONDO, T., OMURA, G., MIURA, K., YAMASHITA, T., OKAMOTO, I., & TSUKAHARA, K. (2020). Investigation of the efficacy and safety of nivolumab in recurrent and metastatic

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

nasopharyngeal carcinoma. *In Vivo, 34*(5), 2967–2972. https://doi.org/10.21873/invivo.12127

Shah, A. B., & Nagalli, S. (2022). Nasopharyngeal carcinoma. *StatPearls [Internet]*.

Simanjuntak, S. O. S., Farhat, & Daulay, E. R. (2021a). Chemotherapy *management* of nasopharyngeal carcinoma patient in general hospital Haji Adam Malik Medan: A case report. *International Journal of Nasopharyngeal Carcinoma, 3*(2), 36–37. https://doi.org/10.32734/ijnpc.v3i02.6344

Simanjuntak, S. O. S., Farhat, & Daulay, E. R. (2021b). Chemotherapy *management* of nasopharyngeal carcinoma patient in general hospital Haji Adam Malik Medan: A case report. *International Journal of Nasopharyngeal Carcinoma, 3*(2), 36–37. https://doi.org/10.32734/ijnpc.v3i02.6344

Siti-Azrin, A. H., Norsa'adah, B., & Naing, N. N. (2017). Prognostic factors of nasopharyngeal carcinoma patients in a tertiary referral hospital: A retrospective cohort study. *BMC Research Notes, 10*(1), 705. https://doi.org/10.1186/s13104-017-2990-1

Stoker, S. D., Fles, R., Herdini, C., Rijntjes, F. J. F., Tjokronagoro, M., Dwidanarti, S. R., Sikorska, K., Leemans, C. R., Schmidt, M. K., Al-Mamgani, A., Wildeman, M. A., Haryana, S. M., Indrasari, S. R., & Tan, I. B. (2016a). The impact of the overall radiotherapy time on clinical outcome of patients with nasopharyngeal carcinoma: A retrospective study. *PLOS ONE, 11*(3), e0151899. https://doi.org/10.1371/journal.pone.0151899

Stoker, S. D., Fles, R., Herdini, C., Rijntjes, F. J. F., Tjokronagoro, M., Dwidanarti, S. R., Sikorska, K., Leemans, C. R., Schmidt, M. K., Al-Mamgani, A., Wildeman, M. A., Haryana, S. M., Indrasari, S. R., & Tan, I. B. (2016b). The impact of the overall radiotherapy time on clinical outcome of patients with nasopharyngeal

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

carcinoma: A retrospective study. *PLOS ONE, 11*(3), e0151899. https://doi.org/10.1371/journal.pone.0151899

Stoker, S. D., Indrasari, S. R., Herdini, C., Hariwiyanto, B., Karakullukcu, B., Dhamiyati, W., Widayati, K., Romdhoni, A. C., Fles, R., Haryana, S. M., Wildeman, M. A. M., & Tan, I. B. (2015). Photodynamic therapy as salvage therapy for patients with nasopharyngeal carcinoma experiencing local failures following definitive radiotherapy. *Photodiagnosis and Photodynamic Therapy, 12*(3), 519–525. https://doi.org/10.1016/j.pdpdt.2015.04.005

Stoker, S. D., Wildeman, M. A., Fles, R., Indrasari, S. R., Herdini, C., Wildeman, P. L., van Diessen, J. N. A., Tjokronagoro, M., & Tan, I. B. (2014). A prospective study: Current problems in radiotherapy for nasopharyngeal carcinoma in Yogyakarta, Indonesia. *PLoS ONE, 9*(1), e85959. https://doi.org/10.1371/journal.pone.0085959

Subroto, H., Rahman, S., Budiman, B. J., Asri, A., & Bachtiar, H. (2019a). Epidermal growth factor receptor expression in non-keratinized nasopharyngeal carcinoma subtype at Padang. *International Journal of Nasopharyngeal Carcinoma (Ijnpc), 1*(02), 73–74. https://doi.org/10.32734/ijnpc.v1i2.1140

Subroto, H., Rahman, S., Budiman, B. J., Asri, A., & Bachtiar, H. (2019b). Epidermal growth factor receptor expression in non-keratinized nasopharyngeal carcinoma subtype at Padang. *International Journal of Nasopharyngeal Carcinoma (Ijnpc), 1*(02), 73–74. https://doi.org/10.32734/ijnpc.v1i2.1140

Svajdova, M., Sicak, M., Dubinsky, P., Slavik, M., Slampa, P., & Kazda, T. (2020). Recurrent nasopharyngeal cancer: Critical review of local treatment options including recommendations during the COVID-19 pandemic. *Cancers, 12*(12), 1–19. https://doi.org/10.3390/cancers12123510

Teo, P. M. L., Leung, S. F., Tung, S. Y., Zee, B., Sham, J. S. T., Lee, A. W. M., Lau, W. H., Kwan, W. H., Leung, T. W., Chua, D., Sze, W. M., Au, J. S. K., Yu,

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

K. H., O, S. K., Kwong, D., Yau, T. K., Law, S. C. K., Sze, W. K., Au, G., & Chan, A. T. C. (2006). Dose–response relationship of nasopharyngeal carcinoma above conventional tumoricidal level: A study by the Hong Kong nasopharyngeal carcinoma study group (HKNPCSG). *Radiotherapy and Oncology, 79*(1), 27–33. https://doi.org/10.1016/j.radonc.2006.03.012

Tobing, I. N. (2019a). Early-stage nasopharyngeal carcinoma: A case report. *International Journal of Nasopharyngeal Carcinoma (Ijnpc), 1*(02), 75–77. https://doi.org/10.32734/ijnpc.v1i2.1133

Tobing, I. N. (2019b). Early-stage nasopharyngeal carcinoma: A case report. *International Journal of Nasopharyngeal Carcinoma (Ijnpc), 1*(02), 75–77. https://doi.org/10.32734/ijnpc.v1i2.1133

Toumi, N., Ennouri, S., Charfeddine, I., Daoud, J., & Khanfir, A. (2022a). Prognostic factors in metastatic nasopharyngeal carcinoma. *Brazilian Journal of Otorhinolaryngology, 88*(2), 212–219. https://doi.org/10.1016/j.bjorl.2020.05.022

Toumi, N., Ennouri, S., Charfeddine, I., Daoud, J., & Khanfir, A. (2022b). Prognostic factors in metastatic nasopharyngeal carcinoma. *Brazilian Journal of Otorhinolaryngology, 88*(2), 212–219. https://doi.org/10.1016/j.bjorl.2020.05.022

Toya, R., Murakami, R., Saito, T., Murakami, D., Matsuyama, T., Baba, Y., Nishimura, R., Hirai, T., Semba, A., Yumoto, E., Yamashita, Y., & Oya, N. (2016). Radiation therapy for nasopharyngeal carcinoma: The predictive value of interim survival assessment. *Journal of Radiation Research, 57*(5), 541–547. https://doi.org/10.1093/jrr/rrw038

Tsang, R. K. (2020). Nasopharyngeal carcinoma – Improving cure with technology and clinical trials. *World Journal of Otorhinolaryngology - Head and Neck Surgery, 6*(1), 1–3. https://doi.org/10.1016/j.wjorl.2020.03.001

Tseng, M., Ho, F., Leong, Y. H., Wong, L. C., Tham, I. W. K., Cheo, T., & Lee, A. W. M. (2020a). Emerging radiotherapy technologies and trends in nasopharyngeal

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring
Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

cancer. *Cancer Communications, 40*(9), 395–405. https://doi.org/10.1002/cac2.12082

Tseng, M., Ho, F., Leong, Y. H., Wong, L. C., Tham, I. W. K., Cheo, T., & Lee, A. W. M. (2020b). Emerging radiotherapy technologies and trends in nasopharyngeal cancer. *Cancer Communications, 40*(9), 395–405. https://doi.org/10.1002/cac2.12082

Wang, C., Wang, F., Min, X., Zhang, Q., Shen, L. J., Jiang, Y., & Yan, J. (2019). Toxicities of chemoradiotherapy and radiotherapy in nasopharyngeal carcinoma: An updated meta-analysis. *Journal of International Medical Research, 47*(7), 2832–2847. https://doi.org/10.1177/0300060519858031

Wang, Y., & Lu, X. (2017). The incidence and prognosis of nasopharyngeal carcinoma patients with family history. *International Journal of Radiation Oncology* Biology*Physics, 99*(2), E381. https://doi.org/10.1016/j.ijrobp.2017.06.1512

Wildeman, M. A., Fles, R., Herdini, C., Indrasari, R. S., Vincent, A. D., Tjokronagoro, M., Stoker, S., Kurnianda, J., Karakullukcu, B., Taroeno-Hariadi, K. W., Hamming-Vrieze, O., Middeldorp, J. M., Hariwiyanto, B., Haryana, S. M., Indrasari, S. R., & Tan, I. B. (2013). Primary treatment results of nasopharyngeal carcinoma (NPC) in Yogyakarta, Indonesia. *PLoS ONE, 8*(5), e63706. https://doi.org/10.1371/journal.pone.0063706

Wu, V. W. C., & Tam, S. Y. (2020). Radiation induced temporal lobe necrosis in nasopharyngeal cancer patients after radical external beam radiotherapy. *Radiation Oncology (London, England), 15*(1), 112. https://doi.org/10.1186/s13014-020-01560-0

Yeh, S. A., Hwang, T. Z., Wang, C. C., Yang, C. C., Lien, C. F., Wang, C. C., Hsu, T. Y., Hsu, R. F., Shih, Y. C., Huang, Y. C., Hsieh, M. C., Gau, J. S., Chang, L., & Lee, T. F. (2021). Outcomes of patients with nasopharyngeal carcinoma treated

UNIVERSITAS GADJAH MADA
Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring Stadium Lanjut di RSUP DR. SARDJITO
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

with intensity-modulated radiotherapy. *Journal of Radiation Research, 62*(3), 438–447. https://doi.org/10.1093/jrr/rrab008

You, R., Liu, Y. P., Huang, P. Y., Zou, X., Sun, R., He, Y. X., Wu, Y. S., Shen, G. P., Zhang, H. D., Duan, C. Y., Tan, S. H., Cao, J. Y., Li, J. Bin, Xie, Y. L., Zhang, Y. N., Wang, Z. Q., Yang, Q., Lin, M., Jiang, R., Chen, M. Y. (2020). Efficacy and safety of locoregional radiotherapy with chemotherapy vs chemotherapy alone in de novo metastatic nasopharyngeal carcinoma: A multicenter phase 3 randomized clinical trial. *JAMA Oncology, 6*(9), 1345–1352. https://doi.org/10.1001/jamaoncol.2020.1808

Zhu, Y., Song, X., Li, R., Quan, H., & Yan, L. (2019a). Assessment of nasopharyngeal cancer in young patients aged ≤ 30 years. *Frontiers in Oncology, 9*(November), 1–8. https://doi.org/10.3389/fonc.2019.01179

Zhu, Y., Song, X., Li, R., Quan, H., & Yan, L. (2019b). Assessment of nasopharyngeal cancer in young patients aged ≤ 30 years. *Frontiers in Oncology, 9*(November), 1–8. https://doi.org/10.3389/fonc.2019.01179

Zein Cik Fitria, E., Rumastika, N. S., & Wulandari, P. (2020). Hubungan Faktor Risiko dengan Kejadian Karsinoma Nasofaring (KNF) di RSD dr. Soebandi Periode Januari 2017 - Maret 2019. *Journal of Agromedicine and Medical Sciences*, 6(3), 130-136.

Fortin, A. *et al.* (2002) 'Effect of treatment delay on outcome of patients with early-stage head-and-neck carcinoma receiving radical radiotherapy', *International Journal of Radiation Oncology*Biology*Physics*, 52(4), pp. 929–936. doi:10.1016/s0360-3016(01)02606-2.

Huang, J. *et al.* (2003) 'Does delay in starting treatment affect the outcomes of radiotherapy? A systematic review', *Journal of Clinical Oncology*, 21(3), pp. 555–563. doi:10.1200/jco.2003.04.171.

UNIVERSITAS
GADJAH MADA
**Hubungan Antara Overall Management Time dengan Respons Terapi pada Pasien Karsinoma Nasofaring
Stadium Lanjut di RSUP DR. SARDJITO**
Yondi Piter Papulung, Dr. dr. Sagung Rai Indrasari, M.Kes., Sp.T.H.T.B.K.L., Subsp.Onk (K)., FICS ; Dr. dr. Camelia
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Fles, R., *et al*., 2017. The role of Indonesian patients' health behaviors in delaying the diagnosis of nasopharyngeal carcinoma. *BMC Public Health*, 17(1), pp.510.

Maghri, R., Rahman, S., and Aladin, 2021. Gambaran Terapi dan Respons Terapi Karsinoma Nasofaring di RSUP Dr. M. Djamil Padang. *Jurnal Otorinolaringologi Kepala dan Leher Indonesia*, 1(1), pp.20-27.

Suta, P.D.D., Saputra, K.A.D., and Sutanegara, S.W.D., 2019. Profil penderita kanker nasofaring di Rumah Sakit Umum Pusat Sanglah Denpasar periode Januari-Desember tahun 2014. *E-Jurnal Medika*, 8(2), pp.1-14.

Wang, Q., Xu, G., Xia, Y., Zuo, J., Zeng, G., Xue, Z., *et al*., 2020. Comparison of induction chemotherapy plus concurrent chemoradiotherapy and induction chemotherapy plus radiotherapy in locally advanced nasopharyngeal carcinoma. *Oral Oncology*, 111(104925), pp.1-9.

Ho, F. C. S., Tham, I. W. K., Earnest, A., Lee, K. M., & Lu, J. J. (2011). Patterns of distant metastasis in nasopharyngeal carcinoma: A retrospective study of 1931 patients. *International Journal of Radiation Oncology Biology Physics, 79*(3), 776–783. https://doi.org/10.1016/j.ijrobp.2009.11.024