

DAFTAR PUSTAKA

- Ákos, M., & Török, I. (2013). The Importance of Friction Stir Welding. *Production Processes and Systems*, 6(1), 25–34.
<https://www.researchgate.net/publication/308054542>
- Albannai, A. I. (2020). Review the Common Defects in Friction Stir Welding. *International Journal of Scientific & Technology Research*, 9(11), 318–329.
<https://www.ijstr.org/final-print/nov2020/Review-The-Common-Defects-In-Friction-Stir-Welding.pdf>
- ASM Handbook Committee. (1990). *Properties and Selection: Nonferrous Alloys and Special-Purpose Materials* (Vol. 02). ASM International (The Materials Information Company).
- ASM, I. (2016). *Aluminum 2024-T3*. ASM Aerospace Specification Metals Inc.
<https://asm.matweb.com/search/specificmaterial.asp?bassnum=ma2024t3>
- ASM, I. (2016). *Aluminum 6061-T6; 6061-T651*. ASM Aerospace Specification Metals Inc.
<http://asm.matweb.com/search/SpecificMaterial.asp?bassnum=MA6061t6>
- Banik, A., Roy, B. S., Barma, J. D., & Saha, S. C. (2018). An experimental investigation of torque and force generation for varying tool tilt angles and their effects on microstructure and mechanical properties: Friction stir welding of AA 6061-T6. *Journal of Manufacturing Processes*, 31, 395–404.
<https://doi.org/10.1016/j.jmapro.2017.11.030>
- Bauri, S. K., Babu, N. K., Ramakrishna, M., Rehman, A. U., Prasad, V. J., & Suryanarayana Reddy, M. R. (2024). Microstructural and Mechanical Properties of Dissimilar AA7075 and AA2024 Rotary Friction Weldments. *Crystals*, 14(12). <https://doi.org/10.3390/cryst14121011>
- Buchibabu, V., Reddy, G. M., & De, A. (2017). Probing torque, traverse force and tool durability in friction stir welding of aluminum alloys. *Journal of Materials Processing Technology*, 241, 86–92.
<https://doi.org/10.1016/j.jmatprotec.2016.11.008>
- Bulacu, R. N., Dhondt, M., Demmouche, Y., Bădulescu, C., Nițu, E. L., & Iordache,

- D. M. (2024). A Review on Friction Stir Welding of Copper: Tool Geometry, Process Parameters, and Joint Properties. *Materials*, 17(21). <https://doi.org/10.3390/ma17215374>
- Callister, W. D. (1991). *Materials Science and Engineering: An Introduction*. John Wiley & Sons.
- Chen, Z., Li, S., & Hihara, L. H. (2015). Microstructure, mechanical properties and corrosion of friction stir welded 6061 Aluminum Alloy. *arXiv preprint, arXiv:1511*. <https://arxiv.org/abs/1511.05507>
- Davis, J. R. (1998). Metals Handbook Desk Edition. In J. R. Davis (Ed.), *Metals Handbook Desk Edition* (2 ed.). ASM International. <https://doi.org/10.31399/asm.hb.mhde2.9781627081993>
- Davis, J. R. (1999). *Corrosion of aluminum and aluminum alloys*. ASM International.
- Dean Minford, J. (1993). Hand book of aluminum bonding technology and data. In *Handbook of Aluminum Bonding Technology and Data*. Dekker. [https://doi.org/10.1016/0921-5107\(95\)80018-2](https://doi.org/10.1016/0921-5107(95)80018-2)
- Di Bella, G., Favalaro, F., & Borsellino, C. (2023). Effect of Process Parameters on Friction Stir Welded Joints between Dissimilar Aluminum Alloys: A Review. *Metals*, 13(7). <https://doi.org/10.3390/met13071176>
- Dialami, N., Cervera, M., & Chiumenti, M. (2019). *Effect of the Tool Tilt Angle on the Heat Generation and the Material Flow in Friction Stir Welding*. <https://doi.org/10.3390/met9010028>
- Djili, A., Bezzazi, B., Zioui, N., & Haboussi, M. (2023). Effect of natural aging on the tensile properties and the toughness of friction stir welds of 2024-T3 aluminum alloy. *Journal of Advanced Joining Processes*, 8(July 2023), 100153. <https://doi.org/10.1016/j.jajp.2023.100153>
- Hamilton, C., Kopyściański, M., Senkov, O., & Dymek, S. (2013). A coupled thermal/material flow model of friction stir welding applied to Sc-modified aluminum alloys. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 44(4), 1730–1740. <https://doi.org/10.1007/s11661-012-1512-y>

- Ilman, M. N., & Sehonu. (2023). *Ilmu dan Teknologi Pengelasan*. UGM Press.
- Kalsar, R., Overman, N., Darsell, J., Escobar, J., Li, L., Wang, T., Ma, X., Soulami, A., Herling, D., & Joshi, V. V. (2024). Material flow behavior and microstructural refinement of AA6061 alloy during friction extrusion. *Materials Characterization*, 208(November 2023), 113636. <https://doi.org/10.1016/j.matchar.2024.113636>
- Kissell, J. R., & Ferry, R. L. (1965). *Aluminum Structures: A Guide to Their Specifications and Design, Second Edition* (2nd ed). J. Wiley.
- Lumley, R. N. (2010). Fundamentals of aluminium metallurgy: Production, processing and applications. In *Fundamentals of Aluminium Metallurgy: Production, Processing and Applications*. <https://doi.org/10.1533/9780857090256>
- Mehta, M., Arora, A., De, A., & DebRoy, T. (2011). Tool geometry for friction stir welding – Optimum shoulder diameter. *Welding Journal*, 90, 18–26.
- Meshram, S. D., & Reddy, G. M. (2018). Influence of Tool Tilt Angle on Material Flow and Defect Generation in Friction Stir Welding of AA2219. 68(5), 512–518.
- Meyghani, B., & Wu, C. S. (2020). Progress in thermomechanical analysis of friction stir welding. *Chinese Journal of Mechanical Engineering*, 33. <https://doi.org/10.1186/s10033-020-0434-7>
- Mishra, R. S., & Ma, Z. Y. (2005). Friction stir welding and processing. *Materials Science and Engineering R: Reports*, 50(1–2), 1–78. <https://doi.org/10.1016/j.mser.2005.07.001>
- Mishra, R. S., & Mahoney, M. W. (2007). *Friction Stir Welding and Processing*. ASM International.
- Morozova, I., Naumov, A., Doynov, N., & Michailov, V. (2025). Influence of Plastic Deformation on the Precipitation Evolution in the Aluminum Alloys in Friction Stir Welding. *Machines*, 13(1). <https://doi.org/10.3390/machines13010045>
- Nandan, R., DebRoy, T., & Bhadeshia, H. K. D. H. (2008). Recent advances in friction-stir welding - Process, weldment structure and properties. *Progress in*

Materials Science, 53(6), 980–1023.

<https://doi.org/10.1016/j.pmatsci.2008.05.001>

Nayar, A. (1985). *Testing of Metals*. McGraw-Hill.

Nugroho, A. W., Arifin, A., Imbaraga, M. R., & Rahman, M. B. N. (2024). The Effect of Tool Rotational Speed and Welding Configuration on the Mechanical Properties of High Density Polyethylene (HDPE) Plate Friction Stir Welded Joint. *Semesta Teknika*, 27(1), 66–80. <https://doi.org/10.18196/st.v27i1.22182>

Park, S. K., Hong, S. T., Park, J. H., Park, K. Y., Kwon, Y. J., & Son, H. J. (2010). Effect of material locations on properties of friction stir welding joints of dissimilar aluminium alloys. *Science and Technology of Welding and Joining*, 15(4), 331–336. <https://doi.org/10.1179/136217110X12714217309696>

Parker, D. T. (2013). *Building victory : aircraft manufacturing in the Los Angeles area in World War II*. Dana T. Parker.

Pasha, A. M. D., Reddy, R. P., Laxminarayana, P., & Khan, I. A. (2014). Influence of Process and Tool Parameters on Friction Stir Welding – Overview. *International Journal of Applied Engineering and Technology*, 4(3), 54–69. <http://www.cibtech.org/jet.htm>

Patel, V., Li, W., Wang, G., Wang, F., Vairis, A., & Niu, P. (2019). Friction stir welding of dissimilar aluminum alloy combinations: State-of-the-art. *Metals*, 9(3). <https://doi.org/10.3390/met9030270>

Polmear, I. J., Stjohn, D., Nie, J. F., & Qian, M. (2017). *Light alloys: metallurgy of the light metals* (Fifth edit). Butterworth-Heinemann.

Pujono, Ilman, M. N., Muslih, M. R., & Kusmono. (2024). Minimizing residual stress and fatigue crack propagation rate of FSW joints of AA2024-T3 by transient thermal tensioning: Effect of heater distance. *International Journal of Lightweight Materials and Manufacture*, 7(5), 668–677. <https://doi.org/10.1016/j.ijlmm.2024.03.006>

Rai, R., De, A., Bhadeshia, H. K. D. H., & DebRoy, T. (2011). Review: Friction stir welding tools. *Science and Technology of Welding and Joining*, 16(4), 325–342. <https://doi.org/10.1179/1362171811Y.0000000023>

Ritchie, R. O. (1998). Mechanism of Fatigue-Crack Propagation in Ductile and

- Brittle Materials. *International Journal of Fracture*, 100, 55–83.
- Sauvage, X., Dédé, A., Muñoz, A. C., & Huneau, B. (2008). Precipitate stability and recrystallisation in the weld nuggets of friction stir welded Al-Mg-Si and Al-Mg-Sc alloys. *Materials Science and Engineering: A*, 491(1–2), 364–371. <https://doi.org/10.1016/j.msea.2008.02.006>
- Selamat, N. F. M., Baghdadi, A. H., Sajuri, Z., & Kokabi, A. H. (2016). Friction stir welding of similar and dissimilar aluminium alloys for automotive applications. *International Journal of Automotive and Mechanical Engineering*, 13(2), 3401–3412. <https://doi.org/10.15282/ijame.13.2.2016.9.0281>
- Sild, S. (2024). Precipitation Hardening - How it Works, Benefits & More. In *Fractory.Com*. <https://fractory.com/precipitation-hardening-explained/>
- Tarmizi, R. F. A., Wahid, A., & Irfan. (2019). Pengaruh kecepatan pengelasan terhadap sifat mekanik sambungan aluminium paduan 5052-H32 pada proses friction stir welding. *Majalah Metalurgi*, 34(1), 45–52. <https://ejournal.brin.go.id/metalurgi/article/view/7569>
- Threadgill, P. L. (2007). Terminology in friction stir welding. *Science and Technology of Welding and Joining*, 12(4), 357–360. <https://doi.org/10.1179/174329307X197629>
- Threadgill, P. L., Leonard, A. J., Shercliff, H. R., & Withers, P. J. (2009). Friction stir welding of aluminium alloys. *International Materials Reviews*, 54(2), 49–93. <https://doi.org/10.1179/174328009X411136>
- Totten, G. E., & Mackenzie, D. S. (2003). Handbook of Aluminum. In *Handbook of Aluminum*. M. Dekker. <https://doi.org/10.1201/9780429223259>
- Tsarkov, A., Trukhanov, K., Zybin, I., & Vichniakov, A. (2022). Tilt angle effect on friction stir welding conditions. *Key Engineering Materials*, 910, 115–122. <https://doi.org/10.4028/p-4rlc0e>
- Van Horn, K. R. (1967). Aluminum Properties, Physical Metallurgy, and Phase Diagrams. In *American Society of Metals*. Metals Park, Ohio, American Society for metals. <https://books.google.co.id/books?id=6WNe0QEACAAJ>
- Yan, Z. J., Liu, X. S., & Fang, H. Y. (2016). Fatigue behavior of dissimilar Al-Mg-

Si/Al-Zn-Mg aluminum alloys friction stir welding joints. *Acta Metallurgica Sinica (English Letters)*, 29(12), 1161–1168. <https://doi.org/10.1007/s40195-016-0510-2>

Zhao, Z., Yang, X., Li, S., & Li, D. (2019). Interfacial bonding features of friction stir additive manufactured build for 2195-T8 aluminum-lithium alloy. *Journal of Manufacturing Processes*, 38, 396–410. <https://doi.org/https://doi.org/10.1016/j.jmapro.2019.01.042>