

## DAFTAR PUSTAKA

- [1] International Coffee Organization, “Coffee Report and Outlook,” *Int. Coffee Organ. ICO*, vol. 1, no. 1, pp. 1–39, 2023, [Online]. Available: [https://icocoffee.org/documents/cy2023-24/Coffee\\_Report\\_and\\_Outlook\\_December\\_2023\\_ICO.pdf](https://icocoffee.org/documents/cy2023-24/Coffee_Report_and_Outlook_December_2023_ICO.pdf)
- [2] C. M. Annur, “Indonesia Merajai Pasar Kopi Modern di Asia Tenggara pada 2023,” *Katadata*. Accessed: Jun. 02, 2025. [Online]. Available: <https://databoks.katadata.co.id/produk-konsumen/statistik/0c993369f71d2f9/indonesia-merajai-pasar-kopi-modern-di-asia-tenggara-pada-2023>
- [3] I. M. S. Sayekti, “Trend Industri Kopi Masa Depan: Keberlanjutan Bisnis Hingga Keberlanjutan Lingkungan,” *Kontan*. Accessed: Jun. 02, 2025. [Online]. Available: <https://pressrelease.kontan.co.id/news/trend-industri-kopi-masa-depan-keberlanjutan-bisnis-hingga-keberlanjutan-lingkungan>
- [4] *Pandangan Jogja*, “Ada 3.000 Kedai Kopi di Seluruh Yogya, Terpadat di Indonesia,” *Kumparan*. Accessed: Jun. 02, 2025. [Online]. Available: <https://kumparan.com/pandangan-jogja/ada-3-000-kedai-kopi-di-seluruh-yogya-terpadat-di-indonesia-lympBAIgdYg>
- [5] F. O. Oktrichaendy, A. Pradhanawati, and H. D. Waloejo, “Pengaruh Kualitas Produk dan Kualitas Pelayanan terhadap Keputusan Pembelian pada Lost In Coffee Semarang,” *J. Ilmu Adm. Bisnis*, vol. 11, no. 3, pp. 452–460, Oct. 2022, doi: 10.14710/jiab.2022.34971.
- [6] I. Dzikria and A. Rizal, “Rancang Bangun Sistem Pemesanan Mandiri Restoran Berbasis Progressive Web Apps,” *J. Sistim Inf. dan Teknol.*, vol. 5, no. 1, pp. 135–144, 2023.
- [7] A. Nikose, A. Hatwar, A. Nikose, D. Adikane, and K. Gaharwar, “Cafeteria Food Ordering System using QR Code,” *Int. J. Sci. Res. Sci. Eng. Technol.*, vol. 10, no. 2, pp. 157–163, Mar. 2023, doi: 10.32628/IJSRSET2310212.

- [8] F. Christyawan, A. N. Rohman, and A. D. Hartanto, “Application of Content-Based Filtering Method Using Cosine Similarity in Restaurant Selection Recommendation System,” *J. Inf. Syst. Informatics*, vol. 6, no. 3, pp. 1559–1576, Sep. 2024, doi: 10.51519/journalisi.v6i3.806.
- [9] L. V. Nguyen, T.-H. Nguyen, and J. J. Jung, “Content-Based Collaborative Filtering using Word Embedding,” in *Proceedings of the International Conference on Research in Adaptive and Convergent Systems*, New York, NY, USA: ACM, Oct. 2020, pp. 96–100. doi: 10.1145/3400286.3418253.
- [10] M. Mahfudhoh and A. Qoiriah, “Penerapan Sistem Antrian pada Pemesanan Menu di Foodcourt UNESA Ketintang Berbasis Website,” *JINACS J. Informatics Comput. Sci.*, vol. 06, no. 01, pp. 119–130, 2024.
- [11] G. S. Urumutta Hewage, L. Boman, and S. Lefebvre, “Deciphering the dilemma: The surprising impact of QR code menus on diminishing customer loyalty,” *J. Hosp. Tour. Manag.*, vol. 61, pp. 187–190, Dec. 2024, doi: 10.1016/j.jhtm.2024.10.006.
- [12] L. Tommy, C. Kirana, and V. Lindawati, “RECOMMENDER SYSTEM DENGAN KOMBINASI APRIORI DAN CONTENT-BASED FILTERING PADA APLIKASI PEMESANAN PRODUK,” *J. Teknoinfo*, vol. 13, no. 2, p. 84, Jul. 2019, doi: 10.33365/jti.v13i2.299.
- [13] A. H. J. Permana and A. T. Wibowo, “Movie Recommendation System Based on Synopsis Using Content-Based Filtering with TF-IDF and Cosine Similarity,” *Int. J. Inf. Commun. Technol.*, vol. 9, no. 2, pp. 1–14, Dec. 2023, doi: 10.21108/ijoict.v9i2.747.
- [14] A. N. Faadhilah and E. B. Setiawan, “Content-Based Filtering in Recommendation Systems Culinary Tourism Based on Twitter (X) Using Bidirectional Gated Recurrent Unit (Bi-GRU),” *J. Ilm. Tek. Elektro Komput. dan Inform.*, vol. 10, no. 2, pp. 406–418, Jul. 2024, doi: 10.26555/jiteki.v10i2.29010.

- [15] E. Wang, W. L. Putera, H. Lucky, and A. Chowanda, “Chatbot Application to Automate Services in FnB Business Using Seq2Seq LSTM,” in *2022 International Conference on Informatics, Multimedia, Cyber and Information System (ICIMCIS)*, IEEE, Nov. 2022, pp. 413–417. doi: 10.1109/ICIMCIS56303.2022.10017854.
- [16] A. Lozano, S. L. Fleming, C.-C. Chiang, and N. Shah, “Clinfo.ai: An Open-Source Retrieval-Augmented Large Language Model System for Answering Medical Questions using Scientific Literature,” Oct. 2023, [Online]. Available: <http://arxiv.org/abs/2310.16146>
- [17] R. Aslam, “RANCANG BANGUN APLIKASI BERBASIS LARGE LANGUAGE MODEL (TIRITH COPILOT) UNTUK MEMBANTU PEMBUATAN POLICY TIRITH,” Universitas Gadjah Mada, 2025.
- [18] M. Cremaschi, D. Ditolve, C. Curcio, A. Panzeri, A. Spoto, and A. Maurino, “Decoding the mind: A RAG-LLM on ICD-11 for decision support in psychology,” *Expert Syst. Appl.*, vol. 279, p. 127191, Jun. 2025, doi: 10.1016/j.eswa.2025.127191.
- [19] R. Sherman, “Project Management,” in *Business Intelligence Guidebook*, Elsevier, 2015, pp. 449–492. doi: 10.1016/B978-0-12-411461-6.00018-6.
- [20] B. Holtsnider, T. Wheeler, G. Stragand, and J. Gee, “The Problem,” in *Agile Development and Business Goals*, Elsevier, 2010, pp. 11–29. doi: 10.1016/B978-0-12-381520-0.00002-3.
- [21] W. Zhuohao, W. Dong, and L. Qing, “Keyword Extraction from Scientific Research Projects Based on SRP-TF-IDF,” *Chinese J. Electron.*, vol. 30, no. 4, pp. 652–657, Jul. 2021, doi: 10.1049/cje.2021.05.007.
- [22] S. Hashim and J. Waden, “Content-based filtering algorithm in social media,” *Wasit J. Comput. Math. Sci.*, vol. 2, no. 1, pp. 14–17, Mar. 2023, doi: 10.31185/wjcm.112.
- [23] N. Brügger, “Website history and the website as an object of study,” *New*

- Media Soc.*, vol. 11, no. 1–2, pp. 115–132, Feb. 2009, doi: 10.1177/1461444808099574.
- [24] Y. Yusuf, “What is a Website? Definition of Website and Its Types,” [telkomuniversity.ac.id](http://telkomuniversity.ac.id). Accessed: Aug. 31, 2025. [Online]. Available: <https://bif.telkomuniversity.ac.id/en/what-is-website>
- [25] DENSO WAVE, “What is a QR Code,” [denso-wave.com](http://denso-wave.com). Accessed: Mar. 03, 2025. [Online]. Available: <https://www.denso-wave.com/en/system/qr/fundamental/qr/code/qrc/index.html>
- [26] D.-H. Shin, J. Jung, and B.-H. Chang, “The psychology behind QR codes: User experience perspective,” *Comput. Human Behav.*, vol. 28, no. 4, pp. 1417–1426, Jul. 2012, doi: 10.1016/j.chb.2012.03.004.
- [27] S. Tiwari, “An Introduction to QR Code Technology,” in *2016 International Conference on Information Technology (ICIT)*, IEEE, Dec. 2016, pp. 39–44. doi: 10.1109/ICIT.2016.021.
- [28] M. M. Talha, H. U. Khan, S. Iqbal, M. Alghobiri, T. Iqbal, and M. Fayyaz, “Deep learning in news recommender systems: A comprehensive survey, challenges and future trends,” *Neurocomputing*, vol. 562, p. 126881, Dec. 2023, doi: 10.1016/j.neucom.2023.126881.
- [29] T. Ridwansyah, B. Subartini, and S. Sylviani, “Penerapan Metode Content-Based Filtering pada Sistem Rekomendasi,” *Math. Sci. Appl. J.*, vol. 4, no. 2, pp. 70–77, Apr. 2024, doi: 10.22437/msa.v4i2.32136.
- [30] J. Murel and E. Kavlakoglu, “What is Content-Based Filtering?,” IBM. Accessed: Jun. 03, 2025. [Online]. Available: <https://www.ibm.com/think/topics/content-based-filtering>
- [31] C. Das, A. K. Sahoo, and C. Pradhan, “Multicriteria recommender system using different approaches,” in *Cognitive Big Data Intelligence with a Metaheuristic Approach*, S. Mishra, H. K. Tripathy, P. K. Mallick, A. K. Sangaiah, and G.-S. Chae, Eds., Elsevier, 2022, ch. 12, pp. 259–277. doi:

10.1016/B978-0-323-85117-6.00011-X.

- [32] L.-C. Chen, “An extended TF-IDF method for improving keyword extraction in traditional corpus-based research: An example of a climate change corpus,” *Data Knowl. Eng.*, vol. 153, p. 102322, Sep. 2024, doi: 10.1016/j.datak.2024.102322.
- [33] H. H. Kurniawan, W. S. Lukman, R. Fredyan, and M. A. Ibrahim, “Movie Recommendation System: A Comparison of Content-Based and Collaborative Filtering,” *Procedia Comput. Sci.*, vol. 245, pp. 860–868, 2024, doi: 10.1016/j.procs.2024.10.313.
- [34] K. Park, J. S. Hong, and W. Kim, “A Methodology Combining Cosine Similarity with Classifier for Text Classification,” *Appl. Artif. Intell.*, vol. 34, no. 5, pp. 396–411, Apr. 2020, doi: 10.1080/08839514.2020.1723868.
- [35] Cambridge Dictionary, “Framework,” [dictionary.cambridge.org](https://dictionary.cambridge.org/). Accessed: Mar. 10, 2025. [Online]. Available: <https://dictionary.cambridge.org/dictionary/english/framework>
- [36] D. P. Sari and R. Wijanarko, “Implementasi Framework Laravel pada Sistem Informasi Penyewaan Kamera (Studi Kasus di Rumah Kamera Semarang),” *J. Inform. dan Rekayasa Perangkat Lunak*, vol. 2, no. 1, p. 32, Mar. 2019, doi: 10.36499/jinrpl.v2i1.3190.
- [37] A. Kumar and R. K. Singh, “Comparative analysis of angularjs and reactjs,” *Int. J. Latest Trends Eng. Technol.*, vol. 7, no. 4, 2016, doi: 10.21172/1.74.030.
- [38] C. Gackenheimer, “Understanding Node.js,” in *Node.js Recipes*, Berkeley, CA: Apress, 2013, pp. 1–26. doi: 10.1007/978-1-4302-6059-2\_1.
- [39] R. Rismanto, P. P. Arhandi, and A. Prasetyo, “Rancang Bangun Aplikasi Ujian Online Real Time Dengan Menggunakan Arsitektur MEAN,” *J. Teknol. Inf.*, vol. 7, no. 2, pp. 149–156, 2016, [Online]. Available: <https://media.neliti.com/media/publications/143267-ID-rancang-bangun->

aplikasi-ujian-online-rea.pdf

- [40] D. Hows, P. Membrey, E. Plugge, and T. Hawkins, “Introduction to MongoDB,” in *The Definitive Guide to MongoDB*, Berkeley, CA: Apress, 2015, pp. 1–16. doi: 10.1007/978-1-4842-1182-3\_1.
- [41] H. Naveed *et al.*, “A Comprehensive Overview of Large Language Models,” Oct. 2024, [Online]. Available: <http://arxiv.org/abs/2307.06435>
- [42] Z. Li, Z. Wang, W. Wang, K. Hung, H. Xie, and F. L. Wang, “Retrieval-augmented generation for educational application: A systematic survey,” *Comput. Educ. Artif. Intell.*, vol. 8, p. 100417, Jun. 2025, doi: 10.1016/j.caeai.2025.100417.
- [43] M. Ghaseminejad Raeini, “The evolution of language models: From N-Grams to LLMs, and beyond,” *Nat. Lang. Process. J.*, vol. 12, p. 100168, Sep. 2025, doi: 10.1016/j.nlp.2025.100168.
- [44] A. Vaswani *et al.*, “Attention Is All You Need,” Aug. 2017, [Online]. Available: <http://arxiv.org/abs/1706.03762>
- [45] F. Martin, M. Zhuang, and D. Schaefer, “Systematic review of research on artificial intelligence in K-12 education (2017–2022),” *Comput. Educ. Artif. Intell.*, vol. 6, p. 100195, Jun. 2024, doi: 10.1016/j.caeai.2023.100195.
- [46] S. Y. Wan, “The Evolution of Information Seeking Practices and Technologies and the Future of the Library,” in *Encyclopedia of Libraries, Librarianship, and Information Science*, Elsevier, 2025, pp. 40–46. doi: 10.1016/B978-0-323-95689-5.00238-8.
- [47] S. V. Bhoir, S. R. Patil, and I. Y. Mogul, “Person-based automation with artificial intelligence Chatbots: A driving force of Industry 4.0,” in *Artificial Intelligence and Industry 4.0*, Elsevier, 2022, pp. 215–244. doi: 10.1016/B978-0-323-88468-6.00003-6.
- [48] S. M. Suhaili, N. Salim, and M. N. Jambli, “Service chatbots: A systematic

- review,” *Expert Syst. Appl.*, vol. 184, p. 115461, Dec. 2021, doi: 10.1016/j.eswa.2021.115461.
- [49] F. Khennouche, Y. Elmir, Y. Himeur, N. Djebari, and A. Amira, “Revolutionizing generative pre-trained: Insights and challenges in deploying ChatGPT and generative chatbots for FAQs,” *Expert Syst. Appl.*, vol. 246, p. 123224, Jul. 2024, doi: 10.1016/j.eswa.2024.123224.
- [50] D. Van Booven and C.-B. Chen, “ChatGPT and healthcare—current and future prospects,” in *Artificial Intelligence in Urologic Malignancies*, Elsevier, 2025, pp. 173–193. doi: 10.1016/B978-0-443-15504-8.00006-5.
- [51] L. Kopitar, P. Kocbek, L. Gosak, and G. Stiglic, “Review of data-driven generative AI models for knowledge extraction from scientific literature in healthcare,” in *Next Generation eHealth*, Elsevier, 2025, pp. 127–146. doi: 10.1016/B978-0-443-13619-1.00007-6.
- [52] A. Saka *et al.*, “GPT models in construction industry: Opportunities, limitations, and a use case validation,” *Dev. Built Environ.*, vol. 17, p. 100300, Mar. 2024, doi: 10.1016/j.dibe.2023.100300.
- [53] C. W. Okonkwo and A. Ade-Ibijola, “Chatbots applications in education: A systematic review,” *Comput. Educ. Artif. Intell.*, vol. 2, p. 100033, 2021, doi: 10.1016/j.caeai.2021.100033.
- [54] N. Soms, D. S. Azariya S., and A. Saravanan A., “Identifying the features and attributes of various artificial intelligence-based healthcare models,” in *Data Science in the Medical Field*, Elsevier, 2025, pp. 57–74. doi: 10.1016/B978-0-443-24028-7.00006-4.
- [55] A. Casheekar, A. Lahiri, K. Rath, K. S. Prabhakar, and K. Srinivasan, “A contemporary review on chatbots, AI-powered virtual conversational agents, ChatGPT: Applications, open challenges and future research directions,” *Comput. Sci. Rev.*, vol. 52, p. 100632, May 2024, doi: 10.1016/j.cosrev.2024.100632.

- [56] H. Wang, J. Li, H. Wu, E. Hovy, and Y. Sun, “Pre-Trained Language Models and Their Applications,” *Engineering*, vol. 25, pp. 51–65, Jun. 2023, doi: 10.1016/j.eng.2022.04.024.
- [57] K. Cho, Y. Park, J. Kim, B. Kim, and D. Jeong, “Conversational AI forensics: A case study on ChatGPT, Gemini, Copilot, and Claude,” *Forensic Sci. Int. Digit. Investig.*, vol. 52, p. 301855, Mar. 2025, doi: 10.1016/j.fsidi.2024.301855.
- [58] J. Manyika and S. Hsiao, “Gemini,” Google. Accessed: Jul. 17, 2025. [Online]. Available: <https://gemini.google/overview/>
- [59] J. Lee *et al.*, “Gemini Embedding: Generalizable Embeddings from Gemini,” Mar. 2025, [Online]. Available: <http://arxiv.org/abs/2503.07891>
- [60] P. Lewis *et al.*, “Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks,” Apr. 2020, [Online]. Available: <http://arxiv.org/abs/2005.11401>
- [61] G. Izacard and E. Grave, “Leveraging Passage Retrieval with Generative Models for Open Domain Question Answering,” in *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, Stroudsburg, PA, USA: Association for Computational Linguistics, 2021, pp. 874–880. doi: 10.18653/v1/2021.eacl-main.74.
- [62] S. Manic K *et al.*, “AI-Driven Multi-Modal Information Synthesis: Integrating PDF Querying, Speech Summarization, and Cross-Language Text Summarization,” *Procedia Comput. Sci.*, vol. 258, pp. 2996–3018, 2025, doi: 10.1016/j.procs.2025.04.559.
- [63] D. Bergmann and C. Stryker, “What is vector embedding?,” IBM. Accessed: Jul. 23, 2025. [Online]. Available: <https://www.ibm.com/think/topics/vector-embedding>
- [64] Google Cloud, “Introduction to prompting,” Google. Accessed: Jul. 23,

2025. [Online]. Available: <https://cloud.google.com/vertex-ai/generative-ai/docs/learn/prompts/introduction-prompt-design>
- [65] Google Cloud, “Prompt engineering: overview and guide,” Google. Accessed: Jul. 23, 2025. [Online]. Available: <https://cloud.google.com/discover/what-is-prompt-engineering?hl=en>
- [66] S. Friedenthal, A. Moore, and R. Steiner, “Modeling Flow-Based Behavior with Activities,” in *A Practical Guide to SysML*, Elsevier, 2015, pp. 205–245. doi: 10.1016/B978-0-12-800202-5.00009-6.
- [67] J. Osis and U. Donins, “Unified Modeling Language,” in *TopUML Modeling*, Elsevier, 2017, pp. 3–51. doi: 10.1016/B978-0-12-805476-5.00001-0.
- [68] J. Watkins and S. Mills, “User Acceptance Testing,” in *Testing IT: An Off-the-Shelf Software Testing Process*, Cambridge: Cambridge University Press, 2010, pp. 77–83. doi: 10.1017/CBO9780511997310.011.
- [69] C. L. Tua, “RANCANG BANGUN SISTEM INFORMASI RUMAH KOS BERBASIS WEB DENGAN FITUR PERSONALIZED RECOMMENDATION DI YOGYAKARTA,” Universitas Gadjah Mada, 2023.
- [70] Aliyah, N. Hartono, and A. A. Muin, “Penggunaan User Acceptance Testing (UAT) Pada Pengujian Sistem Informasi Pengelolaan Keuangan Dan Inventaris Barang,” *Switch J. Sains dan Teknol. Inf.*, vol. 3, no. 1, pp. 84–100, Dec. 2024, doi: 10.62951/switch.v3i1.330.
- [71] L. Huang *et al.*, “A Survey on Hallucination in Large Language Models: Principles, Taxonomy, Challenges, and Open Questions,” *ACM Trans. Inf. Syst.*, vol. 43, no. 2, pp. 1–55, Mar. 2025, doi: 10.1145/3703155.
- [72] ngrok, “What is Ngrok,” Ngrok, Inc. [Online]. Available: <https://ngrok.com/docs/what-is-ngrok/>