

DAFTAR PUSTAKA

- [1] K. Holmqvist, M. Nyström, R. Andersson, R. Dewhurst, J. Halszka, and J. van de Weijer, *Eye Tracking: A Comprehensive Guide to Methods and Measures*. United Kingdom: Oxford University Press, 2011.
- [2] P. A. Punde, M. E. Jadhav, and R. R. Manza, "A study of eye tracking technology and its applications," pp. 86–90, 2017.
- [3] B. Birawo and P. Kasprowski, "Review and evaluation of eye movement event detection algorithms," *Sensors*, vol. 22, no. 22, p. 8810, 2022. [Online]. Available: <https://doi.org/10.3390/s22228810>
- [4] M. Startsev, I. Agtzidis, and M. Dorr, "1d cnn with blstm for automated classification of fixations, saccades, and smooth pursuits," *Behavior Research*, vol. 51, pp. 556–572, 2019.
- [5] V. A. R. M. Zhe Z, Siebert F, "Calibration-free gaze interfaces based on linear smooth pursuit," *Journal of Eye Movement Research*, vol. 13, no. 1, p. 3, 2020.
- [6] M. Vidal, A. Bulling, and H. Gellersen, "Detection of smooth pursuits using eye movement shape features," pp. 177–180, 2012. [Online]. Available: <https://doi.org/10.1145/2168556.2168586>
- [7] R. Zemblys, D. Niehorster, and O. Komogortsev, "Using machine learning to detect events in eye-tracking data," *Behavior Research Methods*, vol. 50, no. 1, pp. 160–181, 2018.
- [8] X.-S. Li, Z.-Z. Fan, Y.-Y. Ren, X.-L. Zheng, and R. Yang, "Classification of eye movement and its application in driving based on a refined pre-processing and machine learning algorithm," *IEEE Access*, vol. 9, pp. 136 164–136 181, 2021.
- [9] C. Elmadjian, C. Gonzales, and C. H. Morimoto, "Eye movement classification with temporal convolutional networks," pp. 390–404, 2021. [Online]. Available: https://doi.org/10.1007/978-3-030-68796-0_28
- [10] F. Karim, S. Majumdar, H. Darabi, and S. Chen, "Lstm fully convolutional networks for time series classification," *IEEE Access*, vol. PP, 2017.
- [11] A. H. Fristiana, S. A. I. Alfarozi, A. E. Permanasari, M. Pratama, and S. Wibirama, "A survey on hyperparameters optimization of deep learning for time series classification," *IEEE Access*, vol. 12, pp. 191 162–191 198, 2024.
- [12] T. Santini, W. Fuhl, T. Kübler, and E. Kasneci, "Bayesian identification of fixations, saccades, and smooth pursuits," pp. 163–170, Mar 2016. [Online]. Available: <https://dl.acm.org/doi/10.1145/2857491.2857512>
- [13] O. V. Komogortsev and A. Karpov, "Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades," *Behavior Research Methods*, vol. 45, pp. 203–215, 2013. [Online]. Available: <https://api.semanticscholar.org/CorpusID:20458539>

- [14] H. Nurlatifa, R. Hartanto, A. Ataka, and S. Wibirama, "Optimum object selection methods for spontaneous gaze-based interaction with linear and circular trajectories," *Results in Engineering*, vol. 21, p. 101769, 2024. [Online]. Available: <https://doi.org/10.1016/j.rineng.2024.101769>
- [15] J. Pekkanen and O. Lappi, "A new and general approach to signal denoising and eye movement classification based on segmented linear regression," *Scientific Reports*, vol. 7, no. 1, p. 17726, 2017. [Online]. Available: <https://doi.org/10.1038/s41598-017-17983-x>
- [16] S. Hoppe and A. Bulling, "End-to-end eye movement detection using convolutional neural networks," 2016. [Online]. Available: <https://arxiv.org/abs/1609.02452>
- [17] T. Yu and H. Zhu, "Hyper-parameter optimization: A review of algorithms and applications," *CoRR*, vol. abs/2003.05689, 2020. [Online]. Available: <https://arxiv.org/abs/2003.05689>
- [18] S. Fong, S. Deb, and X.-S. Yang, "How meta-heuristic algorithms contribute to deep learning in the hype of big data analytics," pp. 3–25, 01 2018.
- [19] L. Tani, D. Rand, C. Veelken, and M. Kadastik, "Evolutionary algorithms for hyperparameter optimization in machine learning for application in high energy physics," *The European Physical Journal C*, vol. 81, no. 2, 2021. [Online]. Available: <http://dx.doi.org/10.1140/epjc/s10052-021-08950-y>
- [20] A. Al-Hyari and M. Abu-Faraj, "Hyperparameters optimization of convolutional neural networks using evolutionary algorithms," pp. 1–6, 2022.
- [21] K. Dilip, G. S. P. Ghantasala, M. Rathee, S. Kallam, and P. Bathla, "A brief comparative study of metaheuristic approaches for hyperparameter optimization of machine learning model," pp. 1–5, 2023.
- [22] R. Mohakud and R. Dash, "Designing a grey wolf optimization based hyperparameter optimized convolutional neural network classifier for skin cancer detection," *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 8, Part B, pp. 6280–6291, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1319157821001270>
- [23] E. A. Libreros-Jiménez, M. F. Archila-Perea, G. E. Daza-Pérez, N. G. Forero-Pardo, V. R. Quintero-Pimiento, and L. J. Archila-Perea, "On the cranial nerves," *NeuroSci*, vol. 5, no. 1, pp. 8–38, 2024. [Online]. Available: <https://doi.org/10.3390/neurosci5010002>
- [24] G. Kumar and S. T. L. Chung, "Characteristics of fixational eye movements in people with macular disease," *Investigative Ophthalmology Visual Science*, vol. 55, no. 8, pp. 5125–5133, 2014. [Online]. Available: <https://doi.org/10.1167/iovs.14-14608>
- [25] J. Hoffman and B. Subramaniam, "The role of visual attention in saccadic eye movements," *Perception Psychophysics*, vol. 57, pp. 787–795, 01 1995.

- [26] A. Goettker and K. R. Gegenfurtner, "A change in perspective: The interaction of saccadic and pursuit eye movements in oculomotor control and perception," *Vision Research*, vol. 188, pp. 283–296, 2021.
- [27] J. N. Stember, K. Shifteh, N. Vikani, D. Roy, and K. Nael, "Integrating eye tracking and speech recognition accurately annotates mr brain images for deep learning: Proof of principle," *Radiology. Artificial intelligence*, vol. 3, no. 1, p. e200047, January 2021.
- [28] M. M. Rahman, "A study of eye-tracking properties utilizing tobii eye tracker 5," 2022.
- [29] N. M. Arar, "Robust eye tracking based on adaptive fusion of multiple cameras," 09 2017.
- [30] A. Ayeni, "Empirics of standard deviation," 05 2014.
- [31] C. Sheikh, Haroonand Prins and E. Schrijvers, *Artificial Intelligence: Definition and Background*. Cham: Springer International Publishing, 2023. [Online]. Available: https://doi.org/10.1007/978-3-031-21448-6_2
- [32] A. Kiwelekar, G. Mahamunkar, L. Netak, and V. Nikam, "Deep learning techniques for geospatial data analysis," pp. 63–81, 07 2020.
- [33] J. Krohn, G. Beyleveld, and A. Bassens, "Deep learning illustrated: A visual, interactive guide to artificial intelligence," 2019. [Online]. Available: <https://www.addison-wesley.com>
- [34] R. Qamar and B. Zardari, "Artificial neural networks: An overview," *Mesopotamian Journal of Computer Science*, vol. 2023, pp. 130–139, 08 2023.
- [35] R. C. Staudemeyer and E. R. Morris, "Understanding lstm - a tutorial into long short-term memory recurrent neural networks," *arXiv preprint arXiv:1909.09586*, 2019. [Online]. Available: <https://arxiv.org/abs/1909.09586>
- [36] C. Sekhar and P. Meghana, "A study on backpropagation in artificial neural networks," *Asia-Pacific Journal of Neural Networks and Its Applications*, vol. 4, pp. 21–28, 08 2020.
- [37] P. Christoffersen and K. Jacobs, "The importance of the loss function in option valuation," *Journal of Financial Economics*, vol. 72, no. 2, pp. 291–318, 2004. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0304405X03002447>
- [38] Q. Wang, Y. Ma, K. Zhao, and Y. Tian, "A comprehensive survey of loss functions in machine learning," *Annals of Data Science*, vol. 9, 04 2022.
- [39] Y. Tian, D. Su, S. Lauria, and X. Liu, "Recent advances on loss functions in deep learning for computer vision," *Neurocomputing*, vol. 497, 05 2022.
- [40] S. Ruder, "An overview of gradient descent optimization algorithms," 2017. [Online]. Available: <https://arxiv.org/abs/1609.04747>

- [41] H. Chowdhury, M. Imon, A. Rahman, A. Khatun, and M. S. Islam, "A continuous space neural language model for bengali language," 01 2020.
- [42] D. P. Kingma and J. L. Ba, "Adam: A method for stochastic optimization," 2014. [Online]. Available: <https://arxiv.org/abs/1412.6980>
- [43] S. Kiranyaz, O. Avci, O. Abdeljaber, T. Ince, M. Gabbouj, and D. J. Inman, "1d convolutional neural networks and applications: A survey," *Mechanical Systems and Signal Processing*, vol. 151, p. 107398, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0888327020307846>
- [44] R. Sánchez-Reolid, F. López de la Rosa, M. T. López, and A. Fernández-Caballero, "One-dimensional convolutional neural networks for low/high arousal classification from electrodermal activity," *Biomedical Signal Processing and Control*, vol. 71, p. 103203, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1746809421008004>
- [45] Y.-F. Zhang, P. J. Thorburn, and P. Fitch, "Multi-task temporal convolutional network for predicting water quality sensor data," pp. 122–130, 2019. [Online]. Available: <https://www.researchgate.net/publication/337806359>
- [46] T. Sun, C. Yang, K. Han, W. Ma, and F. Zhang, "Bidirectional spatial–temporal network for traffic prediction with multisource data," *Transportation Research Record: Journal of the Transportation Research Board*, vol. 2674, 07 2020.
- [47] F. Karim, S. Majumdar, H. Darabi, and S. Chen, "Lstm fully convolutional networks for time series classification," *IEEE Access*, vol. 6, pp. 1662–1669, 2018.
- [48] P. M. Radiuk, "Impact of training set batch size on the performance of convolutional neural networks for diverse datasets," *Information Technology and Management Science*, vol. 20, pp. 20–24, 2017. [Online]. Available: <https://www.degruyter.com/view/j/itms>
- [49] Y. Sun, B. Xue, M. Zhang, and G. G. Yen, "An experimental study on hyperparameter optimization for stacked auto-encoders," pp. 1–8, 2018.
- [50] J. Lederer, "Activation functions in artificial neural networks: A systematic overview," *arXiv preprint arXiv:2101.09957*, 2021. [Online]. Available: <https://arxiv.org/abs/2101.09957>
- [51] S. R. Dubey, S. K. Singh, and B. B. Chaudhuri, "Activation functions in deep learning: A comprehensive survey and benchmark," *Neurocomputing*, vol. 503, pp. 92–108, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S092523122201108X>
- [52] B. M. Hussein and S. M. Shareef, "An empirical study on the correlation between early stopping patience and epochs in deep learning," *ITM Web of Conferences*, vol. 64, p. 01003, 2024. [Online]. Available: <https://doi.org/10.1051/itmconf/20246401003>
- [53] J. Iskanderov and M. A. Guvensan, "Breaking the limits of transportation mode detection: Applying deep learning approach with knowledge-based features," *IEEE Sensors Journal*, vol. 20, no. 21, pp. 12 871–12 884, 2020.

- [54] T. A. Nguyen and T. N. Tran, "Improving short-term electrical load forecasting with dilated convolutional neural networks: A comparative analysis," *Journal of Robotics and Control (JRC)*, vol. 6, pp. 560–566, 2025.
- [55] J. Wang, J. Xu, and X. Wang, "Combination of hyperband and bayesian optimization for hyperparameter optimization in deep learning," *arXiv preprint arXiv:1801.01596*, 2018.
- [56] L. Li, K. Jamieson, G. DeSalvo, A. Rostamizadeh, and A. Talwalkar, "Hyperband: A novel bandit-based approach to hyperparameter optimization," *Journal of Machine Learning Research*, vol. 18, pp. 1–52, 2018.
- [57] G. Varoquaux and O. Colliot, "Evaluating machine learning models and their diagnostic value," *Machine Learning for Brain Disorders*, pp. 1–29, 2019.
- [58] G. C. Cawley, "Leave-one-out cross-validation based model selection criteria for weighted ls-svms," pp. 1661–1668, 2006.
- [59] K. Das, "A brief review of tests for normality," *American Journal of Theoretical and Applied Statistics*, vol. 5, p. 5, 01 2016.
- [60] D. Pereira, A. Afonso, and F. Medeiros, "Overview of friedman's test and post-hoc analysis," *Communications in Statistics - Simulation and Computation*, vol. 44, pp. 2636–2653, 11 2015.
- [61] T. J. Cleophas and A. H. Zwinderman, "Paired continuous data (paired t-test, wilcoxon signed rank test)," pp. 31–36, 2016. [Online]. Available: https://doi.org/10.1007/978-3-319-27104-0_6
- [62] R. Desislavov, F. M. Plumed, and J. H. Orallo, "Compute and energy consumption trends in deep learning inference," *CoRR*, vol. abs/2109.05472, 2021. [Online]. Available: <https://arxiv.org/abs/2109.05472>
- [63] C. Elmadjian, C. Gonzales, R. L. d. Costa, and C. H. Morimoto, "Online eye-movement classification with temporal convolutional networks," *Behavior Research Methods*, pp. 1–19, 2022.