



DAFTAR PUSTAKA

- Afgani, M. W., Paradesa, R., Testiana, G., Nery, R. S., & Syutaridho, S. (2020). Pelatihan Mengolah Data Berdistribusi Tidak Normal pada Uji ANOVA Dua Arah dengan Interaksi Menggunakan ARTool dan SPSS. *E-Dimas: Jurnal Pengabdian kepada Masyarakat*, 11(4), 400–404. <https://doi.org/10.26877/e-dimas.v11i4.3427>
- Afoakwa, E., Ofosu-Ansah, E., Budu, A., Mensah-Brown, H., & Takrama, J. (2015). Roasting effects on phenolic content and free-radical scavenging activities of pulp preconditioned and fermented cocoa (*Theobroma cacao*) beans. *African Journal of Food, Agriculture, Nutrition and Development*, 15(1), 9635–9650. <https://doi.org/10.18697/ajfand.68.13690>
- Agorastos, G., Halsema, E. V., Bast, A., & Klosse, P. (2020). Review of Mouthfeel Classification. A New Perspective of Food Perception. *Journal of Food Science & Nutrition*, 1–10. <https://doi.org/10.46715/jfsn2020.09.1000107>
- Agustin, D., & Ismiyati, I. (2015). PENGARUH KONSENTRASI PELARUT PADA PROSES EKSTRAKSI ANTOSIANIN DARI BUNGA KEMBANG SEPATU. *JURNAL KONVERSI*, 4(2), 9. <https://doi.org/10.24853/konversi.4.2.9-16>
- Alara, O. R., Ukaegbu, C. I., Abdurahman, N. H., Alara, J. A., & Ali, H. A. (2023). Plant-sourced Antioxidants in Human Health: A State-of-Art Review. *Current Nutrition & Food Science*, 19(8), 817–830. <https://doi.org/10.2174/1573401319666230109145319>
- Amin, A., Wunas, J., & Anin, Y. M. (2016). Uji Aktivitas Antioksidan Ekstrak Etanol Klika Faloak (*Sterculia quadrifida* R.Br) Dengan Metode DPPH (2,2-diphenyl-1-picrylhydrazyl). *Jurnal Fitofarmaka Indonesia*, 2(2), 111–114. <https://doi.org/10.33096/jffi.v2i2.180>
- Andújar, I., Recio, M. C., Giner, R. M., & Ríos, J. L. (2012). Cocoa Polyphenols and Their Potential Benefits for Human Health. *Oxidative Medicine and Cellular Longevity*, 2012, 1–23. <https://doi.org/10.1155/2012/906252>
- Aprotosoae, A. C., Luca, S. V., & Miron, A. (2016). Flavor Chemistry of Cocoa and Cocoa Products—An Overview. *Comprehensive Reviews in Food Science and Food Safety*, 15(1), 73–91. <https://doi.org/10.1111/1541-4337.12180>
- Arianti, Y. S., & Waluyati, L. R. (2019). Analisis Nilai Tambah dan Strategi Pengembangan Agroindustri Gula Merah di Kabupaten Madiun. *Jurnal Ekonomi Pertanian Dan Agribisnis*, 3(2), 256–266. <https://doi.org/10.21776/ub.jepa.2019.003.02.4>
- Ariyanti, M. (2017). KARAKTERISTIK MUTU BIJI KAKAO (*Theobroma cacao* L) DENGAN PERLAKUAN WAKTU FERMENTASI BERDASAR SNI 2323-2008. (Quality Characteristics Of CocoaBeans (*Theobroma cacao* L) With Time Fermentation Treatment Based on ISO 2323-2008). *Jurnal Industri Hasil Perkebunan*, 12(1), 34. <https://doi.org/10.33104/jihp.v12i1.2757>



- Ayoka, T. O., Ezema, B. O., Eze, C. N., & Nnadi, C. O. (2022). Antioxidants for the Prevention and Treatment of Non-communicable Diseases. *Journal of Exploratory Research in Pharmacology*, 000(000), 000–000. <https://doi.org/10.14218/jerp.2022.00028>
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, 117(4), 426–436. <https://doi.org/10.1016/j.jfoodeng.2013.01.014>
- Azwanida, N. N. (2015). A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Medicinal & Aromatic Plants*, 04(03). <https://doi.org/10.4172/2167-0412.1000196>
- Baharum, Z., Akim, A., Taufiq-Yap, Y., Hamid, R., & Kasran, R. (2014). In Vitro Antioxidant and Antiproliferative Activities of Methanolic Plant Part Extracts of *Theobroma cacao*. *Molecules*, 19(11), 18317–18331. <https://doi.org/10.3390/molecules191118317>
- Barber, T. M., Kabisch, S., Pfeiffer, A. F. H., & Weickert, M. O. (2020). The Health Benefits of Dietary Fibre. *Nutrients*, 12(10), 3209. <https://doi.org/10.3390/nu12103209>
- Baroni, L., Sarni, A. R., & Zuliani, C. (2021). Plant Foods Rich in Antioxidants and Human Cognition: A Systematic Review. *Antioxidants*, 10(5), 714. <https://doi.org/10.3390/antiox10050714>
- Cacace, J. E., & Mazza, G. (2003). Optimization of Extraction of Anthocyanins from Black Currants with Aqueous Ethanol. *Journal of Food Science*, 68(1), 240–248. <https://doi.org/10.1111/j.1365-2621.2003.tb14146.x>
- Chen, W.-H., Carrera Uribe, M., Kwon, E. E., Lin, K.-Y. A., Park, Y.-K., Ding, L., & Saw, L. H. (2022). A comprehensive review of thermoelectric generation optimization by statistical approach: Taguchi method, analysis of variance (ANOVA), and response surface methodology (RSM). *Renewable and Sustainable Energy Reviews*, 169, 112917. <https://doi.org/10.1016/j.rser.2022.112917>
- Dai, J., & Mumper, R. J. (2010). Plant Phenolics: Extraction, Analysis and Their Antioxidant and Anticancer Properties. *Molecules*, 15(10), 7313–7352. <https://doi.org/10.3390/molecules15107313>
- Darina, V., Gegechkori, V., Morton, D. W., & Agatonovic-Kustrin, S. (2025). The impact of spontaneous fermentation on phenolic and antioxidant profiles of selected aromatic plant extracts. *JPC – Journal of Planar Chromatography – Modern TLC*. <https://doi.org/10.1007/s00764-025-00340-4>
- Dhanani, T., Shah, S., Gajbhiye, N. A., & Kumar, S. (2017). Effect of extraction methods on yield, phytochemical constituents and antioxidant activity of *Withania somnifera*. *Arabian Journal of Chemistry*, 10, S1193–S1199. <https://doi.org/10.1016/j.arabjc.2013.02.015>
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., & Ju, Y.-H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of



- Limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296–302. <https://doi.org/10.1016/j.jfda.2013.11.001>
- Fathia, S., Muhandri, T., & Suyatma, N. E. (2022). Profil Bahan Perisa Kritis Halal dalam Peraturan BPOM No. 13/2020. *Jurnal Mutu Pangan : Indonesian Journal of Food Quality*, 9(2), 92–102. <https://doi.org/10.29244/jmpi.2022.9.2.92>
- Febrina, L., Rusli, R., & Muflihah, F. (2015). Optimalisasi Ekstraksi dan Uji Metabolit Sekunder Tumbuhan Libo (*Ficus variegata* Blume). *Journal of Tropical Pharmacy and Chemistry*, 3(2), 74–81. <https://doi.org/10.25026/jtpc.v3i2.153>
- Halimah, P., & Ekawati, Y. (2020). Penerapan Metode Taguchi untuk Meningkatkan Kualitas Bata Ringan pada UD. XY Malang. *Jiems (Journal of Industrial Engineering and Management Systems)*, 13(1), 13–26. <https://doi.org/10.30813/jiems.v13i1.1694>
- Harahap, M. R., Ariwidiani, N. N., Razali, M., & Sari, N. (2024). *Buku Ajar Teknik Laboratorium* (Yogyakarta). Samudra Biru.
- Hayami, Y. (Ed.). (1987). *Agricultural marketing and processing in upland Java: A perspective from a Sunda village*. CGPRT Centre.
- Hidayat, S., Marimin, Suryani, A., Sukardi, & Yani, M. (2012). MODIFIKASI METODE HAYAMI UNTUK PERHITUNGAN NILAI TAMBAH PADA RANTAI PASOK AGROINDUSTRI KELAPA SAWIT. *Jurnal Teknologi Industri Pertanian*, 22(1), 22–31.
- Iqbal, I., Wilairatana, P., Saqib, F., Nasir, B., Wahid, M., Latif, M. F., Iqbal, A., Naz, R., & Mubarak, M. S. (2023). Plant Polyphenols and Their Potential Benefits on Cardiovascular Health: A Review. *Molecules*, 28(17), 6403. <https://doi.org/10.3390/molecules28176403>
- J. B. Harborne. (1987). *Metoda Fitokimia—Penuntun Cara Modern Menganalisis Tumbuhan*.
- Jannah, N., Hairani, R., & Marlina, E. (2024). *AKTIVITAS ANTIOKSIDAN TUMBUHAN GENUS MANGIFERA DENGAN METODE DPPH (1,1-DIPHENYL-2-PICRYLHYDRAZYL): MINI REVIEW*. 9(2), 84–89.
- K R, R., Gopi, S., & Balakrishnan, P. (2022). Introduction to Flavor and Fragrance in Food Processing. In P. Balakrishnan & S. Gopi (Eds.), *ACS Symposium Series* (Vol. 1433, pp. 1–19). American Chemical Society. <https://doi.org/10.1021/bk-2022-1433.ch001>
- Kapoor, B., Bhardwaj, S., Singh, R., Sharma, A., Dolma, Y., Sharma, A., Sharma, N. R., Landi, M., & Kapoor, D. (2025). Multifaceted role of plant polyphenols in human health: A comprehensive review. *Food Science and Biotechnology*. <https://doi.org/10.1007/s10068-025-01991-z>
- Kayaputri, I. L., Sumanti, D. M., Djali, M., Indiarso, R., & Dewi, D. L. (2014). KAJIAN FITOKIMIA EKSTRAK KULIT BIJI KAKAO (*Theobroma cacao* L.). *Chimica et Natura Acta*, 2(1). <https://doi.org/10.24198/cna.v2.n1.9140>
- Krishnaian, K., & Shahabudeen, P. (2012). *Applied design of experiments and taguchi methods*. PHI Learning Private Limited.



- Kumar, S., & Chong, I. (2018). Correlation Analysis to Identify the Effective Data in Machine Learning: Prediction of Depressive Disorder and Emotion States. *International Journal of Environmental Research and Public Health*, 15(12), 2907. <https://doi.org/10.3390/ijerph15122907>
- Kumar, S., & Pandey, A. K. (2013). Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*, 2013(1). <https://doi.org/10.1155/2013/162750>
- Kusuma, Y. T. C., Suwasono, S., & Yuwanti, S. (2013, November). *Pemanfaatan biji kakao inferior campuran sebagai sumber antioksidan dan antibakteri*. Berkala Ilmiah Pertanian.
- Laksono, B. A., Rif'at, N. A., Arsyah, T., 'Afiy, Hanifah, E. A., Astuti, E. W., Rakhmawati, H. R., Cahyani, C. D., Najwa, H., Adyatama, A. Y., Septiyani, D., Rachman, Z. I., Kirana, A. R. M., Purnomo, A. T., & Sari, R. (2023). Evaluation of Oral Preparations of Vitamin E as Antioxidant Using DPPH Method (Diphenyl picrylhydrazyl). *Berkala Ilmiah Kimia Farmasi*, 10(1), 12–16. <https://doi.org/10.20473/bikfar.v10i1.47115>
- Lee, D.-J., Choi, Y.-B., Kim, J. Y., Park, J., Park, J. H., Kim, H.-B., Kim, K. Y., Kim, J. K., & Kwon, E. E. (2025). Thermochemical valorization of pesticide-contaminated cocoa bean shells: Enhancing sustainable energy recovery and minimizing toxic byproducts. *Chemical Engineering Journal*, 509, 161496. <https://doi.org/10.1016/j.cej.2025.161496>
- Lima, M., De Alcantara, M., Ares, G., & Deliza, R. (2019). It is not all about information! Sensory experience overrides the impact of nutrition information on consumers' choice of sugar-reduced drinks. *Food Quality and Preference*, 74, 1–9. <https://doi.org/10.1016/j.foodqual.2018.12.013>
- Liu, S., & Lin, Y. (2011). *Grey Systems*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-16158-2>
- Luciana, L., Ratih, G. A. M., Mokodongan, R. S., Hussein, S., Yusnita, Y., Sayuti, N. A., Rindengan, E. R., Utami, S. M., Maramis, R. N., Nahor, E. M., Tarigan, R. E., Br Barus, L. K. B., Gurning, S. H., Hayati, R., Fitriyana, L., Rintjap, D. S., & Banne, Y. (2025). *Fitokimia dan Farmakognosi* (Jawa Tengah). Media Pustaka Indo.
- Maheshwaran, L., Nadarajah, L., Senadeera, S. P. N. N., Ranaweera, C. B., Chandana, A. K., & Pathirana, R. N. (2024). Phytochemical Testing Methodologies and Principles for Preliminary Screening/ Qualitative Testing. *Asian Plant Research Journal*, 12(5), 11–38. <https://doi.org/10.9734/aprj/2024/v12i5267>
- Minarno, E. B. (2015). SKRINING FITOKIMIA DAN KANDUNGAN TOTAL FLAVANOID PADA BUAH *Carica pubescens* Lenne & K. Koch DI KAWASAN BROMO, CANGAR, DAN DATARAN TINGGI DIENG. *el-Hayah*, 5(2), 73. <https://doi.org/10.18860/elha.v5i2.3022>
- Octaviani, M., Fadhli, H., & Yuneisty, E. (2019). Antimicrobial Activity of Ethanol Extract of Shallot (*Allium cepa* L.) Peels Using the Disc Diffusion Method. *Pharmaceutical Sciences and Research*, 6(1), 62–68. <https://doi.org/10.7454/psr.v6i1.4333>



- Oktavia, F. D., & Sutoyo, S. (2021). SKRINING FITOKIMIA, KANDUNGAN FLAVONOID TOTAL, DAN AKTIVITAS ANTIOKSIDAN EKSTRAK ETANOL TUMBUHAN *Selaginella doederleinii*. *Jurnal Kimia Riset*, 6(2), 141. <https://doi.org/10.20473/jkr.v6i2.30904>
- Parekh, J., & Chanda, S. (2007). *In vitro* Antimicrobial Activity and Phytochemical Analysis of Some Indian Medicinal Plants. 31(1), 53–58.
- Priddy, K. L., & Keller, P. E. (2005). *Artificial Neural Networks: An Introduction*. SPIE. <https://doi.org/10.1117/3.633187>
- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized Methods for the Determination of Antioxidant Capacity and Phenolics in Foods and Dietary Supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302. <https://doi.org/10.1021/jf0502698>
- Rahmadhani, R., Ganda Putra, G. P., & Suhendra, L. (2020). Karakteristik Ekstrak Kulit Biji Kakao (*Theobroma cacao* L.) sebagai Sumber Antioksidan pada Perlakuan Ukuran Partikel dan Waktu Maserasi. *JURNAL REKAYASA DAN MANAJEMEN AGROINDUSTRI*, 8(2), 246. <https://doi.org/10.24843/JRMA.2020.v08.i02.p09>
- Rojo-Poveda, O., Barbosa-Pereira, L., Zeppa, G., & Stévigny, C. (2020). Cocoa Bean Shell—A By-Product with Nutritional Properties and Biofunctional Potential. *Nutrients*, 12(4), 1123. <https://doi.org/10.3390/nu12041123>
- Salsabila, A. F., & Fuadi, A. M. (2023). Pengaruh Waktu Maserasi dan Konsentrasi Pelarut Etanol Terhadap Rendemen dan Aktivitas Antioksidan Kayu Secang. *Jurnal Teknik Indonesia*, 2(2), 87–100. <https://doi.org/10.58860/jti.v2i2.16>
- Sánchez, M., Laca, A., Laca, A., & Díaz, M. (2023). Cocoa Bean Shell: A By-Product with High Potential for Nutritional and Biotechnological Applications. *Antioxidants*, 12(5), 1028. <https://doi.org/10.3390/antiox12051028>
- Schofield, P., Mbugua, D. M., & Pell, A. N. (2001). Analysis of condensed tannins: A review. *Animal Feed Science and Technology*, 91(1–2), 21–40. [https://doi.org/10.1016/S0377-8401\(01\)00228-0](https://doi.org/10.1016/S0377-8401(01)00228-0)
- Shaikh, J. R., & Patil, M. (2020). Qualitative tests for preliminary phytochemical screening: An overview. *International Journal of Chemical Studies*, 8(2), 603–608. <https://doi.org/10.22271/chemi.2020.v8.i2i.8834>
- Shojaei, S., Shojaei, S., Band, S. S., Farizhandi, A. A. K., Ghorogi, M., & Mosavi, A. (2021). Application of Taguchi method and response surface methodology into the removal of malachite green and auramine-O by NaX nanozeolites. *Scientific Reports*, 11(1), 16054. <https://doi.org/10.1038/s41598-021-95649-5>
- Sulasmi, E. S., Saptasari, M., Mawaddah, K., & Ama Zulfia, F. (2019). Tannin Identification of 4 Species Pteridophyta from Baluran National Park. *Journal of Physics: Conference Series*, 1241(1), 012002. <https://doi.org/10.1088/1742-6596/1241/1/012002>
- Tambunan, A. P., Bahtiar, A., & Tjandrawinata, R. R. (2017). Influence of Extraction Parameters on the Yield, Phytochemical, TLC-Densitometric Quantification of Quercetin, and LC-MS Profile, and how to Standardize



- Different Batches for Long Term from *Ageratum conyzoides* L. Leaves. *Pharmacognosy Journal*, 9(6), 767–774. <https://doi.org/10.5530/pj.2017.6.121>
- Terao, J. (2023). Revisiting carotenoids as dietary antioxidants for human health and disease prevention. *Food & Function*, 14(17), 7799–7824. <https://doi.org/10.1039/d3fo02330c>
- Tristantini, D., Ismawati, A., Pradana, B. T., & Jonathan, J. G. (2016, March). Pengujian Aktivitas Antioksidan Menggunakan Metode DPPH pada Daun Tanjung (*Mimusops elengi* L). *Prosiding Seminar Nasional Teknik Kimia Kejuangan 2016*. Seminar Nasional Teknik Kimia Kejuangan 2016, Yogyakarta.
- Upadhya, V., Pai, S. R., & Hegde, H. V. (2015). Effect of method and time of extraction on total phenolic content in comparison with antioxidant activities in different parts of *Achyranthes aspera*. *Journal of King Saud University - Science*, 27(3), 204–208. <https://doi.org/10.1016/j.jksus.2015.04.004>
- Utami, R. R., Supriyanto, S., Rahardjo, S., & Armunanto, R. (2017). Aktivitas Antioksidan Kulit Biji Kakao dari Hasil Penyangraian Biji Kakao Kering pada Derajat Ringan, Sedang dan Berat. *Agritech*, 37(1), 89. <https://doi.org/10.22146/agritech.10454>
- Wahyuni, S., Yunita, I., Sundari, U. Y., Pagalla, D. B., Kalalinggi, S. Y., Alpian, A., Nurmalasarim, E., Suryandani, H., Ramlah, R., & Nasrullah, M. (2024). *Ekstraksi Bahan Alam* (Sumatera Barat). CV Gita Lentera.
- Wulandari, R., & Utomo, P. P. (2019). Skrinning Fitokimia dan Aktivitas Antioksidan Teh Herbal Daun Buas–Buas (*Premna cordifolia* ROXB.). *Jurnal Dinamika Penelitian Industri*, 30(2). <https://doi.org/10.28959/jdpi.v30i2.5525>
- Wulansari, A. N. (2018). Alternatif Cantigi Ungu (*Vaccinium varingiaefolium*). *Jurnal Farmaka Suplemen*, 16(2), 419–429.
- Yumas, M. (2017). PEMANFAATAN LIMBAH KULIT ARI BIJI KAKAO (*Theobroma cacao* L) SEBAGAI SUMBER ANTIBAKTERI *Streptococcus mutans*. (Utilization of Cocoa Beans Epidermis Waste (*Theobroma cacao* L) as Antibacterial *Streptococcus mutans*). *Jurnal Industri Hasil Perkebunan*, 12(2), 7. <https://doi.org/10.33104/jihp.v12i2.2764>
- Ziti, A., Hartiti, B., Labrim, H., Fadili, S., Tahri, M., Belafhaili, A., Ridah, A., & Thevenin, P. (2019). Application of Taguchi method to optimize the sol–gel dip-coating process of the semiconductor $\text{Cu}_2\text{ZnSnS}_4$ with good optical properties. *Journal of Sol-Gel Science and Technology*, 91(2), 364–373. <https://doi.org/10.1007/s10971-019-05040-0>