

DAFTAR PUSTAKA

- [1] L. Stats, “Llm leaderboard,” accessed: 24 July 2025. [Online]. Available: <https://llm-stats.com/>
- [2] K. Enevoldsen *et al.*, “Mmteb: Massive multilingual text embedding benchmark,” *arXiv preprint arXiv:2502.13595*, 2025. [Online]. Available: <https://arxiv.org/abs/2502.13595>
- [3] D. Edge, H. Trinh, N. Cheng, J. Bradley, A. Chao, A. Mody, S. Truitt, D. Metropolitansky, R. O. Ness, and J. Larson, “From local to global: A graph rag approach to query-focused summarization,” 2025. [Online]. Available: <https://arxiv.org/abs/2404.16130>
- [4] G. . M. D. Collaborators, “Global, regional, and national burden of 12 mental disorders in 204 countries and territories, 1990–2019: a systematic analysis for the global burden of disease study 2019,” *The Lancet Psychiatry*, vol. 9, no. 2, pp. 137–150, 2022.
- [5] Center for Reproductive Health, University of Queensland, and Johns Hopkins Bloomberg School of Public Health, “Indonesia - national adolescent mental health survey (i-namhs): Laporan penelitian,” Pusat Kesehatan Reproduksi, Yogyakarta, Indonesia, Tech. Rep., 2022, edisi pertama, Oktober 2022.
- [6] World Health Organization, *World mental health report: transforming mental health for all*. Geneva: World Health Organization, 2022, licence: CC BY-NC-SA 3.0 IGO. Available: <https://www.who.int/publications/i/item/9789240049338>.
- [7] S. Kelly, S.-A. Kaye, and O. Oviedo-Trespalacios, “A multi-industry analysis of the future use of ai chatbots,” *Human Behavior and Emerging Technologies*, vol. 2022, no. 1, p. 2552099, 2022. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1155/2022/2552099>
- [8] K. K. Fitzpatrick, A. Darcy, and M. Vierhile, “Delivering cognitive behavior therapy to young adults with symptoms of depression and anxiety using a fully automated conversational agent (woebot): A randomized controlled trial,” *JMIR Ment Health*, vol. 4, no. 2, p. e19, Jun 2017. [Online]. Available: <http://mental.jmir.org/2017/2/e19/>
- [9] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W. tau Yih, T. Rocktäschel, S. Riedel, and D. Kiela, “Retrieval-augmented generation for knowledge-intensive nlp tasks,” 2021. [Online]. Available: <https://arxiv.org/abs/2005.11401>
- [10] X. Chen, S. Jia, and Y. Xiang, “A review: Knowledge reasoning over knowledge graph,” *Expert systems with applications*, vol. 141, p. 112948, 2020.
- [11] S. Choi and Y. Jung, “Knowledge graph construction: Extraction, learning, and evaluation,” *Applied Sciences*, vol. 15, no. 7, 2025. [Online]. Available: <https://www.mdpi.com/2076-3417/15/7/3727>

- [12] J. Weizenbaum, “Eliza—a computer program for the study of natural language communication between man and machine,” *Communications of the ACM*, vol. 9, no. 1, pp. 36–45, 1966.
- [13] UGM, “Layanan chatbot “lintang”,” 2023. [Online]. Available: <https://hpu.ugm.ac.id/layanan-chatbot-lintang/>
- [14] H. Yu and S. McGuinness, “An experimental study of integrating fine-tuned llms and prompts for enhancing mental health support chatbot system,” *Journal of Medical Artificial Intelligence*, pp. 1–16, 2024.
- [15] B. Chen, Z. Zhang, N. Langrené, and S. Zhu, “Unleashing the potential of prompt engineering for large language models,” 2025. [Online]. Available: <https://arxiv.org/abs/2310.14735>
- [16] J. Kaddour, J. Harris, M. Mozes, H. Bradley, R. Raileanu, and R. McHardy, “Challenges and applications of large language models,” 2023. [Online]. Available: <https://arxiv.org/abs/2307.10169>
- [17] T. Brown *et al.*, “Language models are few-shot learners,” in *Advances in Neural Information Processing Systems*, H. Larochelle, M. Ranzato, R. Hadsell, M. Balcan, and H. Lin, Eds., vol. 33. Curran Associates, Inc., 2020, pp. 1877–1901. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2020/file/1457c0d6bfc4967418bfb8ac142f64a-Paper.pdf
- [18] Q. Dong, L. Li, D. Dai, C. Zheng, J. Ma, R. Li, H. Xia, J. Xu, Z. Wu, T. Liu, B. Chang, X. Sun, L. Li, and Z. Sui, “A survey on in-context learning,” 2024. [Online]. Available: <https://arxiv.org/abs/2301.00234>
- [19] N. Noy, Y. Gao, A. Jain, A. Narayanan, A. Patterson, and J. Taylor, “Industry-scale knowledge graphs: Lessons and challenges: Five diverse technology companies show how it’s done,” *Queue*, vol. 17, no. 2, pp. 48–75, Apr. 2019. [Online]. Available: <https://doi.org/10.1145/3329781.3332266>
- [20] R. Angles, “A comparison of current graph database models,” in *2012 IEEE 28th International Conference on Data Engineering Workshops*, 2012, pp. 171–177.
- [21] V. A. Traag, L. Waltman, and N. J. van Eck, “From louvain to leiden: guaranteeing well-connected communities,” *Scientific Reports*, vol. 9, no. 1, p. 5233, 2019. [Online]. Available: <https://doi.org/10.1038/s41598-019-41695-z>
- [22] E. D. Liddy, “Natural language processing,” 2001.
- [23] D. Khurana, A. Koli, K. Khatter, and S. Singh, “Natural language processing: state of the art, current trends and challenges,” *Multimedia Tools and Applications*, vol. 82, no. 3, pp. 3713–3744, Jul. 2022. [Online]. Available: <http://dx.doi.org/10.1007/s11042-022-13428-4>
- [24] D. A. Scherbakov, N. C. Hubig, L. A. Lenert, A. V. Alekseyenko, and J. S. Obeid, “Natural language processing and social determinants of health in mental health research: Ai-assisted scoping review,” *JMIR Ment Health*, vol. 12, p. e67192, Jan 2025. [Online]. Available: <https://mental.jmir.org/2025/1/e67192>

- [25] R. Y. Choi, A. S. Coyner, J. Kalpathy-Cramer, M. F. Chiang, and J. P. Campbell, "Introduction to machine learning, neural networks, and deep learning," *Translational vision science & technology*, vol. 9, no. 2, pp. 14–14, 2020.
- [26] I. Goodfellow, "Deep learning," 2016.
- [27] Y. Chang, X. Wang, J. Wang, Y. Wu, L. Yang, K. Zhu, H. Chen, X. Yi, C. Wang, Y. Wang *et al.*, "A survey on evaluation of large language models," *ACM transactions on intelligent systems and technology*, vol. 15, no. 3, pp. 1–45, 2024.
- [28] H. R. Saeidnia, "Welcome to the gemini era: Google deepmind and the information industry," *Library Hi Tech News*, no. ahead-of-print, 2023.
- [29] G. Comanici, E. Bieber, M. Schaekermann, I. Pasupat, N. Sachdeva, I. Dhillon, M. Blistein, O. Ram, D. Zhang, E. Rosen *et al.*, "Gemini 2.5: Pushing the frontier with advanced reasoning, multimodality, long context, and next generation agentic capabilities," *arXiv preprint arXiv:2507.06261*, 2025.
- [30] A. Hurst, A. Lerer, A. P. Goucher, A. Perelman, A. Ramesh, A. Clark, A. Ostrow, A. Welihinda, A. Hayes, A. Radford *et al.*, "Gpt-4o system card," *arXiv preprint arXiv:2410.21276*, 2024.
- [31] D. Jurafsky and J. H. Martin, *Speech and Language Processing: An Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition with Language Models*, 3rd ed., 2025, online manuscript released January 12, 2025. [Online]. Available: <https://web.stanford.edu/~jurafsky/slp3/>
- [32] K. Bostrom and G. Durrett, "Byte pair encoding is suboptimal for language model pretraining," *arXiv preprint arXiv:2004.03720*, 2020.
- [33] G. Strang, *Introduction to linear algebra*. Wellesley - Cambridge Press, 2009.
- [34] P. Xia, L. Zhang, and F. Li, "Learning similarity with cosine similarity ensemble," *Information sciences*, vol. 307, pp. 39–52, 2015.
- [35] P. N. Singh, S. Talasila, and S. V. Banakar, "Analyzing embedding models for embedding vectors in vector databases," in *2023 IEEE International Conference on ICT in Business Industry & Government (ICTBIG)*. IEEE, 2023, pp. 1–7.
- [36] J. Beall, "The weaknesses of full-text searching," *The Journal of Academic Librarianship*, vol. 34, no. 5, pp. 438–444, 2008.
- [37] MongoDB. (2025) Full-text search: What is it and how it works. Accessed: 2025-09-03. [Online]. Available: <https://www.mongodb.com/resources/basics/full-text-search#what-is-fulltext-search>
- [38] Y. Han, C. Liu, and P. Wang, "A comprehensive survey on vector database: Storage and retrieval technique, challenge," *arXiv preprint arXiv:2310.11703*, 2023.
- [39] S. Paul, A. Mitra, and C. Koner, "A review on graph database and its representation," in *2019 International Conference on Recent Advances in Energy-efficient Computing and Communication (ICRAECC)*, 2019, pp. 1–5.

- [40] A. Singhal. (2012) Introducing the knowledge graph: things, not strings. 2020-11-13. [Online]. Available: <https://www.blog.google/products/search/introducing-knowledge-graph-things-not/>
- [41] H. Paulheim, “Knowledge graph refinement: A survey of approaches and evaluation methods,” *Semantic web*, vol. 8, no. 3, pp. 489–508, 2016.
- [42] Y. Yao, Y. Zeng, N. Zhong, and X. Huang, “Knowledge retrieval (kr),” in *IEEE/WI-C/ACM International Conference on Web Intelligence (WI’07)*, 2007, pp. 729–735.
- [43] D. M. W. Powers, “Evaluation: from precision, recall and f-measure to roc, informedness, markedness and correlation,” 2020. [Online]. Available: <https://arxiv.org/abs/2010.16061>
- [44] N. Craswell, “Mean reciprocal rank,” in *Encyclopedia of database systems*. Springer, 2016, pp. 1–1.
- [45] S. Es, J. James, L. E. Anke, and S. Schockaert, “Ragas: Automated evaluation of retrieval augmented generation,” in *Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguistics: System Demonstrations*, 2024, pp. 150–158.
- [46] R. Mohemad, A. R. Hamdan, Z. A. Othman, and N. Noor, “Automatic document structure analysis of structured pdf files,” *International Journal of New Computer Architectures and their Applications (IJNCAA)*, vol. 1, no. 2, pp. 404–411, 2011.
- [47] D. Rein, B. L. Hou, A. C. Stickland, J. Petty, R. Y. Pang, J. Dirani, J. Michael, and S. R. Bowman, “GPQA: A graduate-level google-proof q&a benchmark,” in *First Conference on Language Modeling*, 2024. [Online]. Available: <https://openreview.net/forum?id=Ti67584b98>
- [48] 2025. [Online]. Available: https://www.nlm.nih.gov/research/umls/META3_current_semantic_types.html