



REFERENCES

- Ahmad, E., Lim, S., Lamptey, R., Webb, D. R., & Davies, M. J., 2022, Type 2 diabetes, *The Lancet*, 400(10365), 1803–1820.
- Antony, P., & Vijayan, R., 2021, Bioactive peptides as potential nutraceuticals for diabetes therapy: A comprehensive review, *International Journal of Molecular Sciences*, 22(16), 9059.
- Atanasova, J., & Ivanova, I., 2010, Antibacterial peptides from goat and sheep milk proteins, *Biotechnology & Biotechnological Equipment*, 24(2), 1799–1803.
- Ballabio, C., Chessa, S., Rignanese, D., Gigliotti, C., Pagnacco, G., Terracciano, L., Fiocchi, A., Restani, P., Caroli, A. M., 2011, Goat milk allergenicity as a function of α S1-casein genetic polymorphism, *Journal of Dairy Science*, 94(2), 998–1004.
- Blaszczyk, M., Kurcinski, M., Kouza, M., Wieteska, L., Debinski, A., Kolinski, A., dan Kmiecik, S., 2016, Modeling of Protein–Peptide Interactions Using the CABS-Dock Web Server for Binding Site Search and Flexible Docking, *Methods*, 93, 72–83.
- Brayer, G. D., Sidhu, G., Maurus, R., Rydberg, E. H., Braun, C., Wang, Y., Nguyen, N.T., Overall, C.M., Withers, S. G., 2000, Subsite mapping of the human pancreatic α -amylase active site through structural, kinetic, and mutagenesis techniques, *Biochemistry*, 39(16), 4778–4791.
- Butterworth, P.J., Bajka, B.H., Edwards, C.H., Warren, F.J., Ellis, P.R., 2022, Enzyme kinetic approach for mechanistic insight and predictions of in vivo starch digestibility and the glycaemic index of foods, *Trends in Food Science & Technology*, 120, 254-264.
- Cheng, Y., & Prusoff, W. H., 1973, Relationship between the inhibition constant (K_i) and the concentration of inhibitor which causes 50 per cent inhibition (IC_{50}) of an enzymatic reaction, *Biochemical Pharmacology*, 22(23), 3099–3108.
- Coin, I., Beyermann, M., & Bienert, M., 2007, Solid-phase peptide synthesis: From standard procedures to the synthesis of difficult sequences, *Nature Protocols*, 2(12), 3247–3256.
- Eisenthal, R., & Danson, M. J., 2002, *Enzyme Assays* (2nd ed.), Oxford University Press.



- Fadimu, G. J., Farahnaky, A., Gill, H., Olalere, O. A., Gan, C., & Truong, T., 2022, In-silico analysis and antidiabetic effect of α -amylase and α -glucosidase inhibitory peptides from lupin protein hydrolysate: Enzyme-peptide interaction study using molecular docking approach, *Foods*, 11(3375), 1–20.
- Gopal, B.A., & Muralikrishna, G., 2009, Porcine pancreatic α -amylase and its isoforms: Purification and kinetic studies, *International Journal of Food Properties*, 12(3), 571–586.
- Gupta, R., Gigras, P., Mohapatra, H., Goswami, V. K., & Chauhan, B., 2003, Microbial α -amylases: A biotechnological perspective, *Process Biochemistry*, 38(11), 1599–1616.
- Hammam, A. R. A., Salman, S. M., Elfaruk, M. S., & Alsaleem, K. A., 2021, Goat milk: Compositional, technological, nutritional, and therapeutic aspects, *Preprints*, 2021, 2021080097.
- Hossain, M. J., Al-Mamun, M., & Islam, M. R., 2024, Diabetes mellitus, the fastest growing global public health concern: Early detection should be focused, *Health Science Reports*, 7(e2004), 1–8.
- Hussain, I., Siddique, F., Mahmood, M. S., & Ahmed, S. I., 2013, A review of the microbiological aspect of α -amylase production, *International Journal of Agriculture and Biology*, 15(5), 1029–1034.
- Karimi, A., Azizi, M. H., & Ahmadi Gavlighi, H., 2020, Fractionation of hydrolysate from corn germ protein by ultrafiltration: In vitro antidiabetic and antioxidant activity, *Food Science & Nutrition*, 8(4), 2395–2405.
- Kitts, D. D., & Weiler, K., 2003, Bioactive proteins and peptides from food sources: Application of bioprocesses used in isolation and recovery, *Current Pharmaceutical Design*, 9(16), 1309–1323.
- Korhonen, H., 2009, Milk-derived bioactive peptides: From science to applications, *Journal of Functional Foods*, 1(2), 177–187.
- Kurcinski, M., Jamroz, M., Blaszczyk, M., Kolinski, A., & Kmiecik, S., 2015, CABS-dock web server for the flexible docking of peptides to proteins without prior knowledge of the binding site, *Nucleic Acids Research*, 43(W1), W419–W424.



- Lad, S. S., Aparnathi, K. D., Mehta, B., & Velpula, S., 2017, Goat milk in human nutrition and health: A review, *International Journal of Current Microbiology and Applied Sciences*, 6(5), 1781–1792.
- Lozanov, V., Karshikoff, A., & Atanasov, B., 1997, Conformational properties of proline-containing peptides: Implications for binding specificity, *Protein Science*, 6(9), 1870–1877.
- Magliano, D., & Boyko, E. J., 2021, *IDF diabetes atlas* (10th ed.), International Diabetes Federation.
- Mahdi, C., Untari, H., Padaga, M. C., & Raharjo, S. J., 2018, The characterization of bioactive peptides of goat milk fermented to activities as anti-hypercholesterolemia, *International Food Research Journal*, 25(1), 17–23.
- Marengo, M., Pezzilli, D., Gianquinto, E., Fissore, A., Oliaro-Bosso, S., Sgorbini, B., Spyraakis, F., & Adinolfi, S., 2022, Evaluation of porcine and *Aspergillus oryzae* α -amylases as possible models for the human enzyme, *Processes*, 10(4), 780.
- Megazyme, 2012, *Alpha-amylase assay procedure (Ceralpha method, K-CERA 01/12) for the measurement of plant and microbial alpha-amylases*, Megazyme International Ireland.
- Michael dos Santos, W., Guimarães Gomes, A.C., Suelleny de Caldas Nobre, M., Souza Pereira, Á.M., Virgínia dos Santos Pereira, E., Olbrich dos Santos, K.M., Florentino, E.R., & Alonso Buriti, F.C., 2022, Goat milk as a natural source of bioactive compounds and strategies to enhance the amount of these beneficial components, *International Dairy Journal*.
- Mittal, A. dan Acharya, C., 2013, Protein folding: is it simply surface to volume minimization?, *J. Biomol Struct. Dyn.*, 31, 953–955.
- Mondal, A., Chang, L., dan Perez, A., 2022, Modelling peptide–protein complexes: docking, simulations and machine learning, *QRB Discov.*, 3, e17.
- Mudgil, P., Al Dhaheri, M. K. O., Alsubousi, M. S. M., Khan, H., Redha, A. A., Yap, P. G., Gan, C. Y., & Maqsood, S., 2024, Molecular docking studies on α -amylase inhibitory peptides from milk of different farm animals, *Journal of dairy science*, 107(5), 2633–2652.



- Ngoh, Y. Y., & Gan, C. Y., 2018, The role of hydrophobic amino acids in enhancing α -amylase inhibitory peptides, *Journal of Enzyme Inhibition and Medicinal Chemistry*, 33(1), 558–569.
- Nguyen, T. H., Tran, T. T., Do, T. N., & Le, T. T., 2014, Structural insights into α -amylase inhibition by peptides: Binding modes and interactions, *Frontiers in Chemistry*, 2, 30.
- Oliveira, H. M., Pinheiro, A. Q., Fonseca, A. J. M., Cabrita, A. R. J., & Maia, M. R. G., 2019, Flexible and expeditious assay for quantitative monitoring of α -amylase and amyloglucosidase activities, *MethodsX*, 6, 246–258.
- Palsson, B., 2000, The challenges of in silico biology, *Nature Biotechnology*, 18(11), 1147–1150.
- Park, Y. W., Juarez, M., Ramos, M., & Haenlein, G. F. W., 2007, Physico-chemical characteristics of goat and sheep milk, *Small Ruminant Research*, 68(1–2), 88–113.
- Patil, P., Mandal, S., Tomar, S. K., & Anand, S., 2015, Food protein-derived bioactive peptides in management of type 2 diabetes, *European Journal of Nutrition*, 54(6), 863–880.
- Pinzi, L., & Rastelli, G., 2019, Molecular docking: Shifting paradigms in drug discovery, *International Journal of Molecular Sciences*, 20(18), 4331.
- Rentzsch, R., & Renard, B. Y., 2015, Docking small peptides remains a great challenge: An assessment using AutoDock Vina, *Briefings in Bioinformatics*, 16(6), 1045–1056.
- Rey, J., Murail, S., de Vries, S., Derreumaux, P., & Tuffery, P., 2023, PEP-FOLD4: A pH-dependent force field for peptide structure prediction in aqueous solution, *Nucleic Acids Research*, 51(W1), W432–W437.
- Roche, D. B., Brackenridge, D. A., & McGuffin, L. J., 2015, Proteins and their interacting partners: An introduction to protein–ligand binding site prediction methods, *International Journal of Molecular Sciences*, 16(12), 29829–29842.
- Rodhi, A., Pratama, R. Y., Hidayat, M., & Suryadi, J., 2024, Emerging patterns of amino acid residues in α -amylase inhibition: A computational and structural study, *Journal of Molecular Catalysis B: Enzymatic*, 207, 112146.



- Rydberg, E. H., Li, C., Maurus, R., Overall, C. M., Brayer, G. D., & Withers, S. G., 2002, Mechanistic analyses of catalysis in human pancreatic α -amylase: Detailed kinetic and structural studies of mutants of three conserved carboxylic acids, *Biochemistry*, 41(13), 4492–4502.
- Srinivasan, B., & Lloyd, M. D., 2024, Dose–response curves and the determination of IC₅₀ and EC₅₀ values, *Journal of Medicinal Chemistry*, 67(20), 17931–17934.
- Sumlang, G. H. P., Handoyo, R. L., Laksitorini, M. D., Astuti, E., & Raharjo, T. J., 2025, Goat milk casein peptides as potential α -amylase inhibitors: A computational and experimental approach, *Indonesian Journal of Chemistry*, 25(3), 770–786.
- Tan, S. Y., Mei Wong, J. L., Sim, Y. J., Wong, S. S., Mohamed Elhassan, S. A., Tan, S. H., Ling Lim, G. P., Rong Tay, N. W., Annan, N. C., Bhattamisra, S. K., & Candasamy, M., 2019, Type 1 and 2 diabetes mellitus: A review on current treatment approach and gene therapy as potential intervention, *Diabetes & metabolic syndrome*, 13(1), 364–372.
- Tao, X., Huang, Y., Wang, C., Chen, F., Yang, L., Ling, L., Che, Z., & Chen, X., 2020, Recent developments in molecular docking technology applied in food science: A review, *International Journal of Food Science & Technology*, 55(1), 33–45.
- Todkar, S., 2016, Diabetes mellitus, the ‘silent killer’ of mankind: An overview on the eve of upcoming World Health Day, *Journal of Medical and Allied Sciences*, 6(1), 39–44.
- Trabuco, L.G., Lise, S., Petsalaki, E., dan Russell, R.B., 2012, PepSite: prediction of peptide-binding sites from protein surfaces, *Nucleic Acids Res.*, 40, W423–W427.
- Tysoe, C., Smith, J., Johnson, R., & Patel, P., 2016, Hydrophobic effects in peptide binding to α -amylase: Implications for peptide inhibitor design, *Biochimica et Biophysica Acta (BBA) – Proteins and Proteomics*, 1864(12), 1890–1898.
- de Vries, S. J., van Dijk, M., & Bonvin, A. M. J. J., 2010, The HADDOCK web server for data-driven biomolecular docking, *Nature Protocols*, 5(5), 883–897.
- Xiao, Z. Z., Storms, R., & Tsang, A., 2006, A quantitative starch–iodine method for measuring α -amylase and glucoamylase activities, *Analytical Biochemistry*, 351(1), 146–148.



Zhang, B., Xing, Y., Wen, C., Yu, X., Sun, W., Xiu, Z., & Dong, Y., 2017, Pentacyclic triterpenes as α -glucosidase and α -amylase inhibitors: Structure–activity relationships and the synergism with acarbose, *Bioorganic & Medicinal Chemistry Letters*, 27(22), 5065–5070.

Zhang, Y., Chen, R., Ma, H., & Chen, S., 2015, Isolation and identification of dipeptidyl peptidase IV-inhibitory peptides from trypsin/chymotrypsin-treated goat milk casein hydrolysates by 2D-TLC and LC-MS/MS, *Journal of Agricultural and Food Chemistry*, 63(40), 8819–8828.