

## REFERENCES

- [1] B. Graham, “Enhancements in electrical impedance tomography (eit) image reconstruction for 3d lung imaging,” Ph.D. dissertation, University of Ottawa, 2007.
- [2] J. Guerreiro, “A biosignal embedded system for physiological computing,” Ph.D. dissertation, Instituto Superior de Engenharia de Lisboa, 2013.
- [3] Ecg electrodes. [Online]. Available: <https://www.nvk.com.tw/ECG-electrodes.htm>
- [4] A. D. Baihaqi, “Boundary adaptive electrical impedance tomography (ba-eit) untuk mengestimasi batas area model pembengkakan kaki,” Sleman, Special Region of Yogyakarta, Indonesia, July 2024.
- [5] S. Kulovec, “Global minimization of vertex height differences for freeform architectural design,” *Journal of Software Engineering and Applications*, vol. 05, pp. 659–663, 01 2012.
- [6] H. Hiester, M. Piggott, P. Farrell, and P. Allison, “Assessment of spurious mixing in adaptive mesh simulations of the two-dimensional lock-exchange,” *Ocean Modelling*, vol. 73, pp. 30–44, 2014. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1463500313001844>
- [7] Widyasari, “Reinterpretasi permukaan dimensi tiga menggunakan metode delaunay triangulation dengan pendekatan luminansi pada citra wajah manusia,” Master’s thesis, Institut Teknologi Sepuluh Nopember, 2015.
- [8] J. R. Shewchuk, “Triangle: Engineering a 2d quality mesh generator and delaunay triangulator,” in *Workshop on Applied Computational Geometry*. Springer, 1996, pp. 203–222.
- [9] M. Komarudin, “Resistor network analogy of non-obtuse finite element model for electrical impedance tomography,” *Electrician: Jurnal Rekayasa dan Teknologi Elektro*, vol. 1, no. 1, pp. 1–10, 2007.
- [10] B. Liu, B. Yang, C. Xu, J. Xia, M. Dai, Z. Ji, F. You, X. Dong, X. Shi, and F. Fu, “pyeit: A python based framework for electrical impedance tomography,” *SoftwareX*, vol. 7, pp. 304–308, 2018. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2352711018301407>
- [11] Core Electronics, “Nucleo-f446re (stm32f446re) development board,” <https://core-electronics.com.au/nucleo-f446re-stm32f446re-nucleo-board.html>, 2025, sTM32 Nucleo-64 board with STM32F446RET6 MCU, ST-LINK/V2-1 debugger, Arduino Morpho headers.
- [12] W. C. Röntgen, “On a new kind of rays,” *Science*, 1895.
- [13] P. C. Lauterbur, “Image formation by induced local interactions: Examples employing nuclear magnetic resonance,” *Nature*, vol. 242, p. 190–191, 1973.
- [14] W. A. Kalender, “Computed tomography: Fundamentals, system technology, image quality, applications,” *Publicis*, 2011.

- [15] D. J. Brenner and E. J. Hall, "Computed tomography — an increasing source of radiation exposure," *New England Journal of Medicine*, vol. 357, no. 22, p. 2277–2284, 2007.
- [16] M. S. e. a. Davenport, "Contrast material-induced nephrotoxicity and direct tubular toxicity," *Journal of the American College of Radiology*, 2013.
- [17] D. W. McRobbie, "Mri from picture to proton," 2017.
- [18] B. e. a. Zhou, "Medical imaging costs and their impact on healthcare systems," *Health Economics*, vol. 25, p. 336–340, 2016.
- [19] D. Holder, "Electrical impedance tomography: Methods, history and applications," *IOP Publishing*, 2005.
- [20] D. S. Holder, "Electrical impedance tomography (eit) of brain function," *Brain Tomography*, vol. 18, no. 2, p. 115–129, 2005.
- [21] I. Frerichs, "Electrical impedance tomography: a new technique for monitoring regional lung ventilation," *Respiration*, vol. 67, p. 317–325, 2000.
- [22] B. Brown, "Electrical impedance tomography (eit): a review," *Journal of Medical Engineering & Technology*, vol. 27, p. 97–108, 2003.
- [23] A. Adler and W. R. B. Lionheart, "Uses and abuses of eit: Applications, limitations, and opportunities," *Physiological Measurement*, vol. 27, p. S25–S42, 2006.
- [24] S. R. Arridge and W. R. B. Lionheart, "Nonuniqueness in impedance tomography," *Inverse Problems*, vol. 14, p. L105–L113, 1998.
- [25] M. e. a. Vauhkonen, "Image reconstruction in electrical impedance tomography: Error modelling and estimation," *Physiological Measurement*, vol. 20, no. 2, p. 121–132, 1999.
- [26] A. Adler and R. Guardo, "Electrical impedance tomography: regularized imaging and contrast detection," *IEEE Transactions on Medical Imaging*, vol. 15, no. 2, p. 170–179, 1996.
- [27] S. Grimnes and G. Martinsen, "Bioimpedance and bioelectricity basics," 2014.
- [28] T. I. e. a. Oh, "Multi-frequency electrical impedance tomography system and preliminary phantom experiments for stroke detection," *Physiological Measurement*, vol. 32, p. 199–211, 2011.
- [29] R. J. e. a. Halter, "A phantom for electrical impedance tomography with reconfigurable conductivity distributions," *IEEE Transactions on Biomedical Engineering*, vol. 55, no. 12, p. 2620–2631, 2008.
- [30] Y. Zhang *et al.*, "3d printed head phantoms for electrical impedance tomography," *Physiological Measurement*, vol. 38, p. 1116–1131, 2017.
- [31] R. Bayford, "Bioimpedance tomography (electrical impedance tomography)," *Annual Review of Biomedical Engineering*, vol. 8, p. 63–91, 2006.

- [32] H. Gagnon, M. Cousineau, A. Adler, and A. E. Hartinger, "A resistive mesh phantom for assessing the performance of eit systems," *IEEE Transactions on Biomedical Engineering*, vol. 57, no. 9, pp. 2257–2266, 2010.
- [33] Y. Wu, Q. Guo, W. Lu, J. Huang, L. Ying, M. Chen, and Y. Li, "A thorax-like mesh phantom for testing electrical impedance tomography system performance," in *2021 19th IEEE International New Circuits and Systems Conference (NEWCAS)*, 2021, pp. 1–4.
- [34] W. Lu, Q. Guo, J. Huang, Y. Wu, C. Wang, J. Zhao, and Y. Li, "Design automation of a dynamic thorax-like mesh phantom for evaluating the performance of electrical impedance tomography system," *IEEE Open Journal of Instrumentation and Measurement*, vol. 1, pp. 1–9, 2022.
- [35] A. Zarafshani, T. Qureshi, T. Bach, C. R. Chatwin, and M. Soleimani, "A 3d multi-frequency response electrical mesh phantom for validation of the planar structure eit system performance," in *Proc. IEEE Int. Conf. Electro Information Technology (EIT)*, 2016, pp. 0600–0604.
- [36] T. Menden, J. Orschulik, K. Leonhardt, M. Slimi, and M. Walter, "Development of an electrical phantom for multi-frequency electrical impedance tomography based on the visible human project," 2018. [Online]. Available: <https://api.semanticscholar.org/CorpusID:54050527>
- [37] Y. Wu, D. Jiang, N. Neshatvar, F. F. Hanzae, and A. Demosthenous, "Towards a universal methodology for performance evaluation of electrical impedance tomography systems using full reference snr," in *2020 IEEE International Symposium on Circuits and Systems (ISCAS)*, 2020, pp. 1–5.
- [38] F. D. A. Dias, P. Wiedemann, M. J. Da Silva, E. Schleicher, and U. Hampel, "Combined finite element and electronic circuit model of a wire-mesh sensor," *IEEE Access*, vol. 9, pp. 66 309–66 322, 2021.
- [39] A. Adler and D. Holder, "Electrical impedance tomography: methods, history and applications," 2021.
- [40] M. N. S. C. K. Alexander and M. Sadiku, *Fundamentals of electric circuits*. McGraw-Hill Higher Education Boston, 2007.
- [41] B. Media. Lcr meter guide. [Online]. Available: [https://bkpmedia.s3.amazonaws.com/downloads/guides/en-us/lcr\\_meter\\_guide.pdf](https://bkpmedia.s3.amazonaws.com/downloads/guides/en-us/lcr_meter_guide.pdf)
- [42] I. Labs. (2022) Iet lcr primer, 1st edition. [Online]. Available: [https://www.ietlabs.com/pdf/application\\_notes/030122%20IET%20LCR%20PRIMER%201st%20Edition.pdf](https://www.ietlabs.com/pdf/application_notes/030122%20IET%20LCR%20PRIMER%201st%20Edition.pdf)
- [43] Hioki. Lcr meter measurement principles | hioki. [Online]. Available: [https://www.hioki.com/us-en/learning/usage/lcr-meters\\_1.html](https://www.hioki.com/us-en/learning/usage/lcr-meters_1.html)
- [44] L. Callegaro, *Electrical impedance: principles, measurement, and applications*. CRC Press, 2012.

- [45] H. Laurila. Resistance measurement; 2, 3 or 4 wire connection – how does it work and which to use? [Online]. Available: <https://blog.beamex.com/resistance-measurement-2-3-or-4-wire-connection>
- [46] V. Dumbrava and L. Svilainis, “The automated complex impedance measurement system,” *Elektronika ir elektrotechnika*, no. 4, pp. 59–62, 2007.
- [47] H. Jie, Z. Zhao, F. Fei, K. Y. See, R. Simanjorang, and F. Sasongko, “A survey of impedance measurement methods in power electronics,” in *2022 IEEE International Instrumentation and Measurement Technology Conference (I2MTC)*. IEEE, 2022, pp. 1–6.
- [48] W. Hayt and J. Buck, *Engineering Electromagnetics*. The McGraw-Hill Companies, Inc., 2012.
- [49] R. D. Knight, *Physics for Scientists and Engineers*. W. Ross MacDonald School Resource Services Library, 2015.
- [50] F. Pennati, A. Angelucci, L. Morelli, S. Bardini, E. Barzanti, F. Cavallini, A. Conelli, G. Di Federico, C. Paganelli, and A. Aliverti, “Electrical impedance tomography: from the traditional design to the novel frontier of wearables,” *Sensors*, vol. 23, no. 3, p. 1182, 2023.
- [51] M. Simić, Z. Babić, V. Risojević, and G. M. Stojanović, “A novel non-iterative method for real-time parameter estimation of the fricke-morse model,” *Advances in Electrical and Computer Engineering*, vol. 16, no. 4, pp. 57–62, 2016.
- [52] B. M. Graham, “Enhancements in electrical impedance tomography (EIT) image reconstruction for 3D lung imaging,” Citeseer, Tech. Rep., 2007.
- [53] T. T. T. Togawa and P. Oberg, *Biomedical Sensors and Instruments*. CRC Press, 2011. [Online]. Available: <https://books.google.co.id/books?id=KQrLBQAAQBAJ>
- [54] B. Brazey, Y. Haddab, and N. Zemiti, “Robust imaging using electrical impedance tomography: review of current tools,” *Proceedings. Mathematical, Physical, and Engineering Sciences*, vol. 478, no. 2258, p. 20210713, feb 2022.
- [55] A. V. Pantaleão, C. R. de Andrade, and E. L. Zapparoli, “A review of the delaunay mesh generation for heat transfer finite element analysis,” 2003. [Online]. Available: <https://api.semanticscholar.org/CorpusID:125846907>
- [56] G. Allal, “My collaboration with gerhard schmeisser on delaunay triangulation, voronoi diagrams and their optimality criteria in multidimensional numerical integration,” 01 2018.
- [57] J. R. Shewchuk, “Delaunay refinement algorithms for triangular mesh generation,” *Computational Geometry*, vol. 22, no. 1-3, pp. 21–74, 2002.
- [58] P. Faia, R. Silva, M. Rasteiro, F. Garcia, A. Ferreira, M. Santos, J. Santos, and A. Coimbra, “Imaging particulate two-phase flow in liquid suspensions, with electric impedance tomography,” *Particulate Science and Technology - PARTICULATE SCI TECHNOLOGY*, vol. 30, 07 2012.

[59] L. Borcea, "Electrical impedance tomography," *Inverse Problems*, vol. 18, no. 6, p. R99, 2002.

[60] P. N. Darma, M. R. Baidillah, M. W. Sifuna, and M. Takei, "Real-time dynamic imaging method for flexible boundary sensor in wearable electrical impedance tomography," *IEEE Sensors Journal*, vol. 20, no. 16, pp. 9469–9479, 2020.

[61] R. A. et al., "metode elemen hingga dan volume hingga untuk menyelesaikan problem maju dan balik tomografi impedansi elektrik," Ph.D. dissertation, Universitas Airlangga, 2018.

[62] ARM Mbed, "ST Nucleo-F446RE," Online, n.d. [Online]. Available: <https://os.mbed.com/platforms/ST-Nucleo-F446RE/>