

DAFTAR PUSTAKA

- Allewijn, R., 1990, Remote Sensing and Runoff Modelling in Alpine Areas: A Landsat Supported conceptual semi-distributed rainfall-runoff model, applied to the N-Italian Alps, *Academisch Proefschrift*, Vrije Universiteit Te Amsterdam, Amsterdam.
- Anomin, 1974, *International Glossary of Hydrology*, UNESCO-WMO.
- _____, 1982, Pengukuran, Perencanaan dan Penelitian Erosi/Sedimentasi di Catchment Area Waduk Wonogiri, *Laporan Penelitian*, Sub Dit Hidrologi, Direktorat Penyelidikan Masalah Air, Dirjen Pengairan, Departemen Pekerjaan Umum.
- _____, 1996, BOSS Watershed Modelling System, *User's Manual*. BOSS International & Brigham Young University.
- Anderson, H.W., M.D. Hover, K.G. Reinhart, 1976, *Forest and Water: Effect of Forest Management on Floods, Sedimentation and Watersupply*, USDA, Forest Service, General Technical Report PSW-18/1976.
- Beasley, D.B., L.F. Huggins, E.J. Monke, 1982, Modelling Sediment Yields from Agricultural Watersheds, *Journal of Soil and Water Conservation*, March-April 1982, hal.113-117.
- Beven, K.J., 1989, Changing ideas in hydrology - The case of physically based models, *Journal of Hydrology*, 105(1989), hal. 157-172
- Bobinski, E., T. Piwecki, J. Zelanzinski, 1976, Real-Time Hydrological Forecasting Systems in Poland, in: *Real-Time Forecasting Control of Water Resources Systems*, (ed. E.F. Wood), IIASA and Dept. of Civil Engineering Princeton Univ., Pergamon Press, Oxford.
- Bruijnzeel, L.A., 1990, *Hydrology of Moist Tropical Forests and Effects of Conservation: A State of Knowledge Review*, Netherlands IHP Committee - ITC - IAHS - VUA, Amsterdam.
- Bruijnzeel, L.A., 1994, (*komunikasi pribadi*).
- Burrough, P. A., 1986, *Principles of Geographical Information System for Land Resources Assessment*, Clarendon Press, Oxford.

- Cassells, D., L.S. Hamilton, S.R. Saplaco, 1982, Understanding The Role of Forest in Watershed Protection, *Working Paper*, East-West Center, Honolulu.
- Chow, V.T., 1964, Hydrology and Its Development, dalam V.T. Chow (editor), *Handbook of Applied Hydrology*, McGraw Hill Book, New York.
- Chow, V.T., D.R.Meidment, L.W. Mays, 1988, *Applied Hydrology*, McGraw Hill Book, New York.
- Clarke, K.C., 1986, Recent Trend in GIS Research. *Geo-Processing*, 3(1986), Elsevier-Amsterdam, hal. 1-15.
- Cowan, W.L., 1956, Estimating Hydraulic Roughness Coefficients, *Agricultural Engineering*, Vol 37, hal. 473-475.
- Cunge, J.A., 1969, On the Subject of a Flood Propagation Method (Muskingum Method), *Journal of Hydraulic Research*, Vol. 7, No 2, hal.. 205-230.
- _____, 1988, Some Examples of Interaction of Numerical and Physical Aspects of Free Surface Flow Modelling, in: *Modelling Surface and Sub-Surface Flows*, Vol I, Elsevier, Oxford.
- Dooge, J.C.I., 1988, Hydrology in prespective, *Hydrology Sci. Journal*, No. 33. hal. 61-85.
- Doorenbos, J., 1973, *Agro-climatological Field Station*, FAO-Irrigation and Drainage, Paper no. 27, FAO, Rome.
- Doorenbos, J., W.O. Pruitt, 1977, *Guidelines for Predicting Crop Water Requirement*, FAO-Irrigaton and Drainage Paper, No. 24, FAO, Rome.
- Dunne, T., 1978, Integration of hillslope flow processes, In: *Hillslope Hydrology*, edited by M.J. Kirkby, John Willey, New York.
- Dunne, T., 1983, Relation of field studies and modelling in the prediction of storm runoff, *Journal of Hydrology*, 65 (1983), hal. 25-48.
- Dunne, T., L.B. Leopod, 1978, *Water in Environmental Planning*, Freeman and Co., New York.
- Engman, E.T, 1986, Rougness Coefficients for Routing Surface Runoff, *Journal of Irrigation and Drainage Engineering*, Vol 112(1), hal. 39-53.

- Fleming, G., L.D. Meyer, 1979, *Deterministic Model in Hydrology*, FAO-Irrigation and Drainage Paper no. 32, FAO, Rome.
- Foster, G.R., L.D. Meyer, 1975, Mathematical Simulation of Upland Erosion by Fundamental Erosion Mechanic, In: *Present and Prespective Technology for Predicting Sediment Yield and Resources*, USDA, ARS-S-40, hal.190-207.
- Freeze, R.A., 1972, Role of sub-surface flow in generating surface runoff, *Water Resources Research*, vol 8, hal. 1272-1283.
- Freeze, R.A., 1974, Streamflow generation, *Reviews on Geophysics and space Physics*, vol 12, hal. 627-647.
- Freeze, R.A., 1980, A stochastic-conceptual analysis of rainfall-runoff processes on a hillslope, *Water Resources Research*, vol 16, no 2, hal. 391-408.
- Gill, M.A., 1977, Flood Routing by Muskingum Method, *Journal of Hydrology*, 36(1978) hal. 353-363.
- Gorgens, A.H.M., 1983, *Conceptual Modelling of the Rainfall Runoff Process in Semi-Arid Catchments*, Report no 1/83, Hydrological Research Unit, Department of Geography, Rhodes University, Grahamstown.
- Griend, van de A.A., 1979, *Modelling Catchment Response and Runoff Analysis*, Institute of Earth Sciences, Free University, Amsterdam.
- _____, 1981, *A Weather-type Hydrologic Approach to Runoff Phenomena: A Case-study Applied to The Alpine Catchment of The River Ahr Southern-Tyrol, Italy*, Rodopi, Amsterdam.
- Green W.H., G.A. Ampt, 1911, Studies of Soil Physics, 1: The Flow of Air and Water Through Soils, *Journal of Agriculture Science*, vol. 4, no. 1, hal. 1-24.
- Gunawan, T., 1991, Penerapan Teknik Penginderaan Jauh untuk Menduga Debit Puncak Menggunakan Karakteristik Lingkungan Fisik DAS, Studi kasus di DAS Bengawan Solo Hulu Jawa Tengah, *Disertasi*, Fakultas Pascasarjana Institut Pertanian Bogor.
- Hadi, M.P., 1988, Aplikasi Program Komputer untuk Evaluasi Imbangan Air Metode Thornthwaite-Mather, *Majalah Geografi Indonesia*, vol 1(2), hal. 27-36.

- _____, 1989, The Hydrological Study of the Upper Bengawan Solo Catchment, Indonesia; A Contribution to the Hydrological Modelling, Water Resources Management and Development Planning, *Thesis*, ITC, Enschede.
- _____, 1994, Kriging analysis using GIS for mapping of design rainfall at Yogyakarta special region. *Laporan Penelitian*, Faculty of Geography UGM, Yogyakarta.
- _____, 1995, Green-Ampt infiltration modelling for runoff estimation, *Laporan Penelitian*, Inter University Center Technical Science UGM Yogyakarta.
- _____, 2000, Pengembangan Model Intersepsi pada Semak Belukar, *Laporan Penelitian*, Fakultas Geografi UGM.
- Hager, W.H., 1983, A Simplified Hydrological Rainfall-Runoff Model, *Journal of Hydrology*, 74(1984), hal.151-170.
- James, L.D., 1972, Hydrologic Modeling, Parameter Estimation, and Watershed Characteristics, *Journal of Hydrology*, 17(1972), hal. 283-307.
- James, L.D., S.J. Burges, 1982, Precipitation-Runoff Modelling Future directions, in: Applied Modelling in Catchment Hydrology, *Proceeding*, International Symposium on Rainfall-Runoff Modeling, Missisipi State Univ., hal. 291-312.
- Joffe, B.A., 1986, The Facility and Utility Management System: Full Scope Automated Facilities Management for Industrial Facilities, Airport and New Communities, *Geo-Processing*, 3(1986), Elsevier-Amsterdam, hal. 95-118.
- Knisel, W.G. (ed.), 1972, *CREAMS: A Field-Scale Model for Chemicals, Runoff and Erosion from Agricultural Management Systems*, US Department of Agricultural, Conservation Research Report No. 26.
- Linsley, R.K., M.A. Kohler, J.L.H. Paulhus, 1988, *Hydrology for Engineers*, McGraw-Hill Book Co., London.
- MacDonald & Partners, S.M., 1984, *Greater Yogyakarta Groundwater Resources Study: Volume 2 Hydrology*, Overseas Development Administration, London.

- Mahamoud, Y.M, 1991, Evaluating the Green and Ampt Infiltration Parameter Values for Tilled and Crusted Soils, *Journal of Hydrology*, 123 (1991), hal. 25-38.
- McCuen, R.H., 1982, *A Guide to Hydrologic Analysis Using SCS Methods*, Prentice Hall Inc., Englewood Cliffs.
- _____, 1989, *Hydrologic Analysis and Design*, Prentice-Hall International, London.
- Mein, R.G., D.A. Farrell, 1974, Determining of Wetting Front Suction in the Green-Ampt Equation, *Soil Sci. Soc. Amer. Proc.*, vol. 38, hal. 872-876.
- Mein, R.G., C.L. Larson, 1971, Modelling the Infiltration Component of the Rainfall-Runoff Process, *Bulletin 43*, Water Resources Research Center, University of Minnesota, Minnesota.
- _____, 1973, Modelling Infiltration During a Steady Rain, *Water Resources Research*, vol. 9, no 2, hal. 384-394.
- Molden, D., 1997, *Accounting for Water Use and Productivity*, SWIM Paper 1, International Irrigation Management Institute, Colombo.
- Morgan, R.P.C., D.D.V. Morgan, H.J. Finney, 1982. *Stability of Agricultural Ecosystem: Documentation of A Simple Model for Soil Erosion Assesment*, Silsoe, England.
- Mosley, M.P., 1979, Streamflow generation in forested watershed, New Zeland, *Water Resources Research*, vol 17, no 4, hal.795-805.
- Mualem, Y., 1974, A Conceptual of Hysteresis, *Water Resources Research*, vol 10, no. 3, hal. 514-520.
- Neal, C., A. Robson, B. Reynolds, A. Jenkins, 1992, Prediction of future short-term stream chemistry: a modelling approach, *Journal of Hydrology*, vol 130, hal. 87-103.
- Lang, Chao-yi, *Kriging Interpolation*, Dept. of Computer Science, Cornell University.
- Larson, C.L., C.A. Onstad, H.H. Richardson, K.N. Brooks, 1982, *Some Particular Watershed Models*, in: *Hydrologic Modelling of Small Watersheds*, (editor: C.T. Haan, H.P. Jonhson, D.L. Brakensiek), ASAE Publication No. 5, ASAE, Michigan.

- Lee, R., 1980, *Forest Hydrology*, Columbia Univ. Press., New York.
- Linsley, J.R.K., M.A. Kohler, J.L.H. Paulus, 1979, *Applied Hydrology*, McGraw Hill Book Co., London.
- Poels, R.L.H., 1983, *Soils, Water and Nutrients in a Forest Ecosystem in Suriname*, Agricultural University, Wageningen.
- Rao, A.S., 1986, Interception Losses of Rainfall from Cashew Trees, *Journal of Hydrology*, 90(1987), hal.293-301.
- Rawls, W.J., D.L. Brakensiek, K.E. Saxton, 1982, Estimation of Soil Water Properties, *Transactions of the ASAE*, vol. 25, no. 5, hal. 1316-1320.
- Rawls, W.J., D.L. Brakensiek, 1983, A Procedure to Predict Green and Ampt Infiltration Parameters, dalam: Advance in Infiltration, Proceeding of the National Conference on Advance Infiltration, *ASAE Publication*, No. 11-83.
- Reeves, A., 1995, Variables parameter Muskingum-Cunge Flood Routing, *MSC Report*, Univ. Of Brimingham and HR Wellingford.
- Rowntree, P., 1988, *The Need of Climate Modellers for Water Runoff Data*, Workshop on The Global Runoff Data Set and Grid Estimation, FRG, 10-15 Nov. 1988, Koblenz.
- Seyhan, E., 1977, *Fundamentals of Hydrology*, Geografisch Instituut der Ryksuniversiteit te Utrecht, Utrecht.
- _____, 1987, *Hydrological Process Study and Response Modelling*, unpubl. lecture note, Fakultas Geografi UGM, Yogyakarta.
- _____, 1990, *Dasar-dasar Hidrologi*, Gadjah Mada University Press, Yogyakarta.
- Shaw, E.M., 1988, *Hydrology in Practice*, Van Nostrand Reinhold Co., London.
- Shiau, S.Y., K.S. Davar, 1972, Modified Penman Method for Potential Evapotranspiration from Forest Regions, *Journal of Hydrology*, 18 (1973), hal. 349-365.
- Singh, V.P., 1989, *Hydrologic System : Watershed Modelling (Volume II)*, Prentice Hall, Englewood Cliffs, New Jersey.

- _____, 1997, *Kinematic Wave Modelling in Water Resources, Environmental Hydrology*, John Wiley & Sons, Inc., New York.
- Skaggs, R.W., 1982, Infiltration, dalam: Hydrologic Modelling of Small Watershed, oleh: C.T. Haan, H.P. Johnson, D.L. Brakensiek (editor), *An ASAE Monograph*, No. 5., American Society Agriculture Engineering.
- Slack, D.C., dan C.L. Larson, 1981, Modelling Infiltration: The Key Process in Water Management, Runoff and Erosion, In *Tropical Agricultural Hydrology* ed. by R. Lal dan E.W. Russell, John Willey and Sons Ltd.
- Smith, R.E., 1972, The Infiltration Envelope: Result from a Theoretical Infiltrimeter, *Journal of Hydrology*, 17(1972), hal. 1-22.
- Smith, R.E., J.R. Williams, 1982, Simulation of The Surface Water Hydrology, In: *CREAMS: A Field Scale Model for Chemicals, Runoff, and Erosion from Agricultural Management System*, ed. by W.G. Knisel, US Department of Agriculture, Conservation Research Report no. 26, vol 1:640.
- Soil Conservation Service, 1957, *Use of Storm and Watershed Characteristics in Synthetic Hydrograph Analysis and Application*, US Department of Agriculture, Washington DC.
- _____, 1986, *Urban Hydrology for Small Watersheds*, Tech. Release 20, US Department of Agriculture, Washington DC.
- Soil Survey Division Staff, 1993, *Soil Survey Manual*, Handbook No 18, USDA, Washington DC.
- Spolia, S.K., S. Chander, 1974, Modelling of Surface Runoff Systems by An ARMA Model, *Journal of Hydrology*, vol. 22(1974), hal. 317-332.
- SriHarto Br., 1986, The Gama I Synthetic Unit Hydrograph, *Proceeding of Pacific Regional Division of IAHR*, Vol. 6, hal. 107-120.
- Stone, J.J., L.J. Lane, E.D. Shirley, 1992, Infiltration and Runoff Simulation on a Plane, *Transaction of the ASAE*, vol. 35(1), hal. 161-170.
- VanMullem, J.A., 1993, Runoff and Peak Discharge Using Green-Ampt Infiltration Model, *Journal of Hydraulic Engineering*, vol. 117, no. 3, hal. 354-370.
- Vauclin, M., 1982, *Infiltration in Unsaturated Soils*, Lecture Note at NATO Advanced Study Institute, University of Delaware, USA.

- Viesmann, Jr.W., 1989, *Introduction to Hydrology*, Harper and Row pbl., New York.
- Ward, R.C., M. Robinson, 1990, *Principles of Hydrology*, McGraw-Hill Book Co., Toronto.
- Wiersum, K.F., 1979, *Introduction to Principles of Forest Hydrology and Erosion*, Institute of Ecology, Padjadjaran Univ., Bandung.
- WMO, 1974, *Guide to Hydrological Practices*, 3th ed., WMO no. 168, Secretariat of World Meteorological Organization, Geneva.
- Wooding, R.A., 1965, A Hydroulic Model for the Catchment-Stream Problem, Part I: Kinematic Wave Theory, *Journal of Hydrology*, vol. 3(1965), hal. 254-267.