

DAFTAR PUSTAKA

- Ahmad, R., Ali, S., Rizwan, M., Dawood, M., Farid, M., Hussain, A., Wijaya, L., Alyemni, M.N., and Ahmad, P., 2020, Hydrogen sulfide alleviates chromium stress on cauliflower by restricting its uptake and eantioxidative system, *Physiol Plant*, 168, 289–300.
- Akakuru, O.U., Iqbal, Z.M., and Wu, A., 2020, TiO₂ nanoparticles: properties and applications, 1st ed. Wu,A. and Ren,W. (eds) Willey-VCH Verlag GmbH & Co, China.
- Akpan, U.G. and Hameed, B.H., 2010, The advancements in sol-gel method of doped-TiO₂ photocatalysts, *Appl Catal A Gen*, 375, 1–11.
- Alotaibi, A.M., Williamson, B.A.D., Sathasivam, S., Kafizas, A., Alqahtani, M., Sotelo-Vazquez, C., Buckeridge, J., Wu, J., Nair, S.P., Scanlon, D.O., and Parkin, I.P., 2020, Enhanced photocatalytic and antibacterial ability of Cu-doped anatase TiO₂ thin films: theory and experiment, *ACS Appl Mater Interfaces*, 12, 15348–15361.
- Al-Qodah, Z. and Al-Shannag, M., 2017, Heavy metal ions removal from wastewater using electrocoagulation processes: a comprehensive review, *Sep Sci Technol (Philadelphia)*, 52, 2649–2676.
- Ashok, A., Raguram, T., Beula, R.J., Gopinath, G., Ayyasamy, S., A, A., A, M., CB, B.R., and Vidhya, B., 2024, Synergistic effects of Co-Mn co-doping on the structural and optical properties of TiO₂ nanospheres: Dual functions for DSSC photoanodes and degradation photocatalyst, *J Alloys Compd*, 1005, 1–17.
- Ayalew, Z.M., Zhang, X., Guo, X., Ullah, S., Leng, S., Luo, X., and Ma, N., 2020, Removal of Cu, Ni and Zn directly from acidic electroplating wastewater by oligo-ethyleneamine dithiocarbamate (OEDTC), *Sep Purif Technol*, 248, 1–9.
- Ayele, L., Pérez, E., Mayoral, Á., Chebude, Y., and Díaz, I., 2017, Synthesis of zeolite a using raw kaolin from ethiopia and its application in removal of Cr(III) from tannery wastewater, *J Chem Technol Biotechnol*, 93, 146–154.
- Bakatula, E.N., Richard, D., Neculita, C.M., and Zagury, G.J., 2018, Determination of point of zero charge of natural organic materials, *Environ Sci Pollut Res*, 25, 7823–7833.
- Bao, S., Liang, H., Li, C., and Bai, J., 2020, A heterostructure BiOCl nanosheets/TiO₂ hollow-tubes composite for visible light-driven efficient photodegradation antibiotic, *J Photochem Photobiol A Chem*, 397, 1–10.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A. V., and Reddy, C.V., 2020, Recent progress in metal-doped TiO₂, non-metal doped/codoped TiO₂ and TiO₂ nanostructured hybrids for enhanced photocatalysis, *Int J Hydrogen Energy*, 45, 7764–7778.

- Belhouchet, N., Hamdi, B., Chenchouni, H., and Bessekhoud, Y., 2019, Photocatalytic degradation of tetracycline antibiotic using new calcite/titania nanocomposites, *J Photochem Photobiol A Chem*, 372, 196–205.
- Blanco-Vega, M.P., Guzmán-Mar, J.L., Villanueva-Rodríguez, M., Maya-Treviño, L., Garza-Tovar, L.L., Hernández-Ramírez, A., and Hinojosa-Reyes, L., 2017, Photocatalytic elimination of bisphenol A under visible light using Ni-doped TiO₂ synthesized by microwave assisted sol-gel method, *Mater Sci Semicond Process*, 71, 275–282.
- Boruah, P.K. and Das, M.R., 2020, Dual responsive magnetic Fe₃O₄-TiO₂/graphene nanocomposite as an artificial nanozyme for the colorimetric detection and photodegradation of pesticide in an aqueous medium, *J Hazard Mater*, 385, 1–17.
- Chandrabose, G., Dey, A., Gaur, S.S., Pitchaimuthu, S., Jagadeesan, H., Braithwaite, N.S.J., Selvaraj, V., Kumar, V., and Krishnamurthy, S., 2021, Removal and degradation of mixed dye pollutants by integrated adsorption-photocatalysis technique using 2-D MoS₂/TiO₂ nanocomposite, *Chemosphere*, 279, 1–12.
- Chang, J., Shen, Z., Hu, X., Schulman, E., Cui, C., Guo, Q., and Tian, H., 2020, Adsorption of Tetracycline by Shrimp Shell Waste from Aqueous Solutions: Adsorption Isotherm, Kinetics Modeling, and Mechanism, *ACS Omega*, 5, .
- Chen, A., Chen, Y., Ding, C., Liang, H., and Yang, B., 2015, Effects of tetracycline on simultaneous biological wastewater nitrogen and phosphorus removal, *RSC Adv*, 5, 59326–59334.
- Chenaina, H., Messaadi, C., Jalali, J., and Ezzaouia, H., 2021, Study of structural, optical and electrical properties of SnO₂ doped TiO₂ thin films prepared by a facile sol-gel route, *Inorg Chem Commun*, 124, 1–9.
- Choquehuanca, A., Ruiz-Montoya, J.G., and La Rosa-Toro Gómez, A., 2021, Discoloration of methylene blue at neutral pH by heterogeneous photo-Fenton-like reactions using crystalline and amorphous iron oxides, *Open Chem*, 19, 1009–1020.
- Chun, S.Y., Chung, W.J., Kim, S.S., Kim, J.T., and Chang, S.W., 2015, Optimization of the TiO₂/Ge composition by the response surface method of photocatalytic degradation under ultraviolet-A irradiation and the toxicity reduction of amoxicillin, *J Ind Eng Chem*, 27, 291–296.
- Córdoba-Miranda, S., Ortiz-Rojas, I.C., Cañas-Martínez, D.M., Vazquez-Samperio, J., and Pedraza-Avella, J.A., 2024, Sol-gel synthesis of iron titanates for the photocatalytic degradation of cyanide, *J Mater Sci*, 59, 13772–13787.
- Costa, J.M., Costa, J.G. dos R. da, and Almeida Neto, A.F. de, 2022, Techniques of Nickel(II) Removal from Electroplating Industry Wastewater: Overview and Trends, *J Water Process Eng*, 46, 1–14.

- Cui, J. and Zhang, L., 2008, Metallurgical recovery of metals from electronic waste: a review, *J Hazard Mater*, 158, 228–256.
- da Silva, G.S., dos Santos, F.A., Roth, G., and Frankenberg, C.L.C., 2020, Electroplating for chromium removal from tannery wastewater, *Int J Environ Sci Technol*, 17, 607–614.
- Daghrir, R. and Drogui, P., 2013, Tetracycline antibiotics in the environment: a review, *Environ Chem Lett*, 11, 209–227.
- Dixit, S., Yadav, A., Dwivedi, P.D., and Das, M., 2015, Toxic hazards of leather industry and technologies to combat Threat: a review, *J Clean Prod*, 87, 39–49.
- Emzhina, V., Kuzin, E., Babusenko, E., and Krutchinina, N., 2021, Photodegradation of tetracycline in presence of H₂O₂ and metal oxide based catalysts, *J Water Process Eng*, 39, 1–8.
- Fatimah, I., Yanti, I., Wijayanti, H.K., Ramanda, G.D., Sagadevan, S., Tamyiz, M., and Doong, R. an, 2023, One-pot synthesis of Fe₃O₄/NiFe₂O₄ nanocomposite from iron rust waste as reusable catalyst for methyl violet oxidation, *Case Stud Chem Environ Eng*, 8, 1–10.
- Fayomi, O.S.I., Akanade, I.G., and Sode, A.A., 2019, A review on the efficacy of electroplating in deteriorating environments, *J Phys Conf Ser*, 1378, 1–8.
- Fiaz, A., Zhu, D., and Sun, J., 2021, Environmental fate of tetracycline antibiotics: degradation pathway mechanisms, challenges, and perspectives, *Environ Sci Eur*, 33, 1–17.
- Filippatos, P.P., Kelaidis, N., Vasilopoulou, M., Davazoglou, D., and Chroneos, A., 2021, Structural, electronic, and optical properties of group 6 doped anatase TiO₂: a theoretical approach, *Appl Sci (Switzerland)*, 11, 1–13.
- Fouda, A., Hassan, S.E.D., Saied, E., and Azab, M.S., 2021, An eco-friendly approach to textile and tannery wastewater treatment using maghemite nanoparticles (γ -Fe₂O₃-NPs) fabricated by *Penicillium expansum* strain (K-w), *J Environ Chem Eng*, 9, 1.
- González-Garrido, L.D., Guzmán-Hernández, D.S., Rojas-Hernández, A., Rodríguez-Barrientos, D., Juárez-Gómez, J., and Ramírez-Silva, M.T., 2025, Tetracycline speciation study in aqueous medium, *J Mex Chem Soc*, 69, 78–87.
- Gorokhovskiy, A., Vikulova, M., Escalante-Garcia, J.I., Tretyachenko, E., Burmistrov, I., Kuznetsov, D., and Yuri, D., 2020, Utilization of nickel-electroplating wastewaters in manufacturing of photocatalysts for water purification, *Process Saf Environ Protec*, 134, 208–216.
- Hatefi, R., Younesi, H., Mashinchian-Moradi, A., and Nojavan, S., 2021, A facile decoration of anatase Fe₃O₄/TiO₂ nanocomposite with graphene quantum dots: synthesis, characterization, and photocatalytic activity, *Adv Powder Technol*, 32, 2410–2422.

- He, X., Ding, W., Zeng, Y., Yu, Y., Zhou, J., and Shil, B., 2020, Insight into the correlations between fiber dispersion and physical properties of chrome tanned leather, *J Am Leather Chem Assoc*, 115, 23–29.
- Hernández, J.V., Coste, S., Murillo, A.G., Romo, F.C., and Kassiba, A., 2017, Effects of metal doping (Cu, Ag, Eu) on the electronic and optical behavior of nanostructured TiO₂, *J Alloys Compd*, 710, 355–363.
- Hoffmann, M.R., Martin, S.T., Choi, W., Bahnemann¹, D.W., and Keck, W.M., 1995, Environmental applications of semiconductor photocatalysis, *Chem. Rev*, 95, 69–96.
- Hossain, M.S. and Ahmed, S., 2023, Easy and green synthesis of TiO₂ (anatase and rutile): estimation of crystallite size using Scherrer equation, Williamson-Hall plot, Monshi-Scherrer model, size-strain plot, Halder- Wagner model, *Res Mater*, 20, 1–10.
- Hosseini, S.S., Nazif, A., Alaei Shahmirzadi, M.A., and Ortiz, I., 2017, Fabrication, tuning and optimization of poly (acrylonitrile) nanofiltration membranes for effective nickel and chromium removal from electroplating wastewater, *Sep Purif Technol*, 187, 46–59.
- Huang, J., Dou, L., Li, J., Zhong, J., Li, M., and Wang, T., 2021, Excellent visible light responsive photocatalytic behavior of N-doped TiO₂ toward decontamination of organic pollutants, *J Hazard Mater*, 403, 1–12.
- Jeong, J., Song, W., Cooper, W.J., Jung, J., and Greaves, J., 2010, Degradation of tetracycline antibiotics: mechanisms and kinetic studies for advanced oxidation/reduction processes, *Chemosphere*, 78, 533–540.
- Jeyalakshmi, V., Mahalakshmy, R., Krishnamurthy, K.R., and Viswanathan, B., 2012, Titania based catalysts for photoreduction of carbon dioxide: role of modifiers, *Indian J Chem A*, 51A, 1263–1283.
- Kamar, M.T., Elattar, H., Mahmoud, A.S., Peters, R.W., and Mostafa, M.K., 2022, A critical review of state-of-the-art technologies for electroplating wastewater treatment, *Int J Environ Anal Chem*, 104, 4143–4176.
- Kelaidis, N., Kordatos, A., Christopoulos, S.R.G., and Chronos, A., 2018, A Roadmap of Strain in Doped Anatase TiO₂, *Sci Rep*, 8, 1–8.
- Kerkez-Kuyumcu, Ö., Kibar, E., Dayioğlu, K., Gedik, F., Akin, A.N., and Özkara Aydinoğlu, S., 2015, A comparative study for removal of different dyes over M/TiO₂(M = Cu, Ni, Co, Fe, Mn and Cr) photocatalysts under visible light irradiation, *J Photochem Photobiol A Chem*, 311, 176–185.
- Khalil, M., Naumi, F., Pratomo, U., Ivandini, T.A., Kadja, G.T.M., and Mulyana, J.Y., 2021, Coexposed TiO₂'s (001) and (101) Facets in TiO₂/BiVO₄ Photoanodes for an Enhanced Photocatalytic Fuel Cell, *Appl Surf Sci*, 542, .
- Khashan, S., Dagher, S., Tit, N., Alazzam, A., and Obaidat, I., 2017, Novel method for synthesis of Fe₃O₄@TiO₂ core/shell nanoparticles, *Surf Coat Technol*, 322, 92–98.

- Kisch, H., 2013, Semiconductor photocatalysis - mechanistic and synthetic aspects, *Angew Chem Int Ed*, 52, 812–847.
- Klenam, D.E.P., Bodunrin, M.O., Akromah, S., Gikunoo, E., Andrews, A., and McBagonluri, F., 2021, Ferrous materials degradation: characterisation of rust by colour - an overview, *Corros Rev*, 39, 297–311.
- Koch, N., Islam, N.F., Sonowal, S., Prasad, R., and Sarma, H., 2021, Environmental antibiotics and resistance genes as emerging contaminants: methods of detection and bioremediation, *Curr Res Microb Sci*, 2, 1–10.
- Kubiak, A., Kubacka, M., Gabała, E., Dobrowolska, A., Synoradzki, K., Siwińska-Ciesielczyk, K., Czaczyk, K., and Jesionowski, T., 2020, Hydrothermally assisted fabrication of TiO₂-Fe₃O₄ composite materials and their antibacterial activity, *Materials*, 13, 1–23.
- Kumar, A., Kashyap, M.K., Kumar, S., Kumar, P., and Asokan, K., 2020, Effect of dilute co-doping of Ni and Cr on physical properties of TiO₂ nanoparticles, *Vacuum*, 181, 1–8.
- Kumar, R. and Gedam, R.S., 2024, Synthesis and characterization of bi-functional Cu and Ni co-doped ZnO photocatalysts for organic pollutant degradation and antimicrobial activity, *Ceram Int*, 50, 24716–24724.
- Kumar, R., Swain, G., and Dutta, S., 2024, Synthesis of visible light-sensitive photocatalysts for hydrogen production, *Fuel*, 360, 1–12.
- Kunhikannan, S., Thomas, C.J., Franks, A.E., Mahadevaiah, S., Kumar, S., and Petrovski, S., 2021, Environmental hotspots for antibiotic resistance genes, *Microbiologyopen*, 10, 1–11.
- Lee, S.Y. and Park, S.J., 2013, TiO₂ photocatalyst for water treatment applications, *J Ind Eng Chem*, 19, 1761–1769.
- Li, J., Jin, Z., Zhang, Y., Liu, D., Ma, A., Sun, Y., Li, X., Cai, Q., and Gui, J., 2022, Ag-induced anatase-rutile TiO_{2-x} heterojunction facilitating the photogenerated carrier separation in visible-light irradiation, *J Alloys Compd*, 909, 1–11.
- Li, X., Hu, J., Deng, Y., Li, T., Liu, Z.Q., and Wang, Z., 2023, High stable photo-Fenton-like catalyst of FeP/Fe single atom-graphene oxide for long-term antibiotic tetracycline removal, *Appl Catal B*, 324, 1–10.
- Lien, L.T.Q., Hoa, N.Q., Chuc, N.T.K., Thoa, N.T.M., Phuc, H.D., Diwan, V., Dat, N.T., Tamhankar, A.J., and Lundborg, C.S., 2016, Antibiotics in wastewater of a rural and an urban hospital before and after wastewater treatment, and the relationship with antibiotic use-a one year study from Vietnam, *Int J Environ Res Public Health*, 13, 1–13.
- Liu, M., Ye, Y., Ye, J., Gao, T., Wang, D., Chen, G., and Song, Z., 2023, Recent advances of magnetite (Fe₃O₄)-based magnetic materials in catalytic applications, *Magnetochemistry*, 9, 1–32.

- Liu, Y., Zhang, J., and Gao, B., 2020, Proteomic mechanisms for the stimulatory effects of antibiotics on *Microcystis aeruginosa* during hydrogen peroxide treatment, *Chemosphere*, 247, 1–12.
- Liu, Z., Zhu, M., Zhao, L., Deng, C., Ma, J., Wang, Z., Liu, H., and Wang, H., 2017, Aqueous tetracycline degradation by coal-based carbon electrocatalytic filtration membrane: effect of nano antimony-doped tin dioxide coating, *Chem Eng J*, 314, 59–68.
- Lu, D., Yang, M., Fang, P., Li, C., and Jiang, L., 2017, Enhanced photocatalytic degradation of aqueous phenol and Cr(VI) over visible-light-driven Tb_xO_y loaded TiO₂-oriented nanosheets, *Appl Surf Sci*, 399, 167–184.
- Ma, Y., Peng, Q., Sun, M., Zuo, N., Mominou, N., Li, S., Jing, C., and Wang, L., 2022, Photocatalytic oxidation degradation of tetracycline over La/Co@TiO₂ nanospheres under visible light, *Environ Res*, 215, 1–11.
- Madima, N., Kefeni, K.K., Mishra, S.B., Mishra, A.K., and Kuvarega, A.T., 2022, Fabrication of magnetic recoverable Fe₃O₄/TiO₂ heterostructure for photocatalytic degradation of Rhodamine B dye, *Inorg Chem Commun*, 145, .
- Maleky, S., Asadipour, A., Nasiri, A., Luque, R., and Faraji, M., 2022, Tetracycline adsorption from aqueous media by magnetically separable Fe₃O₄@Methylcellulose/APTMS: isotherm, kinetic and thermodynamic studies, *J Polym Environ*, 30, 3351–3367.
- Martínez Vargas, D.X., Rivera De la Rosa, J., Lucio-Ortiz, C.J., Hernández-Ramirez, A., Flores-Escamilla, G.A., and Garcia, C.D., 2015, Photocatalytic degradation of trichloroethylene in a continuous annular reactor using Cu-doped TiO₂ catalysts by sol-gel synthesis, *Appl Catal B*, 179, 249–261.
- Mendiola-Alvarez, S.Y., Guzmán-Mar, J.L., Turnes-Palomino, G., Maya-Alejandro, F., Caballero-Quintero, A., Hernández-Ramírez, A., and Hinojosa-Reyes, L., 2019, Synthesis of Cr³⁺-doped TiO₂ nanoparticles: characterization and evaluation of their visible photocatalytic performance and stability, *Environ Technol (United Kingdom)*, 40, 144–153.
- Muhammad, S., Hussain, S.T., Waseem, M., Naeem, A., Hussain, J., and Tariq Jan, M., 2012, Surface charge properties of zirconium dioxide, *Iran J Sci Technol Trans A Sci*, 36, 481–486.
- Nadimi, M., Ziarati Saravani, A., Aroon, M.A., and Ebrahimian Pirbazari, A., 2019, Photodegradation of methylene blue by a ternary magnetic TiO₂/Fe₃O₄/graphene oxide nanocomposite under visible light, *Mater Chem Phys*, 225, 464–474.
- Nagamine, M., Osial, M., Jackowska, K., Krysinski, P., and Widera-Kalinowska, J., 2020, Tetracycline photocatalytic degradation under CdS treatment, *J Mar Sci Eng*, 8, 483.
- Naseem, S., Khan, W., Khan, S., Husain, S., and Ahmad, A., 2019, Consequences of (Cr/Co) co-doping on the microstructure, optical and magnetic properties of

- microwave assisted sol-gel derived TiO₂ nanoparticles, *J Lumin*, 205, 406–416.
- Nasirian, M., Lin, Y.P., Bustillo-Lecompte, C.F., and Mehrvar, M., 2018, Enhancement of photocatalytic activity of titanium dioxide using non-metal doping methods under visible light: a review, *Int J Environ Sci Technol*, 15, 2009–2032.
- Navidpour, A.H., Abbasi, S., Li, D., Mojiri, A., and Zhou, J.L., 2023, Investigation of advanced oxidation process in the presence of TiO₂ semiconductor as photocatalyst: property, principle, kinetic analysis, and photocatalytic activity, *Catalysts*, 13, .
- Nguyen, T.L., Pham, T.H., Viet, N.M., Thang, P.Q., Rajagopal, R., Sathya, R., Jung, S.H., and Kim, T., 2022, Improved photodegradation of antibiotics pollutants in wastewaters by advanced oxidation process based on Ni-doped TiO₂, *Chemosphere*, 302, 1–9.
- Ni, S., Fu, Z., Li, L., Ma, M., and Liu, Y., 2022, Step-scheme heterojunction g-C₃N₄/TiO₂ for efficient photocatalytic degradation of tetracycline hydrochloride under UV light, *Colloids Surf A Physicochem Eng Asp*, 649, 1–12.
- Nur-E-Alam, Md., Abu Sayid Mia, Md., Ahmad, F., and Mafizur Rahman, Md., 2018, Adsorption of chromium (Cr) from tannery wastewater using low-cost spent tea leaves adsorbent, *Appl Water Sci*, 8, 1–7.
- Olama, N., Dehghani, M., and Malakootian, M., 2018, The removal of amoxicillin from aquatic solutions using the TiO₂/UV-C nanophotocatalytic method doped with trivalent iron, *Appl Water Sci*, 8, 1–12.
- Padhi, D.K., Panigrahi, T.K., Parida, K., Singh, S.K., and Mishra, P.M., 2017, Green synthesis of Fe₃O₄/RGO nanocomposite with enhanced photocatalytic performance for Cr(VI) reduction, phenol degradation, and antibacterial activity, *ACS Sustain Chem Eng*, 5, 10551–10562.
- Putra, H.E., Permana, D., and Djaenudin, D., 2023, Low-energy electrodeposition of nickel in electroplating wastewater using a water hyacinth separated double chamber electrodeposition cell, *J Electrochem Soc*, 170, .
- Rajivgandhi, G., RTV, V., Nandhakumar, R., Murugan, S., Alharbi, N.S., Kadaikunnan, S., Khaled, J.M., Alanzi, K.F., and Li, W.J., 2021, Adsorption of nickel ions from electroplating effluent by graphene oxide and reduced graphene oxide, *Environ Res*, 199, 1–10.
- Rajoria, S., Vashishtha, M., and Sangal, V.K., 2022, Treatment of electroplating industry wastewater: a review on the various techniques, *Environ Sci Pollut Res*, 29, 72196–72246.
- Reboso, J.V., Alonso, J.S., and Santiago, D.E., 2024, Magnetic recoverable Ag₃PO₄/Fe₃O₄/γ-Fe₂O₃ nanocomposite, *Desalination Water Treat*, 317, 1–7.

- Religa, P., Kowalik, A., and Gierycz, P., 2011, Application of nanofiltration for chromium concentration in the tannery wastewater, *J Hazard Mater*, 186, 288–292.
- Ruzimuradov, O., Musaev, K., Mamatkulov, S., Butanov, K., Gonzalo-Juan, I., Khoroshko, L., Turapov, N., Nurmanov, S., Razzokov, J., Borisenko, V., and Riedel, R., 2023, Structural and optical properties of sol-gel synthesized TiO₂ nanocrystals: effect of Ni and Cr (co)doping, *Opt Mater (Amst)*, 143, 1–8.
- Safari, G.H., Hoseini, M., Seyedsalehi, M., Kamani, H., Jaafari, J., and Mahvi, A.H., 2015, Photocatalytic degradation of tetracycline using nanosized titanium dioxide in aqueous solution, *Int J Environ Sci Technol*, 12, 603–616.
- Sami, A.T., AL-Jawad, S.M.H., Imran, N.J., and Alghazali, K., 2025, Effect of single doping and dual doping with Mn and Fe on the photocatalytic activity of TiO₂ nanoparticles, *J Solgel Sci Technol*, 113, 762–777.
- Sari, E.K., Tumbelaka, R.M., Ardiyanti, H., Istiqomah, N.I., Chotimah, and Suharyadi, E., 2023, Green synthesis of magnetically separable and reusable Fe₃O₄/Cdots nanocomposites photocatalyst utilizing *Moringa oleifera* extract and watermelon peel for rapid dye degradation, *Carbon Res Convers*, 6, 274–286.
- Sarteeep, Z., Pirbazari, A.E., and Aroon, M.A., 2016, Silver doped TiO₂ nanoparticles: preparation, characterization and efficient degradation of 2,4-dichlorophenol under visible light, *J Water Environ Nanotechnol*, 1, 135–144.
- Sescu, A.M., Favier, L., Lutic, D., Soto-Donoso, N., Ciobanu, G., and Harja, M., 2021, TiO₂ doped with noble metals as an efficient solution for the photodegradation of hazardous organic water pollutants at ambient conditions, *Water (Switzerland)*, 13, 1–18.
- Shaban, M., Ahmed, A.M., Shehata, N., Betiha, M.A., and Rabie, A.M., 2019, Ni-doped and Ni/Cr co-doped TiO₂ nanotubes for enhancement of photocatalytic degradation of methylene blue, *J Colloid Interface Sci*, 555, 31–41.
- Shafei, A. and Sheibani, S., 2019, Visible light photocatalytic activity of Cu doped TiO₂-CNT nanocomposite powder prepared by sol-gel method, *Mater Res Bull*, 110, 198–206.
- Sharma, S. and Adholeya, A., 2011, Detoxification and accumulation of chromium from tannery effluent and spent chrome effluent by *Paecilomyces lilacinus* fungi, *Int Biodeterior Biodegradation*, 65, 309–317.
- Siciliano, A., Guida, M., Libralato, G., Saviano, L., Luongo, G., Previtera, L., Di Fabio, G., and Zarrelli, A., 2021, Amoxicillin in water: insights into relative reactivity, by product formation, and toxicological interactions during chlorination, *Appl Sci (Switzerland)*, 11, 1–12.
- Sondezi, N., Njengele-Tetyana, Z., Matabola, K.P., and Makhetha, T.A., 2024, Sol-gel-derived TiO₂ and TiO₂/Cu nanoparticles: synthesis, characterization, and antibacterial efficacy, *ACS Omega*, 9, 15959–15970.

- Song, H.L., Zhang, S., Guo, J., Yang, Y.L., Zhang, L.M., Li, H., Yang, X.L., and Liu, X., 2018, Vertical up-flow constructed wetlands exhibited efficient antibiotic removal but induced antibiotic resistance genes in effluent, *Chemosphere*, 203, 434–441.
- Sukhadeve, G.K., Janbandhu, S.Y., Kumar, R., Lataye, D.H., Ramteke, D.D., and Gedam, R.S., 2022, Visible light assisted photocatalytic degradation of Indigo Carmine dye and NO₂ removal by Fe doped TiO₂ nanoparticles, *Ceram Int*, 48, 29121–29135.
- Sulaiman, S.N.A., Zaky Noh, M., Nadia Adnan, N., Bidin, N., and Ab Razak, S.N., 2018, Effects of photocatalytic activity of metal and non-metal doped TiO₂ for hydrogen production enhancement - a review, *J Phys Conf Ser*, 1027, 1–12.
- Tang, P., Ding, Y., Chen, H., and Wang, Y., 2020, Preparation of TiO₂/Fe₃O₄ composite by sol-gel method and its photocatalytic activity for removal of Rhodamine B from water, *Ferroelectrics*, 562, 66–72.
- Teimouri, M., Husain, S.W., Saber-Tehrani, M., and Aberoomand-Azar, P., 2019, Preparation of novel Ni/Co co-doping Fe₃O₄ /TiO₂ core-shell nanocomposites and their use in effective photocatalytic degradation of amlodipine drug, *Separation Science and Technology (Philadelphia)*, 54, 634–641.
- Thambiliyagodage, C. and Mirihana, S., 2021, Photocatalytic activity of Fe and Cu co-doped TiO₂ nanoparticles under visible light, *J Solgel Sci Technol*, 99, 109–121.
- Tripathi, A.K., Singh, M.K., Mathpal, M.C., Mishra, S.K., and Agarwal, A., 2013, Study of structural transformation in TiO₂ nanoparticles and its optical properties, *J Alloys Compd*, 549, 114–120.
- Venditti, F., Cuomo, F., Ceglie, A., Avino, P., Russo, M.V., and Lopez, F., 2015, Visible light caffeic acid degradation by carbon-doped titanium dioxide, *Langmuir*, 31, 3627–3634.
- Vijayalakshmi, K. and Jereil, S.D., 2015, Effect of Cr incorporation on the properties of TiO₂ nanoparticles synthesized by microwave technique, *J Mater Sci: Mater Electron*, 26, 3790–3796.
- Wahyuni, E.T., Annur, S., Wijayana, A., Pratista, E., and Alharissa, E.Z., 2024a, Synthesis of TiO₂-Fe/Fe₃O₄ photocatalyst using iron rusty waste as Fe source for removal Pb(II) in water media under visible light with good separable property, *React Kinet Mech Catal*, 137, 1307–1319.
- Wahyuni, E.T., Aprilita, N., Hatimah, H., Wulandari, A., and Mudasir, M., 2015, Removal of toxic metal ions in water by photocatalytic method, *Am Chem Sci J*, 5, 194–201.
- Wahyuni, E.T., Cahyono, R.N., Nora, M., Alharissa, E.Z., and Kunarti, E.S., 2024b, Degradation of amoxicillin residue under visible light over TiO₂ doped with Cr prepared from tannery wastewater, *Results Chem*, 7, 1–10.

- Wahyuni, E.T., Lestari, N.D., Cinjana, I.R., Annur, S., Natsir, T.A., and Mudasir, M., 2023a, Doping TiO₂ with Fe from iron rusty waste for enhancing its activity under visible light in the Congo red dye photodegradation, *J Eng Appl Sci*, 70, 1–14.
- Wahyuni, E.T., Wahyuni, S., Lestari, N.D., and Suherman, S., 2023b, Utilization of tannery wastewater as a source of Cr doped into TiO₂ for improving its activity under visible light in the Congo red degradation, *React Kinet Mech Catal*, 136, 1067–1084.
- Wang, C., Li, T., Yu, G., and Deng, S., 2021, Removal of low concentrations of nickel ions in electroplating wastewater by combination of electro dialysis and electrodeposition, *Chemosphere*, 263, 1–7.
- Wang, H., Zhao, Q., Li, D., Zhang, Z., Liu, Y., Guo, X., Li, X., Liu, Z., Wang, L., Ma, J., and He, H., 2024, Boosting photothermocatalytic oxidation of toluene over Pt/N-TiO₂: the gear effect of light and heat, *Environ Sci Technol*, 58, 7662–7671.
- Wang, J., Zhi, D., Zhou, H., He, X., and Zhang, D., 2018, Evaluating tetracycline degradation pathway and intermediate toxicity during the electrochemical oxidation over a Ti/Ti₄O₇ anode, *Water Res*, 137, 324–334.
- WHO, 2022, Guidelines for drinking-water quality: fourth edition incorporating the first and second addenda, 3rd ed. WHO Press.
- Wu, C., Zhang, W., Liao, X., Zeng, Y., and Shi, B., 2014, Transposition of chrome tanning in leather making, *J Am Leather Chem Assoc*, 109, 176–183.
- Wu, H., Xie, H., He, G., Guan, Y., and Zhang, Y., 2016, Effects of the pH and anions on the adsorption of tetracycline on iron-montmorillonite, *Appl Clay Sci*, 119, 161–169.
- Wu, S., Hu, H., Lin, Y., Zhang, J., and Hu, Y.H., 2020, Visible light photocatalytic degradation of tetracycline over TiO₂, *Chem Eng J*, 382, 1–10.
- Wu, S., Li, X., Tian, Y., Lin, Y., and Hu, Y.H., 2021a, Excellent photocatalytic degradation of tetracycline over black anatase-TiO₂ under visible light, *Chem Eng J*, 406, 1–10.
- Wu, Z., Xue, Y., Gao, Z., Li, Y., Zhang, L., Yang, X., Liu, X., and Chen, Z., 2021b, Synthesis of Ni-doped anatase TiO₂ single crystals loaded on wood-based activated carbon for enhanced photodegradation of triphenylmethane dyes, *Environ Sci Pollut Res*, 28, 6491–6503.
- Xu, W., Lai, S., Pillai, S.C., Chu, W., Hu, Y., Jiang, X., Fu, M., Wu, X., Li, F., and Wang, H., 2020, Visible Light Photocatalytic Degradation of Tetracycline with Porous Ag/Graphite Carbon Nitride Plasmonic Composite: Degradation Pathways and Mechanism, *J Colloid Interface Sci*, 574, 110–121.
- Yuan, L., Weng, X., Zhou, M., Zhang, Q., and Deng, L., 2017, Structural and visible-near infrared optical properties of Cr-doped TiO₂ for colored cool pigments, *Nanoscale Res Lett*, 12, 1–8.

- Zhang, P., Mo, Z., Han, L., Zhu, X., Wang, B., and Zhang, C., 2014, Preparation and photocatalytic performance of magnetic TiO₂/montmorillonite/Fe₃O₄ nanocomposites, *Ind Eng Chem Res*, 53, 8057–8061.
- Zhang, R. and Liu, Z., 2024, Removal Efficiency and Mechanism of Photo-Fenton Degradation of Tetracycline by MoS₂/MIL101(Fe) Nanocomposites, *Chemosphere*, 364, 1–13.
- Zhang, X., Jin, C., Han, S., Guo, P., Zhou, Y., Liu, W., and Shen, W., 2023, Atomic structure of the Fe₃O₄/Fe₂O₃ interface during phase transition from hematite to magnetite, *Inorg Chem*, 62, 12111–12118.
- Zhao, C., Yang, Q., Chen, W., and Teng, B., 2012, Removal of hexavalent chromium in tannery wastewater by *Bacillus cereus*, *Can J Microbiol*, 58, 23–28.
- Zulfa, L.L., Hidayat, A.R.P., Utomo, W.P., Subagyo, R., Kusumawati, E.N., Kusumawati, Y., Hartanto, D., Widyastuti, W., and Ediati, R., 2024, Facile Synthesis of Ni-ZIF-8 with Improved Photodegradation Performance for Methylene Blue, *Case Stud Chem Environ Eng*, 10, 1–17.