

## DAFTAR PUSTAKA

- [1] C. N, B. K.S., and K. Parthasarathy, “Comparative analysis of natural background spectrum acquired by unshieldedNaI(Tl) and HPGe detectors,” Feb. 28, 2025, *In Review*. doi: 10.21203/rs.3.rs-6119547/v1.
- [2] “The Radiological Accident in Goiânia”.
- [3] S. Kondratov, “Illicit trafficking in nuclear and other radioactive materials: separating myths from realities,” *Int. J. Nucl. Gov. Econ. Ecol.*, vol. 4, no. 3, p. 180, 2019, doi: 10.1504/IJNGEE.2019.100632.
- [4] “Isu Radiasi Cs-137 Meledak, Pemerintah Bentuk Satgas Selamatkan Udang RI.” Accessed: Sept. 23, 2025. [Online]. Available: <https://koran-jakarta.com/2025-09-12/isu-radiasi-cs-137-meledak-pemerintah-bentuk-satgas-selamatkan-udang-ri>
- [5] P. K. Romano and B. Forget, “The OpenMC Monte Carlo particle transport code,” *Ann. Nucl. Energy*, vol. 51, pp. 274–281, Jan. 2013, doi: 10.1016/j.anucene.2012.06.040.
- [6] I. Mouhti, A. Elanique, M. Y. Messous, B. Belhorma, and A. Benahmed, “Validation of a NaI(Tl) and LaBr<sub>3</sub>(Ce) detector’s models via measurements and Monte Carlo simulations,” *J. Radiat. Res. Appl. Sci.*, vol. 11, no. 4, pp. 335–339, Oct. 2018, doi: 10.1016/j.jrras.2018.06.003.
- [7] B. Ebibuloami, O. Ayorinde, A. Oluwagbenga, E. Kugbere, O. Adeola, and M. Olalekan, “Detection Efficiency of a NaI (Tl) Gamma Spectrometry System for Measurement of LowLevel Radioactivity,” *Phys. Access*, vol. 01, no. 01, pp. 61–65, Sept. 2021, doi: 10.47514/physaccess.2021.1.1.010.
- [8] A. Arectout *et al.*, “A comparative analysis of the NaI detector response function using GAMOS and FLUKA Monte Carlo simulations,” *Nucl. Anal.*, vol. 3, no. 4, p. 100138, Dec. 2024, doi: 10.1016/j.nucana.2024.100138.
- [9] M. Drissi El-Bouzaidi *et al.*, “Simulation of a NaI(Tl) detector model using OpenMC modified on code source and validation using experimental and simulated results,” *Radiat. Phys. Chem.*, vol. 206, p. 110777, May 2023, doi: 10.1016/j.radphyschem.2023.110777.
- [10] N. Demir and Z. N. Kuluöztürk, “Determination of energy resolution for a NaI(Tl) detector modeled with FLUKA code,” *Nucl. Eng. Technol.*, vol. 53, no. 11, pp. 3759–3763, Nov. 2021, doi: 10.1016/j.net.2021.05.017.
- [11] C. Fichtlscherer, M. Miah, F. Frieß, M. Göttsche, and M. Kütt, “Modeling gamma detectors in OpenMC: Validation of a newly implemented pulse-height tally,” *Prog. Nucl. Energy*, vol. 172, p. 105186, July 2024, doi: 10.1016/j.pnucene.2024.105186.
- [12] G. Gilmore, *Practical gamma-ray spectrometry*, 2. ed., repr. With corr. Chichester: Wiley, 2011.
- [13] T. Dogan and N. (Dogan) Baydogan, “Synthesis of Poly(imide) Siloxane Block Copolymer, Structural Characterization and Comparison of Irradiation Effect in Radiation Shielding Properties for Flexible Sheet and Pelletized Form,” PhD Thesis, 2020.
- [14] N. Reguigui, *Gamma Ray Spectrometry*. 2014.



- [15] W. R. Leo, *Techniques for Nuclear and Particle Physics Experiments: A How-to Approach*. Berlin, Heidelberg: Springer Berlin Heidelberg, 1994. doi: 10.1007/978-3-642-57920-2.
- [16] G. F. Knoll, *Radiation detection and measurement*, 4th ed. Hoboken, NJ: Wiley, 2010.
- [17] A. Haghghat, *Monte Carlo Methods for Particle Transport*. 2020. doi: 10.1201/9780429198397.
- [18] J. S. Hendricks, M. T. Swinhoe, and A. Favalli, *Monte Carlo N-Particle Simulations for Nuclear Detection and Safeguards: An Examples-Based Guide for Students and Practitioners*. Cham: Springer International Publishing, 2022. doi: 10.1007/978-3-031-04129-7.
- [19] D. Renker, “Geiger-mode avalanche photodiodes, history, properties and problems,” *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 567, no. 1, pp. 48–56, Nov. 2006, doi: 10.1016/j.nima.2006.05.060.
- [20] R. J. McIntyre, P. P. Webb, and H. Dautet, “A short-wavelength selective reach-through avalanche photodiode,” *IEEE Trans. Nucl. Sci.*, vol. 43, no. 3, pp. 1341–1346, June 1996, doi: 10.1109/23.507062.
- [21] N. Tsoulfanidis and S. Landsberger, *Measurement & detection of radiation*, 4th ed. Boca Raton: CRC press, 2015.
- [22] S. Tavernier, *Experimental Techniques in Nuclear and Particle Physics*. Berlin, Heidelberg: Springer Berlin Heidelberg, 2010. doi: 10.1007/978-3-642-00829-0.
- [23] A. Taheri, M. A. Lehdarboni, and R. Gholipour, “Determination of Gaussian energy broadening parameters for organic scintillators,” *J. Instrum.*, vol. 11, no. 05, pp. P05020–P05020, May 2016, doi: 10.1088/1748-0221/11/05/P05020.
- [24] S. Sukara and S. Rimjeam, “Simulation of Gamma Rays Attenuation Through Matters Using the Monte Carlo Program,” *J. Phys. Conf. Ser.*, vol. 901, p. 012141, Sept. 2017, doi: 10.1088/1742-6596/901/1/012141.
- [25] M.-M. Bé and Bureau international des poids et mesures, Eds., *Table of radionuclides. Vol. 3: A=3 to 244*, vol. 3. in Monographie BIPM, no. 5, vol. 3. Sèvres: BIPM, 2006.
- [26] M.-M. Bé and Bureau international des poids et mesures, Eds., *Table of radionuclides. Vol. 3: A=3 to 244*, vol. 3. in Monographie BIPM, no. 5, vol. 3. Sèvres: BIPM, 2006.
- [27] C. J. Spencer, C. Yakymchuk, and M. Ghaznavi, “Visualising data distributions with kernel density estimation and reduced chi-squared statistic,” *Geosci. Front.*, vol. 8, no. 6, pp. 1247–1252, 2017, doi: <https://doi.org/10.1016/j.gsf.2017.05.002>.
- [28] R. Walpole, S. Myers, R. Myers, and K. Ye, *Probability & Statistics for Engineers & Scientists*. Pearson International, 2016. Accessed: Oct. 21, 2025. [Online]. Available: <https://elibrary.pearson.de/book/99.150005/9781292161419>



- [29] T. Dahiru, "P-Value, a true test of statistical significance? a cautionary note," *Ann. Ib. Postgrad. Med.*, vol. 6, no. 1, pp. 21–26, Mar. 2011, doi: 10.4314/aipm.v6i1.64038.
- [30] M. Moszynski, "Energy resolution of scintillation detectors," *Proc. SPIE - Int. Soc. Opt. Eng.*, vol. 5922, Aug. 2005, doi: 10.1117/12.622316.
- [31] S. S. Al-Dargazelli and M. M. Elias, "Iodine escape peak to photopeak intensity ratios in NaI(Tl) crystals," *Appl. Radiat. Isot.*, vol. 40, no. 5, Jan. 2025.
- [32] "XCOM: Photon Cross Sections Database," *NIST*, Sept. 2009, Accessed: Oct. 05, 2025. [Online]. Available: <https://www.nist.gov/pml/xcom-photon-cross-sections-database>
- [33] S. Sukara and S. Rimjeam, "Simulation of Gamma Rays Attenuation Through Matters Using the Monte Carlo Program," *J. Phys. Conf. Ser.*, vol. 901, p. 012141, Sept. 2017, doi: 10.1088/1742-6596/901/1/012141.
- [34] R. S. Dam, A. Santos, W. Salgado, and C. Salgado, "Source-detector effective solid angle calculation using MCNP6 code," *Braz. J. Radiat. Sci.*, vol. 9, Apr. 2021, doi: 10.15392/bjrs.v9i1A.1471.
- [35] M. F. Kuluöztürk and Z. N. Kuluöztürk, "A vertical coaxial sample holder and collimator design for gamma attenuation experiments on 3"x3" NaI(Tl) detector," *J. Radiat. Res. Appl. Sci.*, vol. 17, no. 2, p. 100862, 2024, doi: <https://doi.org/10.1016/j.jrras.2024.100862>.
- [36] G. Hu, H. Hu, Q. Yang, B. Yu, and W. Sun, "Study on the design and experimental verification of multilayer radiation shield against mixed neutrons and  $\gamma$ -rays," *Nucl. Eng. Technol.*, vol. 52, no. 1, pp. 178–184, 2020, doi: <https://doi.org/10.1016/j.net.2019.07.016>.

