

## DAFTAR PUSTAKA

- [1] A. Akmaluddin, M. V. Agustin, and others, “Stratigraphy and Foraminiferal Biostratigraphy of Sentolo Formation in Sedayu Area: Local Unconformity Identification in Early Pliocene,” *J. Appl. Geol.*, vol. 3, no. 2, pp. 32–47, 2019.
- [2] T. A. Kucera, S. E. Gibson, D. J. Schmit, E. Landi, and D. Tripathi, “Temperature and extreme-ultraviolet intensity in a coronal prominence cavity and streamer,” *Astrophys. J.*, vol. 757, no. 1, 2012, doi: 10.1088/0004-637X/757/1/73.
- [3] F. M. Gradstein, *The geologic time scale 2012*. elsevier, 2012.
- [4] N. Al-Sabouni, I. S. Fenton, R. J. Telford, and M. Kuc era, “Reproducibility of species recognition in modern planktonic foraminifera and its implications for analyses of community structure,” *J. Micropalaeontology*, vol. 37, no. 2, pp. 519–534, 2018, doi: 10.5194/jm-37-519-2018.
- [5] I. S. Fenton *et al.*, “Factors affecting consistency and accuracy in identifying modern macroperforate planktonic foraminifera,” *J. Micropalaeontology*, vol. 37, no. 2, pp. 431–443, 2018, doi: 10.5194/jm-37-431-2018.
- [6] T. Aze *et al.*, “A phylogeny of Cenozoic macroperforate planktonic foraminifera from fossil data,” *Biol. Rev.*, vol. 86, no. 4, pp. 900–927, 2011, doi: 10.1111/j.1469-185X.2011.00178.x.
- [7] C. R. Poole and B. S. Wade, “Systematic taxonomy of the *Trilobatus sacculifer* plexus and descendant *Globigerinoidesella fistulosa* (planktonic foraminifera),” *J. Syst. Palaeontol.*, vol. 17, no. 23, pp. 1989–2030, 2019, doi: 10.1080/14772019.2019.1578831.
- [8] H. Hilbrecht, “Morphologic gradation and ecology in *Neogloboquadrina pachyderma* and *N. dutertrei* (planktic foraminifera) from core top sediments,” *Mar. Micropaleontol.*, vol. 31, no. 1–2, pp. 31–43, Jun. 1997, doi: 10.1016/S0377-8398(96)00054-0.
- [9] K. F. Darling, M. Kucera, D. Kroon, and C. M. Wade, “A resolution for the coiling direction paradox in *Neogloboquadrina pachyderma*,” *Paleoceanography*, vol. 21, no. 2, pp. 1–14, 2006, doi: 10.1029/2005PA001189.
- [10] R. Marchant, M. Tetard, A. Pratiwi, and M. Adebayo, “Automated analysis of foraminifera fossil records by image classification using a convolutional neural network,” pp. 183–202, 2020.
- [11] M. Ho, S. Idgunji, J. L. Payne, and A. Koeshidayatullah, “Hierarchical multi-label taxonomic classification of carbonate skeletal grains with deep learning,” *Sediment. Geol.*, vol. 443, p. 106298, 2023, doi: 10.1016/j.sedgeo.2022.106298.
- [12] V. Carlsson *et al.*, “Convolutional neural network application on a new middle Eocene radiolarian dataset,” *Mar. Micropaleontol.*, vol. 183, no. June, p. 102268, 2023, doi: 10.1016/j.marmicro.2023.102268.
- [13] Y. Xu, Z. Dai, J. Wang, Y. Li, and H. Wang, “Automatic recognition of palaeobios images under microscope based on machine learning,” *IEEE Access*, vol. 8, no. 1, pp. 172972–172981, 2020, doi: 10.1109/ACCESS.2020.3024819.
- [14] I. Ozer, I. Kocak, O. Cetin, A. Can Karaca, C. Kaya Ozer, and K. Gorur, “Towards

- investigation of transfer learning framework for Globotruncanita genus and Globotruncana genus microfossils in Genus-Level and Species-Level prediction,” *Eng. Sci. Technol. an Int. J.*, vol. 48, no. December, p. 101589, 2023, doi: 10.1016/j.jestch.2023.101589.
- [15] R. P. de Lima *et al.*, “Convolutional neural networks as an aid to biostratigraphy and micropaleontology: A test on late paleozoic microfossils,” *Palaios*, vol. 35, no. 9, pp. 391–402, 2020, doi: 10.2110/PALO.2019.102.
- [16] A. Y. Hsiang and P. M. Hull, “Automated community ecology using deep learning: a case study of planktonic foraminifera,” 2022, [Online]. Available: <https://doi.org/10.1101/2022.10.31.514514>
- [17] X. Liu *et al.*, “Automatic taxonomic identification based on the Fossil Image Dataset (>415,000 images) and deep convolutional neural networks,” *Paleobiology*, vol. 49, no. 1, pp. 1–22, 2023, doi: 10.1017/pab.2022.14.
- [18] M. B. Adebayo, C. T. Bolton, R. Marchant, F. Bassinot, S. Conrod, and T. de Garidel-Thoron, “Environmental Controls of Size Distribution of Modern Planktonic Foraminifera in the Tropical Indian Ocean,” *Geochemistry, Geophys. Geosystems*, vol. 24, no. 4, 2023, doi: 10.1029/2022GC010586.
- [19] K. Yayan, C. Baglum, and U. Yayan, “Multi-Label Benthic Foraminifera Identification with Convolutional Neural Networks,” *IEEE Access*, no. November, pp. 196769–196785, 2024, doi: 10.1109/ACCESS.2024.3520633.
- [20] K. Gorur, C. Kaya Ozer, I. Ozer, A. Can Karaca, O. Cetin, and I. Kocak, “Species-Level Microfossil Prediction for Globotruncana genus Using Machine Learning Models,” *Arab. J. Sci. Eng.*, vol. 48, no. 2, pp. 1315–1332, 2023, doi: 10.1007/s13369-022-06822-5.
- [21] B. Wang *et al.*, “Recognition of Rare Microfossils Using Transfer Learning and Deep Residual Networks,” *Biology (Basel)*, vol. 12, no. 1, 2023, doi: 10.3390/biology12010016.
- [22] J. Wang *et al.*, “Foraminiferal image classification based on convolutional neural network considering data augmentation optimization,” *Mar. Micropaleontol.*, vol. 199, no. June, p. 102476, 2025, doi: 10.1016/j.marmicro.2025.102476.
- [23] T. H. Johansen and S. A. Sørensen, “Towards detection and classification of microscopic foraminifera using transfer learning,” *Proc. North. Light. Deep Learn. Work.*, vol. 1, p. 6, 2020, doi: 10.7557/18.5144.
- [24] S. Arif, N. Dzakiya, and S. Krismonita, “Pengenalan Paleontologi dan Stratigrafi untuk Eksplorasi Sumberdaya Geologi Kepada Siswa SMK N 1 Karanggayam,” *Indones. J. Community Empower. Serv.*, vol. 3, no. 2, pp. 20–23, 2023, doi: 10.33369/icommes.v3i2.31863.
- [25] D. Novita, D. Rizkika Wirawan, S. Rijani, and U. Hermawan, “Pola Perubahan Iklim Purba pada Umur Pliosen dengan Proksi Foraminifera: Studi Kasus Formasi Sentolo, Yogyakarta,” *J. Geol. dan Sumberd. Miner.*, vol. 23, no. 3, pp. 133–140, 2022, doi: 10.33332/jgsm.geologi.v23i3.703.
- [26] S. H. S. Herho, “PALEOKLIMATOLOGI UNTUK PEMULA/ SANDY HARDIAN SUSANTO HERHO i,” 2017.
- [27] J. Tyszka and P. Topa, “A new approach to modeling of foraminiferal shells,” *Paleobiology*, vol. 31, no. 3, pp. 522–537, 2005, doi: 10.1666/0094-

8373(2005)031[0522:anatmo]2.0.co;2.

- [28] Y. Edelman-Furstenberg, M. Scherbacher, C. Hemleben, and A. Almogi-Labin, "Deep-sea benthic foraminifera from the central Red Sea," *J. Foraminifer. Res.*, vol. 31, no. 1, pp. 48–59, 2001, doi: 10.2113/0310048.
- [29] L. M. Charrieau, S. Kawagata, I. Mcintosh, Y. Tamura, Y. Nagai, and T. Toyofuku, "Recent deep-sea benthic foraminifera from an active volcanic area: first insights around Nishinoshima, Northwest Pacific," *Paleontol. Res.*, vol. 28, no. 2, pp. 117–139, 2023, doi: 10.2517/PR220024.
- [30] Z. Ul Abideen *et al.*, "Uncertainty assisted robust tuberculosis identification with bayesian convolutional neural networks," *IEEE Access*, vol. 8, pp. 22812–22825, 2020, doi: 10.1109/ACCESS.2020.2970023.
- [31] W. N. Jasim and R. J. Mohammed, "A Survey on Segmentation Techniques for Image Processing," *Iraqi J. Electr. Electron. Eng.*, vol. 17, no. 2, pp. 73–93, 2021, doi: 10.37917/ijeee.17.2.10.
- [32] K. H. Sanila, A. A. Balakrishnan, and M. H. Supriya, "Underwater Image Enhancement Using White Balance, USM and CLHE," *Int. Symp. Ocean Electron. SYMPOL*, vol. 2019-Decem, pp. 106–116, 2019, doi: 10.1109/SYMPOL48207.2019.9005301.
- [33] S. Paris, S. W. Hasinoff, and J. Kautz, "Local Laplacian Filters: Edge-aware Image Processing with a Laplacian Pyramid," *ACM Trans. Graph.*, vol. 30, no. 4, pp. 1–12, 2011, doi: 10.1145/2010324.1964963.
- [34] B. Nevils, T. Mimbs, A. Sailesh, and N. Naheed, "High frequency emphasis filter instead of homomorphic filter," *Proc. - 2018 Int. Conf. Comput. Sci. Comput. Intell. CSCI 2018*, pp. 482–484, 2018, doi: 10.1109/CSCI46756.2018.00099.
- [35] B. Zhang and J. P. Allebach, "Adaptive bilateral filter for sharpness enhancement and noise removal," *Proc. - Int. Conf. Image Process. ICIP*, vol. 4, no. 5, pp. 664–678, 2007, doi: 10.1109/ICIP.2007.4380043.
- [36] S. Agrawal, R. Panda, P. K. Mishro, and A. Abraham, "A novel joint histogram equalization based image contrast enhancement," *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 34, no. 4, pp. 1172–1182, 2022, doi: 10.1016/j.jksuci.2019.05.010.
- [37] S. M. Pizer *et al.*, "Adaptive Histogram Equalization and Its Variations.," *Comput. vision, Graph. image Process.*, vol. 39, no. 3, pp. 355–368, 1987, doi: 10.1016/S0734-189X(87)80186-X.
- [38] Y. Chang, C. Jung, P. Ke, H. Song, and J. Hwang, "Automatic Contrast-Limited Adaptive Histogram Equalization with Dual Gamma Correction," *IEEE Access*, vol. 6, pp. 11782–11792, 2018, doi: 10.1109/ACCESS.2018.2797872.
- [39] A. B. Petro, C. Sbert, and J.-M. Morel, "Multiscale Retinex," *Image Process. Line*, vol. 4, pp. 71–88, 2014, doi: 10.5201/ipol.2014.107.
- [40] K. Fukushima, S. Miyake, and T. Ito, "Neocognitron: A Neural Network Model for a Mechanism of Visual Pattern Recognition," *IEEE Trans. Syst. Man Cybern.*, vol. SMC-13, no. 5, pp. 826–834, 1983, doi: 10.1109/TSMC.1983.6313076.
- [41] B. Annanurov and N. M. Noor, "Feature selection for Khmer handwritten text recognition," *Proc. 2017 IEEE Russ. Sect. Young Res. Electr. Electron. Eng. Conf. ElConRus 2017*, pp. 626–630, 2017, doi: 10.1109/EIConRus.2017.7910634.

- [42] G. E. Hinton, N. Srivastava, A. Krizhevsky, I. Sutskever, and R. R. Salakhutdinov, "Improving neural networks by preventing co-adaptation of feature detectors," pp. 1–18, 2012.
- [43] H. S. Santi Deliani Rahmawati, "No 主観的健康感を中心とした在宅高齢者における健康関連指標に関する共分散構造分析Title," vol. 3, no. 2017, pp. 54–67, 2020.
- [44] D. Stathakis, "How many hidden layers and nodes?," *Int. J. Remote Sens.*, vol. 30, no. 8, pp. 2133–2147, 2009, doi: 10.1080/01431160802549278.
- [45] K. Simonyan and A. Zisserman, "Very deep convolutional networks for large-scale image recognition," *3rd Int. Conf. Learn. Represent. ICLR 2015 - Conf. Track Proc.*, pp. 1–14, 2015.
- [46] H. A. Abdelaziz, M. Sallah, A. Elgarayhi, and F. E. Al-Tahhan, "Accurate automatic classification system for 3D CT images of some vertebrate remains from Egypt," *J. Taibah Univ. Sci.*, vol. 16, no. 1, pp. 632–645, 2022, doi: 10.1080/16583655.2022.2096391.
- [47] A. Peryanto *et al.*, "Rancang Bangun Klasifikasi Citra Dengan Teknologi Deep Learning Berbasis Metode Convolutional Neural Network," vol. 8, pp. 138–147, 2019.
- [48] R. C. Gonzalez, *www.EBooksWorld.ir*, Third. 2008.
- [49] L. Dan and P. Luas, "Implementasi algoritma cnn untuk klasifikasi citra lahan dan perhitungan luas," vol. 1, no. 1, pp. 166–174, 2020.
- [50] P. A. Nugroho, I. Fenriana, R. Arijanto, and M. Kom, "IMPLEMENTASI DEEP LEARNING MENGGUNAKAN CONVOLUTIONAL NEURAL NETWORK ( CNN ) PADA EKSPRESI MANUSIA," vol. 1, 2020.
- [51] W. A. Jassim and N. Harte, "Comparison of discrete transforms for deep-neural-networks-based speech enhancement," *IET Signal Process.*, vol. 16, no. 4, pp. 438–448, 2022, doi: 10.1049/sil2.12109.
- [52] S. J. Pan and Q. Yang, "A survey on transfer learning," *IEEE Trans. Knowl. Data Eng.*, vol. 22, no. 10, pp. 1345–1359, 2010, doi: 10.1109/TKDE.2009.191.
- [53] Karen Simonyan\* & Andrew Zisserman+, "VERY DEEP CONVOLUTIONAL NETWORKS FOR LARGE-SCALE IMAGE RECOGNITION Karen," *Am. J. Heal. Pharm.*, vol. 75, no. 6, pp. 398–406, 2018, [Online]. Available: <https://click.endnote.com/viewer?doi=arxiv%3A1409.1556&token=WzQxNTM2OSwiYXJ4aXY6MTQwOS4xNTU2Il0.1ERLUjt9JINMPEYW74pwJfDb7PA>
- [54] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2016-Decem, pp. 770–778, 2016, doi: 10.1109/CVPR.2016.90.
- [55] G. Huang, Z. Liu, L. Van Der Maaten, and K. Q. Weinberger, "Densely connected convolutional networks," *Proc. - 30th IEEE Conf. Comput. Vis. Pattern Recognition, CVPR 2017*, vol. 2017-Janua, pp. 2261–2269, 2017, doi: 10.1109/CVPR.2017.243.
- [56] S. Komputasi, "Tutorial Pemrograman Python 2 Untuk Pemula".
- [57] G. L. Zhang, L. L. Ge, Y. N. Yang, Y. Q. Liu, and K. X. Sun, "Fused Confidence for Scene Text Detection via Intersection-over-Union," *Int. Conf. Commun.*

- Technol. Proceedings, ICCT*, pp. 1540–1543, 2019, doi: 10.1109/ICCT46805.2019.8947307.
- [58] F. Milletari, N. Navab, and S. A. Ahmadi, “V-Net: Fully convolutional neural networks for volumetric medical image segmentation,” *Proc. - 2016 4th Int. Conf. 3D Vision, 3DV 2016*, pp. 565–571, 2016, doi: 10.1109/3DV.2016.79.
- [59] J. A. Stark, “Adaptive image contrast enhancement using generalizations of histogram equalization,” *IEEE Trans. Image Process.*, vol. 9, no. 5, pp. 889–896, 2000, doi: 10.1109/83.841534.
- [60] Z. Wang, A. C. Bovik, H. R. Sheikh, and E. P. Simoncelli, “Image quality assessment: from error visibility to structural similarity,” *IEEE Trans. image Process.*, vol. 13, no. 4, pp. 600–612, 2004.
- [61] J. Ha, M. Kambe, and J. Pe, *Data Mining: Concepts and Techniques*. 2011. doi: 10.1016/C2009-0-61819-5.
- [62] H. Wang *et al.*, “Prediction of flood risk levels of urban flooded points though using machine learning with unbalanced data,” *J. Hydrol.*, vol. 630, no. December 2023, p. 130742, 2024, doi: 10.1016/j.jhydrol.2024.130742.
- [63] H. Li, *Machine Learning Methods*. Springer Nature, 2023.
- [64] N. A. Rehman and F. Haroon, “Adaptive Gaussian and Double Thresholding for Contour Detection and Character Recognition of Two-Dimensional Area Using Computer Vision †,” *Eng. Proc.*, vol. 32, no. 1, 2023, doi: 10.3390/engproc2023032023.
- [65] A. KUŞCU and H. EROL, “Diagnosis of Breast Cancer by K-Mean Clustering and Otsu Thresholding Segmentation Methods,” *Osmaniye Korkut Ata Üniversitesi Fen Bilim. Enstitüsü Derg.*, vol. 5, no. 1, pp. 258–281, 2022, doi: 10.47495/okufbed.994481.
- [66] F. A. Cheikh, L. Khriji, and M. Gabbouj, “Unsharp masking-based approach for color image processing,” *Eur. Signal Process. Conf.*, vol. 1998-Janua, pp. 1–4, 1998.
- [67] W. Sun, X. Min, D. Tu, S. Ma, and G. Zhai, “Blind Quality Assessment for in-the-Wild Images via Hierarchical Feature Fusion and Iterative Mixed Database Training,” *IEEE J. Sel. Top. Signal Process.*, vol. 17, no. 6, pp. 1178–1192, 2023, doi: 10.1109/JSTSP.2023.3270621.
- [68] S. Su *et al.*, “Blindly assess image quality in the wild guided by a self-adaptive hyper network,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 3664–3673, 2020, doi: 10.1109/CVPR42600.2020.00372.
- [69] S. Katsigiannis *et al.*, “Interpreting MOS scores, when can users see a difference? Understanding user experience differences for photo quality,” *Qual. User Exp.*, vol. 3, no. 1, pp. 1–14, 2018, doi: 10.1007/s41233-018-0019-8.