

DAFTAR PUSTAKA

- [1] Y. Chen, W. Yu, Y. Niu, W. Li, W. Lu, and L. (Lucy) Yu, “Chemometric Classification and Bioactivity Correlation of Black Instant Coffee and Coffee Bean Extract by Chlorogenic Acid Profiling,” *Foods*, vol. 13, no. 24, p. 4016, Dec. 2024, doi: 10.3390/foods13244016.
- [2] D. Erwanto *et al.*, “Development and Application of an Electronic Nose System for Classifying Coffee Varieties Based on Aromatic Profiles,” *Journal of Intelligent Systems and Control*, vol. 3, no. 3, pp. 186–200, Sep. 2024, doi: 10.56578/jisc030305.
- [3] Y. S. Mutz *et al.*, “Effectiveness of an E-Nose Based on Metal Oxide Semiconductor Sensors for Coffee Quality Assessment,” *Chemosensors*, vol. 13, no. 1, p. 23, Jan. 2025, doi: 10.3390/chemosensors13010023.
- [4] D. Qisthina, Muhammad Fakhri Kurniawan, and Tiana Fitrilia, “Deskripsi Atribut Sensori Tiga Jenis Kopi (Arabika, Robusta, dan Liberika) Asal Indonesia dan Hasil Cupping Score,” *Karimah Tauhid*, vol. 3, no. 8, pp. 9031–9042, Aug. 2024, doi: 10.30997/karimahtauhid.v3i8.14611.
- [5] Moch Irwan Adi Saputro, Kukuh Setyadjit, and Lutfi Agung Swarga, “Klasifikasi Aroma Jenis Kopi Menggunakan Sensor Gas dan Algoritma LDA,” *Uranus : Jurnal Ilmiah Teknik Elektro, Sains dan Informatika*, vol. 3, no. 1, pp. 01–13, Jan. 2025, doi: 10.61132/uranus.v3i1.623.
- [6] I. S. Nasution, D. P. Delima, Z. Zaidiyah, and R. Fadhil, “A Low Cost Electronic Nose System for Classification of Gayo Arabica Coffee Roasting Levels Using Stepwise Linear Discriminant and K-Nearest Neighbor,” *Mathematical Modelling of Engineering Problems*, vol. 9, no. 5, pp. 1271–1276, 2022, doi: 10.18280/mmep.090514.
- [7] Goodstats, “Robusta dan Arabika: Dua Jenis Kopi Andalan Indonesia di Pasar Ekspor 2023,” Goodstats. [Online]. Available: <https://data.goodstats.id/statistic/robusta-dan-arabika-dua-jenis-kopi-andalan-indonesia-di-pasar-ekspor-2023-Xi6P2>
- [8] A. Asnawi, E. Berlianti, I. Andriansyah, E. Febrina, N. Nursamsiar, and S. Rahmi, “Metode Spektroskopi Atr-Ftir Tandem Pca Untuk Mendeteksi Kopi Robusta Sebagai

Adulteran Dalam Sediaan Kopi Arabika Toraja Komersial,” *Jurnal Ilmiah Ibnu Sina (JIIS): Ilmu Farmasi dan Kesehatan*, vol. 6, no. 1, pp. 116–123, 2021, doi: 10.36387/jiis.v6i1.646.

- [9] C. de C. Couto, O. Freitas-Silva, E. M. M. Oliveira, C. Sousa, and S. Casal, “Near-infrared spectroscopy applied to the detection of multiple adulterants in roasted and ground arabica coffee,” *Foods*, vol. 11, no. 1, 2022, doi: 10.3390/foods11010061.
- [10] N. Ihsan *et al.*, “Enhancing Electronic Nose Performance for Differentiating Civet and Non-Civet Roasted Bean Coffee Using Polynomial Feature Extraction Methods,” *Flavour Fragr J*, vol. 40, no. 2, pp. 298–307, Mar. 2025, doi: 10.1002/ffj.3826.
- [11] W. Deepanya, “Volatile Analysis of Coffee Flowers before and after Pollination Using a Portable Electronic Nose and Gas Chromatography,” *Chiang Mai Journal of Science*, vol. 51, no. 6, pp. 1–12, Nov. 2024, doi: 10.12982/CMJS.2024.094.
- [12] T. Sanislav, D. A. Sipos, G. Mois, and S. Folea, “Intelligent System for Coffee Odor Identification and Classification,” in *2024 32nd Telecommunications Forum (TELFOR)*, IEEE, Nov. 2024, pp. 1–4. doi: 10.1109/TELFOR63250.2024.10819190.
- [13] R. Macías-Quijas, R. Velázquez, C. Del-Valle-Soto, R. Lizut, P. Visconti, and A. Lay-Ekuakille, “Environmental odor detection and classification with electronic nose system,” *Bulletin of Electrical Engineering and Informatics*, vol. 14, no. 2, pp. 1117–1125, Apr. 2025, doi: 10.11591/eei.v14i2.9046.
- [14] Dr. A. Amini, H. Gholami Anjileh, and H. Amirfaridi, “Fast and Portable Single-Sensor Electronic Nose for Accurate Quality Assessment of Extra Virgin Olive Oil Using a Temperature-Modulated Generic Gas Sensor,” 2025. doi: 10.2139/ssrn.5094053.
- [15] M. Barata, M. Jauhar Vikri, and T. Pribadi, “Perancangan Sistem Electronic Nose Berbasis Mikrokontroller Sebagai Alat Pengklasifikasi Jenis Teh Murni,” *Jurnal Informatika Polinema*, vol. 11, no. 1, pp. 117–126, Nov. 2024, doi: 10.33795/jip.v11i1.6349.
- [16] S. Niu *et al.*, “Aroma Analysis of Table Grape Berries Based on Electronic Nose Detection,” *Agronomy*, vol. 15, no. 1, p. 104, Jan. 2025, doi: 10.3390/agronomy15010104.

- [17] A. Mishra, P. Gore, and M. Sahu, “Principal Component Analysis of 100 Indigenous & Exotic Accessions of Pigeonpea [*Cajanus cajan* (L.) Millsp.] of Indian National Seed Bank,” *J Adv Biol Biotechnol*, vol. 28, no. 1, pp. 603–611, Jan. 2025, doi: 10.9734/jabb/2025/v28i11913.
- [18] K. J. Hemmerling, A. D. Vigotsky, C. Glanville, R. L. Barry, and M. G. Bright, “Data-driven denoising in spinal cord fMRI with principal component analysis,” Jan. 23, 2025. doi: 10.1101/2025.01.23.634596.
- [19] B. M. Al-Hadithi and J. Gómez, “Fuzzy Control of Multivariable Nonlinear Systems Using T–S Fuzzy Model and Principal Component Analysis Technique,” *Processes*, vol. 13, no. 1, p. 217, Jan. 2025, doi: 10.3390/pr13010217.
- [20] D. E. T. ARDIANSYAH, “KLASIFIKASI KOPI LOKAL MENGGUNAKAN HIDUNG ELEKTRONIK DENGAN ANALISA METODE MULTIVARIAN,” UNIVERSITAS GADJAH MADA, 2016.
- [21] J.-T. Sun and C.-H. Lee, “AI-driven Sensor Array Electronic Nose System for Authenticating and Recognizing Aromas in Spirit Samples,” *Sensors and Materials*, vol. 37, no. 1, p. 23, Jan. 2025, doi: 10.18494/SAM5375.
- [22] X. Song, L. Qian, D. Zhang, X. Wang, L. Fu, and M. Chen, “Effectiveness of Differentiating Mold Levels in Soybeans with Electronic Nose Detection Technology,” *Foods*, vol. 13, no. 24, p. 4064, Dec. 2024, doi: 10.3390/foods13244064.
- [23] B. Wu, B. Hsueh, and W. Lin, “Optimization of imaging magnification for presbyopia glass lens using Taguchi-principal component analysis,” in *The International Conference Optoelectronic Information and Optical Engineering (OIOE2024)*, Y. Yue and L. Leng, Eds., SPIE, Jan. 2025, p. 148. doi: 10.1117/12.3047931.
- [24] G. Feltes *et al.*, “Discrimination of artificial strawberry aroma by electronic nose based on nanocomposites,” *J Food Process Eng*, vol. 47, no. 1, Jan. 2024, doi: 10.1111/jfpe.14501.

- [25] R. Lundberg, “Characterizing Homeland Security Risk: A Principal Component Analysis of 10 Hazards,” *J Homel Secur Emerg Manag*, Jan. 2025, doi: 10.1515/jhsem-2023-0040.
- [26] B. Sumanto, D. R. Java, W. Wijaya, and J. Hendry, “Seleksi Fitur Terhadap Performa Kinerja Sistem E-Nose untuk Klasifikasi Aroma Kopi Gayo,” *MATRIK: Jurnal Manajemen, Teknik Informatika dan Rekayasa Komputer*, vol. 21, no. 2, pp. 429–438, Mar. 2022, doi: 10.30812/matrik.v21i2.1495.
- [27] K. Marzuki, Apriani, and M. Qulub, “Coffee Roaster Maturity Level Classification Based on Convolutional Neural Network,” *Mathematical Modelling of Engineering Problems*, vol. 12, no. 1, pp. 46–54, Jan. 2025, doi: 10.18280/mmep.120106.
- [28] C.-H. Lee, I.-T. Chen, H.-C. Yang, and Y. J. Chen, “An AI-powered Electronic Nose System with Fingerprint Extraction for Aroma Recognition of Coffee Beans,” *Micromachines (Basel)*, vol. 13, no. 8, p. 1313, Aug. 2022, doi: 10.3390/mi13081313.
- [29] E. Deribe Jiru, B. Guta Wordofa, and M. Redi-Abshiro, “Improved Principal Component Analysis and Linear Discriminant Analysis for the Determination of Origin of Coffee Beans using,” *SINET: Ethiopian Journal of Science*, vol. 45, no. 1, pp. 1–25, 2022, doi: 10.4314/sinet.v45i1.1.
- [30] J. D. Barea-Ramos, G. Cascos, M. Mesías, J. Lozano, and D. Martín-Vertedor, “Evaluation of the Olfactory Quality of Roasted Coffee Beans Using a Digital Nose,” *Sensors*, vol. 22, no. 22, 2022, doi: 10.3390/s22228654.
- [31] R. Selvanarayanan, S. Rajandran, and Y. Alotaibi, “Using Hierarchical Agglomerative Clustering in E-Nose for Coffee Aroma Profiling: Identification, Quantification, and Disease Detection,” *Instrumentation Measure Metrologie*, vol. 22, no. 4, pp. 127–140, 2023, doi: 10.18280/i2m.220401.
- [32] T. Ferreira, S. Joel, G. Rubens, and A. Farah, “Coffee Production Part I,” *The Royal Society of Chemistry*, pp. 1–25, 2019, doi: 10.1039/9781782620044-00001.
- [33] L.-T. Lim, M. Zwicker, and X. Wang, “Coffee: One of the Most Consumed Beverages in the World,” in *Comprehensive Biotechnology*, Elsevier, 2019, pp. 275–285. doi: 10.1016/B978-0-444-64046-8.00462-6.

- [34] M. Worku, T. Astatkie, and P. Boeckx, “Effect of growing conditions and postharvest processing on arabica coffee bean physical quality features and defects,” *Heliyon*, vol. 8, no. 4, p. e09201, 2022, doi: 10.1016/j.heliyon.2022.e09201.
- [35] F. De Bruyn *et al.*, “Exploring the Impacts of Postharvest Processing on the Microbiota and,” *Appl Environ Microbiol*, vol. 83, no. 1, pp. 1–16, 2017, [Online]. Available: <https://journals.asm.org/doi/epub/10.1128/AEM.02398-16>
- [36] X. Cao, H. Wu, C. G. Viejo, F. R. Dunshea, and H. A. R. Suleria, “Effects of postharvest processing on aroma formation in roasted coffee – a review,” *Int J Food Sci Technol*, vol. 58, no. 3, pp. 1007–1027, 2023, doi: 10.1111/ijfs.16261.
- [37] “ICO 2023”.
- [38] B. Girma, A. Gure, and F. Wedajo, “Influence of Altitude on Caffeine, 5-Caffeoylquinic Acid, and Nicotinic Acid Contents of Arabica Coffee Varieties,” *J Chem*, vol. 2020, pp. 1–7, 2020, doi: 10.1155/2020/3904761.
- [39] Y. Abubakar, M. R. Alya, A. Karim, and Y. D. Fazlina, “Effect of variety and farm altitude on chemical content of Arabica coffee (*Coffea arabica*) grown in Gayo Highland, Indonesia,” *IOP Conf Ser Earth Environ Sci*, vol. 1356, no. 1, 2024, doi: 10.1088/1755-1315/1356/1/012030.
- [40] R. S. Mourão, A. L. Sanson, and M. E. Poleti Martucci, “HS-SPME-GC-MS combined with metabolomic approach to discriminate volatile compounds of Brazilian coffee from different geographic origins,” *Food Biosci*, vol. 56, p. 103395, Dec. 2023, doi: 10.1016/j.fbio.2023.103395.
- [41] M. A. Nugroho and M. M. Sebatubun, “KLASIFIKASI VARIETAS KOPI BERDASARKAN GREEN BEAN COFFEE MENGGUNAKAN METODE MACHINE LEARNING,” 2020.
- [42] F. Vezzulli, G. Rocchetti, M. Lambri, and L. Lucini, “Metabolomics Combined with Sensory Analysis Reveals the Impact of Different Extraction Methods on Coffee Beverages from *Coffea arabica* and *Coffea canephora* var. Robusta,” *Foods*, vol. 11, no. 6, 2022, doi: 10.3390/foods11060807.

- [43] A. Gomes and L. Pinheiro, “Importância da caracterização química do café robusta de Rondônia Importance of chemical characterization of robusta coffee from Rondônia Importancia de la caracterización química del café robusta de Rondônia,” pp. 1–13, 2024, doi: 10.55905/revconv.17n.13-277.
- [44] T. Viencz, L. B. Acre, R. B. Rocha, E. A. Alves, A. R. Ramalho, and M. de T. Benassi, “Caffeine, trigonelline, chlorogenic acids, melanoidins, and diterpenes contents of *Coffea canephora* coffees produced in the Amazon,” *Journal of Food Composition and Analysis*, vol. 117, p. 105140, Apr. 2023, doi: 10.1016/j.jfca.2023.105140.
- [45] Ma. C. Ablan Lagman, “Variability in Philippine *Coffea liberica* Provides Insights into Development Amidst a Changing Climate,” p. 27, 2023, doi: 10.3390/icc2023-14852.
- [46] D. R. Hapsari, E. Puspasari, and F. Fachriani, “Karakteristik Kimia dan Sensori Minuman Susu Kopi Liberika (*Coffea Liberica*),” *Jurnal Ilmiah Pangan Halal*, vol. 6, no. 1, pp. 116–125, 2024, doi: 10.30997/jiph.v6i1.10753.
- [47] C. Kiefer, S. Schwarz, S. Rohn, and P. Weller, “The Aromatic Fingerprint of Fermented *Coffea liberica*,” p. 4, 2023, doi: 10.3390/icc2023-14838.
- [48] N. A. Wibowo, W. Mangunwardoyo, T. J. Santoso, and Yasman, “Investigation of volatile compounds of Liberica coffee beans fermented at varying degrees of roasting,” *Food Res*, vol. 8, no. 3, pp. 43–53, 2024, doi: 10.26656/fr.2017.8(3).484.
- [49] S. Oestreich-Janzen, *Caracterización físico-química y sensorial de dos variedades de café (Coffea arabica) del occidente de Honduras*, no. March. Elsevier Inc., 2013. doi: 10.1016/B978-0-12-409547-2.02786-4.
- [50] M. de S. G. Barbosa, M. B. dos S. Scholz, C. S. G. Kitzberger, and M. de T. Benassi, “Correlation between the composition of green Arabica coffee beans and the sensory quality of coffee brews,” *Food Chem*, vol. 292, no. April, pp. 275–280, 2019, doi: 10.1016/j.foodchem.2019.04.072.
- [51] M. R. Ruosi *et al.*, “A Further Tool To Monitor the Coffee Roasting Process: Aroma Composition and Chemical Indices,” *J Agric Food Chem*, vol. 60, no. 45, pp. 11283–11291, Nov. 2012, doi: 10.1021/jf3031716.

- [52] A. A. Catão *et al.*, “Coffee-roasting variables associated with volatile organic profiles and sensory evaluation using multivariate analysis,” *Applied Food Research*, vol. 2, no. 2, 2022, doi: 10.1016/j.afres.2022.100223.
- [53] A. D. Wilson and M. Baietto, “Advances in electronic-nose technologies developed for biomedical applications,” *Sensors*, vol. 11, no. 1, pp. 1105–1176, 2011, doi: 10.3390/s110101105.
- [54] D. Karakaya, O. Ulucan, and M. Turkan, “Electronic Nose and Its Applications: A Survey,” *International Journal of Automation and Computing*, vol. 17, no. 2, pp. 179–209, 2020, doi: 10.1007/s11633-019-1212-9.
- [55] I.-T. Chen, C.-C. Chen, H.-J. Dai, B. Rianto, S.-K. Huang, and C.-H. Lee, “An Incremental Learning Method for Preserving World Coffee Aromas by Using an Electronic Nose and Accumulated Specialty Coffee Datasets,” *IEEE Transactions on AgriFood Electronics*, vol. 2, no. 1, pp. 12–27, Dec. 2023, doi: 10.1109/tafe.2023.3337887.
- [56] K. G. Krishna, S. Parne, N. Pothukanuri, V. Kathirvelu, S. Gandhi, and D. Joshi, “Nanostructured metal oxide semiconductor-based gas sensors: A comprehensive review,” *Sens Actuators A Phys*, vol. 341, p. 113578, Jul. 2022, doi: 10.1016/j.sna.2022.113578.
- [57] H. Long, Y. Li, K. Chai, and W. Zeng, “Metal oxide semiconductor-based core-shell nanostructures for chemiresistive gas sensing: A review,” *Sens Actuators B Chem*, vol. 417, p. 136183, Oct. 2024, doi: 10.1016/j.snb.2024.136183.
- [58] L. Hanwei Electronics Co., “Mq-135 Hanwei,” vol. 1, pp. 3–5, [Online]. Available: <http://www.hwsensor.com>
- [59] J. W. Gardner *et al.*, *Microsensors, MEMS and Smart Devices Sensors in Manufacturing Sensors in Intelligent Buildings*. 2003.
- [60] R. Tem and S. Resistance, “Mq-3-Hanweieletronics,” pp. 3–4.
- [61] L. Henan Hanwei Electronics Co., “MQ-9 Semiconductor Sensor for Combustible Gas,” *Pololu*, p. 2, 2016, [Online]. Available: www.hwsensor.com

- [62] P. By ALLDATASHEETCOM, “MQ137 WINSEN | Alldatasheet,” 2015, [Online]. Available: www.winsen-sensor.com
- [63] Figaro, “TGS 2600 Data Sheet,” *Figaro Engineering Inc.*, pp. 1–2, 2013, [Online]. Available: [http://www.figarosensor.com/products/docs/TGS2602-B00 \(0913\).pdf](http://www.figarosensor.com/products/docs/TGS2602-B00%20(0913).pdf)
- [64] Figaro Engineering Inc, “TGS 2600 - Product Information,” 2013, [Online]. Available: https://www.figaro.co.jp/en/product/docs/tgs2600_product_information_rev02.pdf
- [65] Figaro Engineering Inc, “TGS 2611 - for the detection of Methane,” *Power*.
- [66] Figaro, “PRODUCT INFORMATION TGS 813 - for the detection of Combustible Gases Sensitivity Characteristics :,” 2000.
- [67] Figaro, “TGS 822 - for the detection of Organic Solvent Vapors,” *FIGARO TGS 822 datasheet*, vol. 1, p. 2, 2002, [Online]. Available: <http://www.figarosensor.com/products/822pdf.pdf>
- [68] A. M. Setiarini and B. Sumanto, “Komparasi Metode Manipulasi Baseline untuk Uji Diskriminasi Keberadaan Residu Pestisida pada Sayuran Sawi Hijau Berbasis Electronic Nose,” *Jurnal Listrik, Instrumentasi, dan Elektronika Terapan*, vol. 5, no. 1, p. 18, 2024, doi: 10.22146/juliet.v5i1.87379.
- [69] M. Jin, W. Shi, H. Fu, and Z. Li, “A Novel Multi-Dimensional Feature Extraction Framework of Data Sampled by Electronic Nose,” in *2022 IEEE International Conference on Signal Processing, Communications and Computing (ICSPCC)*, IEEE, Oct. 2022, pp. 1–4. doi: 10.1109/ICSPCC55723.2022.9984388.
- [70] J. Dombi and A. Dineva, “Adaptive Savitzky-Golay filtering and its applications,” *International Journal of Advanced Intelligence Paradigms*, vol. 16, no. 2, p. 145, 2020, doi: 10.1504/IJAIP.2020.107011.
- [71] S. Vitali, C. Bax, S. Sironi, and L. Capelli, “Investigation of electronic nose sensor drift correction methods and their application to environmental samples,” *Chem Eng Trans*, vol. 68, pp. 289–294, 2018, doi: 10.3303/CET1868049.

- [72] A. Rudnitskaya, “Calibration Update and Drift Correction for Electronic Noses and Tongues,” *Front Chem*, vol. 6, Sep. 2018, doi: 10.3389/fchem.2018.00433.
- [73] J. Yan *et al.*, “Electronic nose feature extraction methods: A review,” *Sensors (Switzerland)*, vol. 15, no. 11, pp. 27804–27831, 2015, doi: 10.3390/s151127804.
- [74] H. Yang *et al.*, “Detection of corn quality based on surface-enhanced Raman spectroscopy and electronic nose technology,” *Bioresources*, vol. 20, no. 1, pp. 2071–2082, Jan. 2025, doi: 10.15376/biores.20.1.2071-2082.
- [75] M. Gancarz, A. Nawrocka, and R. Rusinek, “Identification of Volatile Organic Compounds and Their Concentrations Using a Novel Method Analysis of MOS Sensors Signal,” *J Food Sci*, vol. 84, no. 8, pp. 2077–2085, Aug. 2019, doi: 10.1111/1750-3841.14701.
- [76] G. Marek, B. Dobrzański, T. Oniszcuk, M. Combrzyński, D. Ćwikła, and R. Rusinek, “Detection and differentiation of volatile compound profiles in roasted coffee arabica beans from different countries using an electronic nose and GC-MS,” *Sensors (Switzerland)*, vol. 20, no. 7, 2020, doi: 10.3390/s20072124.
- [77] C. Gonzalez Viejo, E. Tongson, and S. Fuentes, “Integrating a low-cost electronic nose and machine learning modelling to assess coffee aroma profile and intensity,” *Sensors*, vol. 21, no. 6, pp. 1–16, Mar. 2021, doi: 10.3390/s21062016.
- [78] S. Wakhid, R. Sarno, S. I. Sabilla, and D. B. Maghfira, “Detection and classification of indonesian civet and non-civet coffee based on statistical analysis comparison using E-Nose,” *International Journal of Intelligent Engineering and Systems*, vol. 13, no. 4, pp. 56–65, 2020, doi: 10.22266/IJIES2020.0831.06.
- [79] C.-L. Tang *et al.*, “Development of a Nondestructive Moldy Coffee Beans Detection System Based on Electronic Nose,” *IEEE Sens Lett*, vol. 7, no. 2, pp. 1–4, Feb. 2023, doi: 10.1109/LENS.2023.3241943.
- [80] E. Aghdamifar, V. R. Sharabiani, E. Taghinezhad, M. Szymanek, and A. Dziwulska-Hunek, “E-nose as a non-destructive and fast method for identification and classification of coffee beans based on soft computing models,” *Sens Actuators B Chem*, vol. 393, no. May, p. 134229, 2023, doi: 10.1016/j.snb.2023.134229.

- [81] I. T. Jolliffe and J. Cadima, "Principal component analysis: A review and recent developments," *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 374, no. 2065, 2016, doi: 10.1098/rsta.2015.0202.
- [82] W. Aunsa-Ard and T. Kerdcharoen, "Electronic Nose for Analysis of Coffee Beans Obtained from Different Altitudes and Origin," in *2022 14th International Conference on Knowledge and Smart Technology (KST)*, IEEE, Jan. 2022, pp. 147–151. doi: 10.1109/KST53302.2022.9729071.
- [83] H. F. Kaiser, "The Application of Electronic Computers to Factor Analysis," *Educ Psychol Meas*, vol. 20, no. 1, pp. 141–151, Apr. 1960, doi: 10.1177/001316446002000116.
- [84] I. T. Jolliffe, "Principal components," *Data Handling in Science and Technology*, vol. 20, no. PART A, pp. 519–556, 1998, doi: 10.1016/S0922-3487(97)80047-0.
- [85] R. Faraco-Filho, J. V. de Castro, F. O. Barino, D. E. Campos, and A. B. dos Santos, "Monitoring and Characterization Technology for Coffee Fermentation Aromas: A Data-Driven Approach," *IEEE Sens J*, vol. 24, no. 6, pp. 8371–8378, Mar. 2024, doi: 10.1109/JSEN.2024.3357294.
- [86] S. Abdul Muttalib, J. Nugraha WK, and N. Bintoro, "Analisis Kadar Air dan Aroma Blending Kopi Arabika (*Coffea arabica* L) dan Robusta(*Coffea canephora* L) Selama Penyimpanan Dengan Principal Component Analisis (PCA)," *Jurnal Agrotek Ummat*, vol. 6, no. 1, p. 23, 2019, doi: 10.31764/agrotek.v6i1.955.
- [87] J. Ye, "Least squares linear discriminant analysis," *ACM International Conference Proceeding Series*, vol. 227, no. May, pp. 1087–1093, 2007, doi: 10.1145/1273496.1273633.
- [88] B. Mabrouk, N. Jazzar, and A. Ben Hamida, "A Comparative Study of PCA and LDA for Dimensionality Reduction in a 4-Way Classification Framework," 2024.
- [89] Y. Pang, S. Wang, and Y. Yuan, "Learning Regularized LDA by Clustering," *IEEE Trans Neural Netw Learn Syst*, vol. 25, no. 12, pp. 2191–2201, Dec. 2014, doi: 10.1109/TNNLS.2014.2306844.

- [90] K. Li and P. Tang, "An Improved Linear Discriminant Analysis Method and its Application to Face Recognition," *Applied Mechanics and Materials*, vol. 556–562, pp. 4825–4829, May 2014, doi: 10.4028/www.scientific.net/AMM.556-562.4825.
- [91] E. K. Tang, P. N. Suganthan, X. Yao, and A. K. Qin, "Linear dimensionality reduction using relevance weighted LDA," *Pattern Recognit*, vol. 38, no. 4, pp. 485–493, Apr. 2005, doi: 10.1016/j.patcog.2004.09.005.
- [92] Linsen Wang, Jiangtao Peng, Fangzhao Wang, and Baoshen Li, "Linear discriminant analysis using sparse matrix transform for face recognition," in *2015 IEEE 17th International Workshop on Multimedia Signal Processing (MMSP)*, IEEE, Oct. 2015, pp. 1–6. doi: 10.1109/MMSP.2015.7340852.
- [93] X. Li and H. Wang, "On Mean-Optimal Robust Linear Discriminant Analysis," *ACM Trans Knowl Discov Data*, vol. 18, no. 8, pp. 1–27, Sep. 2024, doi: 10.1145/3665500.
- [94] H. Zhao, Z. Wang, and F. Nie, "A New Formulation of Linear Discriminant Analysis for Robust Dimensionality Reduction," *IEEE Trans Knowl Data Eng*, vol. 31, no. 4, pp. 629–640, Apr. 2019, doi: 10.1109/TKDE.2018.2842023.
- [95] L. Tang, S. Peng, Y. Bi, P. Shan, and X. Hu, "A new method combining LDA and PLS for dimension reduction," *PLoS One*, vol. 9, no. 5, 2014, doi: 10.1371/journal.pone.0096944.
- [96] A. Iosifidis, A. Tefas, and I. Pitas, "On the Optimal Class Representation in Linear Discriminant Analysis," *IEEE Trans Neural Netw Learn Syst*, vol. 24, no. 9, pp. 1491–1497, Sep. 2013, doi: 10.1109/TNNLS.2013.2258937.
- [97] Z. Jin, J. Shang, Q. Zhu, C. Ling, W. Xie, and B. Qiang, "RFRSF: Employee Turnover Prediction Based on Random Forests and Survival Analysis," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 12343 LNCS, pp. 503–515, 2020, doi: 10.1007/978-3-030-62008-0_35.