

DAFTAR PUSTAKA

- Althouse, A.D., *Modern Refrigerating and Air Conditioning*, The Goodheard-Willcox Company Publisher, Holland Illinois.
- ASHRAE, *Air Conditioning Refrigerating Data Book*, The American Society of Heating Refrigerating Engineers.
- ASHRAE, 1989, *ASHRAE Guide and Data Book Fundamental and Equipment*, The American Society of Heating and Refrigerating Engineers.
- Arismunandar, W., dan Heizo Sato, 1986, *Penyegaran Udara*, Pradnya Paramita, Jakarta.
- Carrier Air Condition Company, *Hand Book of Air Condition System Design*, McGraw-Hill, New York.
- Chlumsky, V., 1965, *Reciprocating and Rotary Compressor*, E & FN Spon Ltd., London.
- Holman, J.P., 1981, *Heat Transfer*, Fifth Edition, McGraw-Hill Book Co., Tokyo.
- Kern, D.Q., 1983, *Process Heat Transfer*, SI Edition, McGraw-Hill Co., Tokyo.
- Lichty, L.C., *Internal Combustion Engine*, McGraw-Hill Book Co., Kogakusha Ltd., Tokyo.
- Ozisik M. Necari, *Heat Transfer*, McGraw-Hill Co., Fong & Sons Printers Ptc. Ltd., Singapura.

Mallev, V.L., 1945, *Machine Design, Internal Combustion Engines*, 2nd

edition, McGraw-Hill Book Co., New York.

Stoecker, W.F., 1978, *Refrigerasi dan Pengkondisian Udara*, Penerbit

Erlangga, Jakarta.

Sularso & Kiyokatsu Suga, *Dasar Perencanaan dan Pemilihan elemen*

Mesin, Pradnya Paramita, Jakarta.

LAMPIRAN

Lampiran 1 (Tabel Temperatur Lingkungan)

TENTARA NASIONAL INDONESIA - ANGGKATAN UDARA
 DISBANGOPSAU
 BAGIAN METEOROLOGI

DATA KLIMATOLOGI

BULAN: September TH: 2001

Garis lintang : 07° 47'' ls

Garis Bujur : 110° 26'' BT

Tinggi diatas permukaan laut : 350 Feet

STASION: Adisutjipto

TANGGAL	TEMPERATURE °C						CURAH HUJAN (mm) DITAKSIR JAM 0000Z	PENYINAPAN MATAHARI % 08.00 - 16.00 W.S.	PERISTIWA CUACA KHUSUS
	0700 W.S.	1300 W.S.	1800 W.S.	RA-TA*	MAX.	MIN.			
1	24.0	33.0	29.4	27.6	33.6	23.8	-	-	05
2	25.4	31.8	27.0	27.4	32.4	24.0	-	-	05
3	25.0	28.4	27.0	26.4	28.8	24.6	-	-	05
4	24.6	31.4	27.0	26.9	33.0	23.4	-	-	05
5	23.6	33.0	27.4	26.9	33.4	21.7	-	-	60
6	24.2	32.2	28.4	27.3	33.4	23.8	01,0	-	05
7	26.0	33.4	28.0	25.9	33.4	24.2	-	-	05
8	24.8	33.0	28.2	27.7	33.8	24.6	-	-	21
9	24.8	32.2	27.4	27.3	32.2	24.6	01.3	-	05
10	24.4	31.2	27.2	26.8	31.4	23.8	-	-	05
11	24.0	32.0	29.0	27.3	32.4	23.8	-	-	05
12	24.4	32.0	28.6	27.4	32.2	24.0	-	-	05
13	25.6	32.6	28.8	28.2	32.8	24.4	-	-	05
14	22.4	33.2	27.0	26.3	33.2	22.4	-	-	05
15	25.0	32.4	27.8	27.6	32.8	24.2	-	-	05
16	25.2	34.6	29.8	28.7	35.8	25.0	-	-	05
17	25.2	32.2	28.0	27.7	33.4	25.0	-	-	15
18	25.4	32.6	27.8	27.8	33.0	25.2	-	-	05
19	24.2	32.2	27.2	27.0	32.2	23.6	-	-	05
20	23.8	31.2	27.0	26.5	31.2	23.0	-	-	05
21	25.0	30.8	27.0	27.0	31.2	23.8	-	-	05
22	25.0	32.0	27.6	27.4	32.0	24.4	-	-	05
23	25.6	32.8	27.8	28.0	33.0	25.0	-	-	05
24	25.8	33.8	29.0	28.6	34.4	25.6	-	-	05
25	26.0	32.4	28.0	28.1	32.4	24.8	-	-	05
26	26.0	31.2	27.4	27.7	32.0	25.2	-	-	05
27	26.0	32.8	28.4	28.3	32.8	25.2	-	-	05
28	24.6	33.2	28.2	27.7	34.0	24.2	-	-	05
29	24.6	33.2	28.0	27.6	33.8	24.0	-	-	05