



DAFTAR PUSTAKA

- Andre, A., 2006, *Fibers for strengthening of timber structures*, Technical report, pp.41-66, Lulea University of Technology, Swedia.
- Atalla, R.H., 1999, *Celluloses: Comprehensive Natural Products Chemistry*, vol.3, pp.529-544, Elsevier.
- Bader, M.G., Hill, A.R., 1993, *Short Fiber Composites: Structure and Properties of Composites*, vol.13, Editor: Chou, T.W., pen. VCH, Weinheim, Jerman
- Belgacem, M.N., Gandini, A., 2005, *The Surface Modification of Cellulose fibers for Use as Reinforcing in Composite materials*, Composite interfaces, vol.12, pp, 41-75, VSP Publ.
- Berthelot, J.M., 1999, *Composite Materials: Mechanical Behavior and Structural Analysis*, pen Springer-Verlag, New York.
- Bismarck, A, Askargota, I.A., Springer, J., Lampke, T., Wielege, B., Stamboulis, A., Shenderovich, I., Limbach, H., 2002, *Surface Characterization of flax, hemp and Cellulosic; Surface Properties and the Water Uptake Behavior*, Polymer Composites, vol. 23., no.5., pp. 872-894.
- Bohot, D., 1999, *Material properties of CFRP*, laporan penelitian, Washington University, pp.8-10, Advisor: Dr. Thomas Harmon.
- Brooks, C.R., Choudhury, A., 2002, *Failure Analysis of Engineering Materials*, pen. McGraw Hill, New York.
- Bullions, T.A., Hoffman, D., Gillespie, R.A., Price O'Brien, J., Loss, A.A., 2006, *Contributions of Feather Fibers and Various Cellulose Fibers to the Mechanical Properties of Polypropylene Matrix Composites*, Composite Sci. and Tech., Vol. 66, pp. 102-114, Elsevier
- Dorn, L., 1994, *Adhesive Bonding-Terms and Definitions*, TALAT Lecture 4701, European Aluminium Association, Berlin.
- Drzal, L.T., 1999, *Chemical, Physical and Mechanical Methods of Fiber-Matrix Adhesion and Interphase Characterization in Composite*, Electron Beam Curing Workshop, Oak Ridge.
- Drzal, L.T., 2003, *ASM Handbook: Composite Interface*, Interfaces and Interphases, FB MVU, [online:www.mb.hs_wismar.de/interfaces](http://www.mb.hs_wismar.de/interfaces), akses tanggal 10 Desember 2005.
- Duncan, B dan Leatherdale, D. (2005) *Surface Testing for Bonding: Measurement Good Practice Guide No. 77*, NPL Laboratory, Crown publ., Middlesex, Inggris
- Eichhorn, S.J, Baile, C.A., Zafeiropoulos, N., Mwaikambo, L.Y., Ansell, M.P., Dufresne, A., Entwistle, K.M., Franco, P.J.H., Escamilla, G.C., Groom, L., Hughes, M, Hill, C., Rials, T.G., Wild, P.M., 2001, *Review Current International Research into Cellulosic Fibres and Composites*, Journal of Materials Science, vol.36, pp. 2107-2131.



- Feng, D., Caufield, D.F., Sanadi, A.R., 2001, *Effect of Compatibilizer on the Structure Property Relationship of Kenaf Fiber/Polypropylene Composites*, Polymer Composites, Agustus 2001, vol. 22., no. 4.
- Feresenbet, E., Raghavan, D., Holmes, G.A., 2003, *The Influence of Silane Coupling Agent Composition on the Surface Characterization of Fiber and on Fiber-Matrix Interfacial Shear Strength*, The Journal of Adhesion, vol.79, pp. 643-665, Taylor&Francis.
- Gardner, D.J, www.umaine.edu/adhesion/gardener: Adhesion lecture9.pdf, tanggal akses 8 Februari 2005.
- Gardner, D.J.2005, Adhesion Mechanism of Durable Wood Adhesive Bonds, www.Endwoodllc.com/PDF/wood%20adhesion%20mechanism.pdf.
- Gay, D., Hoa, S.V., Tsai, S.W., 2003, *Composite Material: Design and Applications*, pen. CRC, Canada.
- Gassan, J., Chate, A., Bledzki, A.J., 2001, *Calculation of elastic properties of natural fibers*, J. of Material Science, vol. 36, pp. 3715-3720, Kluwer Acad. Publ.
- Gibson, R.F., 1994. *Principles of Composite Material Mechanics*, pen. McGraw Hill Int., Singapore.
- Holmes, G.A., McDonough, W., Dunkers, J.P., Han, C.C., 2003, *Interaction between Matrix Crack in E-Flass/Epoxy two-dimensional Multi fiber Array Model Composites*, Rapid communication, J.Polymer Sci.Part B: Physics, vol.41, pp.2976-2981.
- Hyer, M.W., 1998, *Stress Analysis of Fiber-Reinforced Composite Materilas*, pen. McGraw Hill.
- Jacob, M., Joseph, S., Pothan, L.A. dan Thomas, S., 2005, *A Study of Advances in Characterization of Interfaces and Fiber Surfaces in Lignocellulosic Fiber-Reinforced Composites*, Composites Interfaces, vol. 12, no. 1-2., pp. 95-124., VSP publ.
- John, K., Naidu, S.V., 2004, *Effect of Fiber Content and Fiber Treatment on Flexural Properties of Sisal Fiber/Glass Fiber Hybrid Composites*, Journal of Reinforced Plastics and Composites, vol.23, no. 15, pp. 1601-1605.
- John, M.J., Anandjiwala, R.D., 2007, *Recent Developments in Chemical Modification and Characterization of Natural Fiber-Reinforced Composites*, Polymer Composites, Society of Plastic engineers, pen. Wiley InterScience, pp.187-206.
- Joseph, K.,Filho, R.D.T., James, S.,Thomas, S., DeCarvalo, L.H., . 1999, *A Review on Sisal Fiber Reinforced Polymer Composites*, Revista Brasileira de Agricola e Armibital, vol.3,no. 3, Brasil, pp. 367-379.
- Kaewprasit, C., 2004, *Relationship between A Cotton Fiber's Specific Surface Area and Its Physical Properties*, Textile Research Journal, vol.74, n0.730, hal.730-734, Sage publ.
- Karnani, R., Khrishnan, M., Narayan, R., 1997, *Biofiber-Reinforced Polypropylene Composites* , Polymer Engineering and Science, vol.37, no. 2, pp.475-483.
- Karus, M., Kaup, M., 2002, *Natural Fibers in the European Automotive Industry*, Journal of Industrial Hemp, vol.7, no. 1, pp. 119-131.



- Khan, M.M., Al Hilali, T., 2004, *The Noble Qur'an*, pen. The Printing Qur'an, Madinah
- Kim, J.K., May, Y.W., 1998, *Engineered Interfaces in Fiber Reinforced Composites*, ed.1, Elsevier.
- Li, X., Panigrahi, S.A., Tabil, L.G., Crerar, W.J., 2004, *Flax fiber-Reinforced Composites and the Effect of Chemical treatments on Their Properties*, paper on 2004 North Central ASAE/CSAE Conference, 24-25 September 2004, Kanada, no. MB04-355.
- Lodeiro, M.J., 2001, *Single Fiber Fragmentation test for the Characterization of Interfacial Phenomena in PMCs*, no. MATC(MN)07, National Physic Laboratory, Crown copyright, UK.
- Lundquist, L., Mwarque, B., Hagstrand, Leterrier, Manson, AE., 2003, *Novel Pulp Fibre Reinforced Thermoplastic Composites*, *Composites Science and Technology* vol.63, hal. 137-152, Elsevier.
- Maiti, R., 1997, *World Fiber Crop: Ramie (Boehmeria nivea)*, ch.4, pp.63-73, Science publ., USA.
- Mantanis, G.I., Young, R.A., Rowell, R.M., 1995, *Swelling of Compressed Cellulose Fiber Webs in Organic Liquids*, *Cellulose* vol.2, pp. 1- 22, pen. Blackie Acad. & Professional.
- Matthews, R.L., Rawlings, R.D., 1994, *Composite Materials: Engineering and Science*, pen. Chapman&Hall.
- McNaught,R., Ellison, G.C., 2000, *The Use of Natural Fibre in Nonwoven Structure s Application in Automotive Component Substrates*, Research and Development Report, Ministry of Agricultural Fisheries and Food Agri, Industrial Materials, London.
- Meurs, P.F.M, 1998, *Characterization of Microphenomena in Transversely Loaded Composite Materials*: laporan thesis, Univ. Eindhoven, ISBN: 90-386-0650-8.
- Mihrianyan, A., 2005, *Engineering of Native Cellulose Structure for Pharmaceutical Application*, laporan disertasi, Uppsala Univ., ISBN 91-554-6130-1, Swedia.
- Mohanty,A.K., Drzal, L.T., Misra, M., 2001, *Engineered Natural Fiber Reinforced Polypropelene Composite: Synergism of Environmentally Benign Processing and Water-Based Coupling Agent*, 6th International Conference on Woodfiber-Plastic Composite, USDA Forest Service, University of Wisconsin.
- Mohanty, A.K., 2007, *Biobased Material for Sustainable Future*, Ontario Bioauto Council Annual Seminar, 25 September 2007.
- Munawar, S.S., Umemura, K., Kawai, S., 2006, *Characterization of the Morphological, Physical and Mechanical Properties of Seven Nonwood Plant Fiber Bundles*, J. World science, The Japan Wood Research Society, Japan.
- Muller,D.H., Krobjilowski, A., 2003, *New Discovery in the Properties of Composite Reinforced with Natural Fibers*, *Journal of Industrial Textiles*, vol.33, no.2, pp.111-130 Sage Publ.
- Nairn, J.A., Hsin Liu, C., Mendels, D.A. , Zhandarov, S., 2001, *Fracture Mechanics Analysis of the Single Fiber Pull-Out Test and the Microbond Test Including The Effects of Friction and Thermal*



- Stresses*, pepr Proc. 10th Annual Tech. Conf. Of the American Society Composites, September 9-12, 2001, Blacksburg, VA.
- Olessen, P.O., Plackett, D.V., 1999, *Persepective on the Performance of Natural Plant Fibers*, Natural Fibers Performance forum, Copenhagen
- Osborne, G.G., 1934, *Micro Analysis of Textile Fibers: Part II-Observations on the Structure of Ramie Fibers*, Textile Research Journal, vol. 5, pp.75-91, Sage Publ.
- Panigrahi, S., Powell, T., Wang, B., Tabil, L.G., Crerar, W.J., dan Sokansanj, S., 2003, *The Effect of Chemical Pretreatment on Flax Fibre Biocomposites*, paper 2003 CSAE/ASAE Annual International Meeting, The Society for Engineering in Agricultural, Food and Biological Syatem, 3-4 Oktober 2003, North Dakota, USA.
- Ray, D., Sarkar, B.K., Rana, A.K., Bose, N.R., 2001, *Effect of Alkali Treated Jute Fibers on Composite Properties*, Bull. Material sci. Vol.24., no.2, april 2001, pp. 129-135, Indian Academy of Science.
- Rider, A., 1998, *Surface Properties Influencing the Fracture Toughness of Aluminium-Epoxy Joint*, laporan disertasi, University of New South Wales.
- Riedel, U., 1999, *Natural Fiber-Reinforced Biopolymers as Construction Materials-New Discoveries*, 2nd International Wood and Natural Fiber Composites Symposium, June 28-29, Kassel, Germany.
- Rochery, M., Vroman, I., Campagne, C., 2006, *Coating of Polyester with Poly(dimethylsiloxane)-and Poly(tetramethylene oxide) based Polyurethane*, J.of Industrial Textiles, vol. 35, no.3, Sage Publ.
- Rowell, R.M, 1998, *Economic Opportunities in Natural Fiber Thermoplastic Composites*, Science and Tech. Advanced Material, pp. 869-872, Plenum Press, New York.
- Rowell, R.M., Sanadi, A.R., Caulfield, D.F., Jacobson, R.E., 1999, *Lignocellulose-Plastic Composites: Utilization of Natural fibers in Plastic Composite, problems and opportunies*, pp.23-38
- Rowell, R.M., Han, J.S., 2000, *Characterization and Factors Effecting Fiber Properties*, Natural Polymers and Agrofiber Composite, Brazil, pp.115-134.
- Sain, M., Suhara, P., Law, S dan Bouilloux, A., 2005, *Interface Modification and Mechanical Properties of Natural Fibers-Polyolefin Composite Products*, J. of Reinforced Plastic and Composites, vol. 24., no.121, Sage Publ.
- Sombatsompop, N., Chaochancaikul, K., 2004, *Effect of Moisture Content on Mechanical properties, Thermal and Structural Stability and Extrude Texture of Poly(vinyl chloride)/Wood Sawdust Composites*, Polymer Int. Society of Chem. Industry, pp. 1210-1218.
- Swamy, R.P., Kumar, G.C.M., Vrushabendrappa, Y, 2004, *Study of Areca Reinforced Phenol Formaldehyde Composites*, Journal of Reinforced Plastics and Composites, vol.23, no. 13, pp. 1373-1382, Sage Publ.
- Vaseliev, V.V., Morozov, E.V., 2001, *Mechanics and Analysis Composite Materials*, Elsevier science.



- Van de Velde, K., Kiekens, P., 1999., *Wettability of Natural Fibers Used as Reinforcement for Composites*, The 2nd International Wood and Natural Fibers Composites Symposium, June 28-29, 1999, Kessel Germany.
- Vick, C.B., 1999, *Adhesive Bonding of Wood Materials*, Wood Handbooks-Wood as Engineering materials, Forest Product laboratory, Madison, ch.9, pp.1-23.
- Wang, B., Panigrahi, S., Tabil, L., Powell, T., Crerar, W., Kolybaba, M., Sokhansanj, S., 2003, *Flax Fiber Reinforced Thermoplastic Composites*, The Society for Engineering in Agricultural, Food, and Biological system, no. RRV03.
- Wielage, B., Lampke, T., Utschick, H., Soergel, F., 2003, *Processing of Natural Fibre Reinforced Polymers and the Resulting of Dynamic-Mechanical Properties*, Journal of Materials Processing Technology, vol. 139, hal. 140-146, Elsevier.
- Winarto, B.W., 2005, Rami: Pengolahan serat rami kasar (*china grass*) menjadi serat pintal, Monograf BALITTAS, No.8., pp.45-54, Balai Penelitian Tanaman Tembakau dan Serat, Malang
- Xu, B., Huang, Y., 2003, *Image Analysis for Cottons Fibers: Part II Cross-sectional Measurement*, laporan penelitian United States Agriculture Dept., no. Grant: 2003-355504-12855
- Yue, C.Y., 1995, *Determination of Interfacial Properties of Fibrous Composites*, Handbook of Advanced Material Testing, pen. Marcel Dekker, pp.367-387.
- Zhou, L.M., Yeung, K.W.P., Yuen, C.W., 2002, *Effect of NaOH Mercerization on the Crosslinking of Ramie Yarn Using 1,2,3,4-Butanetetracarboxylic Acid*, Textile Research Journal, vol. 72, no. 6, Sage Publ.
- Zhong, W., Pan, N. (2003). *A Computer Simulation of Single Fiber Pull-out Process in a Composite*, J. of Composite Materials, vo; 37, pp. 1951-1969. Sage Publ.
- _____, www.roymech.co.uk, *Adhesive Bonding Theory*, tanggal akses 8 Februari 2005.
- _____, ASTM D 629 *Qualitative Analysis of Textiles*, 2002.
- _____, ASTM D3379 *Tensile Strength and Young's Modulus for High-Modulus Single Filaments Materials*, 2002.
- _____, ASTM D 3800-99, *Density of High Modulus Fibrous Material*, 2002.
- _____, Quantachrome Instruments, *High speed gas sorption analyzer, User manual book ver. 7.11*, pp.64-72.
- _____, Petunjuk Praktikum Bahan, Lab. Bahan, Jurusan Teknik Mesin dan Industri, Universitas Gadjah Mada, Yogyakarta, 2001.