



DAFTAR PUSTAKA

- Ambahono, T.T. 2004. *Pengelolaan Tanaman Inang Kesambi dan Kutu Lak dan Pengolahan Lak Cabang Menjadi Seedlak*. Perum Perhutani KPH Probolinggo, Jawa Timur, Indonesia.
- Ali, R., Iannace, S. dan Nicolais, L. 2003. Effect of Processing Conditions on Mechanical and Viscoelastic Properties of Biocomposites. *J. Appl. Polym. Sci.*, 88 (7), 1637-42.
- ASTM D 638. 2002, *Standard Test Method for Tensile Properties of Plastic*. American Society for Testing Materials, Philadelphia, PA, USA.
- ASTM D 790. 2002, *Standard Test Method for Flexure Properties of Plastic*. American Society for Testing Materials, Philadelphia, PA, USA.
- ASTM D 256. 2000, *Standard Test Method for Impact Properties of Plastic*. American Society for Testing Materials, Philadelphia, PA, USA.
- ASTM D4442-92. 1992. *Direct moisture content measurement of wood and wood-based materials*. American Society for Testing Materials, Philadelphia, PA, USA.
- Andre, A., 2006. *Fibers for strengthening of timber structures*. Technical report, pp.41-66, Lulea University of Technology, Swedia.
- Baillie, C. 2004. *Why green composites. Green composites, Polymer composites and the environment*. Woodhead Publishing Limited, Abington Cambridge CB1 6AH, England.
- Bax, B., dan Mussig, J. 2008. Impact and tensile properties of PLA/Cordenka and PLA/flax composites. *Compos. Sci. Technol. Vol. 68*, pp. 1601-1607.
- Biagiotti, J., López-Manchando, M.A., Arroyo M., Kenny, J.M. 2003. Ternary composites based on PP-EPDM blends reinforced with flax fibers. Part II: Mechanical properties/morphology relationship, *Polym Eng Sci*, 43(5):1031-1043.
- Bodner, G.M. 2004. *The Carbonyl Group*. College of Science Chemical Education Division Group, Purdue University, Indiana, USA.
- Bodner, G.M. 2004. *Carboxylic Acids and Carboxylate Ions*. College of Science Chemical Education Division Group, Purdue University, Indiana, USA.
- Bohlmann, G.M. 2005. *General Characteristics, Processability, Industrial Applications and Market Evolution of Biodegradable Polymers. Handbook of Biodegradable Polymers*. Rapra Technology Limited, London, UK.
- Brouwer, W.D. 2003. *Natural Fibre Composites in Structural Components : Alternative Application for Sisal*. Proceedings of a Seminar Held by FAO and CFC, Paris.
- Bruckner, R. 2002. *Advanced Organic Chemistry, Reaction Mechanisms*. Elsevier Science & Technology Books, California, USA.



- Brydason, J.A. 1999. *Miscellaneous Plastics Materials, Chapter 30 in Plastic Materials*, Butterworth-Heinemann Publisher, Oxford, UK.
- Carey, F.A., and Sundberg, R.J., 2007. *Advanced Organic Chemistry. Part A: Structure and Mechanisms*. Springer Science and Business Media, LLC. New York, USA.
- Chauhan, N. S. 1977. Gene Expression and Transmission in *kerria Lacca* (Kerr). *J. Heredity* vol.38 (2), 1977, pp 155-159.
- Caulfield, D.F., Feng, D., Prabawa, S., Young, R.A., Sanadi, A.R. 1999. Interphase effects on the mechanical and physical aspects of natural fiber composites, *Die Angew Makromol Chem*, 272:57-64 (Nr. 4757).
- Caulfield, D.F., Stark, N. 1998. *Dynamic and mechanical properties of agro-fiber based composites*, Proc. of Workshop on Progress in woodfibre-plastic composites: Emergence of a new industry, Mississagua, Ontario, Canada.
- Curvelo, A.A.S., Carvalho, A.J.F. and Agnelli, J.A.M. 2001. Thermoplastic starch cellulosic fibers composites: preliminary results, *J. Carbohyd. Polym.*, 45 (2), pp. 183-8
- Cyras, V.P., Iannace, S., Kenny, J.M. and Vázquez, A. 2001. Relationship between processing conditions and properties of a biodegradable composite based on PCL/ starch and sisal fibers. *Polym. Compos.*, 22 (1) 104-10.
- Devi, L.U.; Bhagawan, S.S.; Thomas, S. 1997. Mechanical properties of pineapple leaf fiber-reinforced polyester composites, *J Appl Polym Sci*, 64:1739-1748.
- DeRuiter, J. 2005. *Carboxylic Acids Part 2. Principles of Drug Action 1*, Spring course on Chemistry of Drug Action, New York, USA.
- Derrick, M.R., Stulik, D., James, M. 1999. *Scientific Tools for Conservation. Infrared Spectroscopy in Conservation Science*. J. Paul Getty Trust All rights reserved. The Getty Conservation Institute, Los Angeles, USA.
- Dorn, L. 1994. *Adhesive Bonding-Terms and Definitions*, TALAT Lecture 4701, European Aluminium Association, Berlin, Germany.
- Drzal, L.T., 1999, *Chemical, Physical and Mechanical Methods of Fiber-Matrix Adhesion and Interphase Characterization in Composite*, Electron Beam Curing Workshop, Oak Ridge.
- Drzal, L.T., 2003, *ASM Handbook: Composite Interface, Interfaces and Interphases*, FB MVU, [online:www.mb.hs_wismar.de/interfaces](http://www.mb.hs_wismar.de/interfaces), akses tanggal 10 Desember 2005.
- Eichhorn, S.J, Baile, C.A., Zafeiropoulos, N., Mwaikambo, L.Y., Ansell, M.P., Dufresne, A., Entwistle, K.M., Franco, P.J.H., Escamilla, G.C., Groom, L., hughes, M, Hill, C., Rials, T.G., Wild, P.M., 2001, Review Current International Research into Cellulosic Fibres and Composites, *Journal of Materials Science*, vol.36, pp. 2107-2131.



- Feldman, D. 1989. *Polymeric Building Materials*, Published: Routledge; first edition, Taylor & Francis Group, New Delhi.
- Franco, P.J.H., and González, A.V. 2005. *Fiber-Matrix Adhesion in Natural Fiber Composites, Natural Fibers, Biopolymers And Biocomposite Book*, CRC Press, Taylor and Francis Group, 6000 Broken Sound Parkway NW, 300 suite 300 Boca Raton, USA.
- Garkhail, S.K., Heijenrath, R.W.H., Peijs, T. 2000. Mechanical properties of natural fibre-mat-reinforced thermoplastics based on flax fibres and polypropylene, *Appl Compos Mater*, 7:351-372.
- Gassan, J., Chate, A., Bledzki, A.J., 2001. Calculation of elastic properties of natural fibers, *J. of Mat. Sci*, vol. 36, pp. 3715-3720, Kluwer Acad Publisher.
- Gauthier, R., Joly, C., Coupas, A.C., Gauthier, H., Escoubes, M. 1998. Interfaces in polyolefin/cellulosic fiber composites: chemical coupling, morphology, correlation with adhesion and aging in moisture, *Polym Composite*, 19(3):287-300.
- George, J.; Ivens, J.; Verpoest, I. 1999. Mechanical properties of flax fiber reinforced epoxy composites. *Die Angew Makromol Chem*, 272:41-45 (Nr. 4747).
- Gibson, R.F. 1994. *Principles of Composite Material Mechanics*. Mc.Graw-Hill, Inc, Series in Mechanical Engineering, Singapore.
- Gonzalez, V.A., Cervantes-Uc, J.M., Olayo, R., and Herrera-Franco, P.J. 1999. Chemical modification of henequen fibers with an organosilane coupling agent. *Composites: Part B*, 30, 321-331.
- Gutowski, T.G., Murphy, C.F., Allen, D.T., Bauer, D.J., Bras, B., Piwonka, T.S., Sheng, P.S., Sutherland, J.W., Thurston, D.L., and Wolf, E.E. 2001. *WTEC Panel Report on Environmentally Benign Manufacturing*, NSF-DOE Report, New York, USA.
- Hagstrand, P.-O.; Oksman, K. 2001. Mechanical properties and morphology of flax fiber reinforced melamine-formaldehyde composites, *Polym Composite*, 22(4):568-578.
- Harjono Sastrohamidjojo. 2007. *Spektometri Infra Merah*, Liberty Yogyakarta, Indonesia.
- Hill, C.A.S., Abdul Khalil, H.P.S. 2000. Effect of fiber treatments on mechanical properties of coir or oil palm fiber reinforced polyester composites. *J Appl Polym Sci*, 78:1685-1697.
- Holmes, G.A., McDonough, W., Dunkers, J.P., Han, C.C., 2003, Interaction between Matrix Crack in E-Flax/Epoxy two-dimensional Multi fiber Array Model Composites, Rapid communication, *J.Polymer Sci.Part B: Physics*, vol.41, pp.2976-2981.



- Holding W., Michael D. 2004. *Bioplastic Supply Chains: Implications and opportunities for agriculture*. Rural Industries Research and Development Corporation, Australian Government. Publication No: 04/044. Project No: WHP-5A.
- Hu, R., Lim, J.K. 2007. Fabrication and mechanical properties of completely biodegradable hemp fiber reinforced polylactic acid composites. *Journal of Composite Materials* (2007), 41(13), 1655-1669,
- Huda, M.S., Drzal, L.T., Mohanty, A.K., Misra, M. 2006. Wood-fiber-reinforced poly(lactic acid) composites: Evaluation of the physicomechanical and morphological properties. *J. Appl. Polym. Sci.*, 102, 4856-4869.
- Hughes, M. 2005. *Applications, Chapter 11 in Green Composite, Polymer Composites and the Environment*. Woodhead Publishing Limited. Abington Hall, Abington Cambridge CB1 6AH, England.
- Jacob, M., Joseph, S., Pothan, L.A., Thomas, S. 2005. A study of advances in characterization of interfaces and fiber surfaces in lignocellulosic fiber reinforced composites. *Composite interfaces, vol. 12, no. 1-2*, pp. 95-124, VSP
- Jayaraman, K. 2004. Mechanical performance of woodfibre-waste plastic composite materials, *Resources, J.Conservation and Recycling*, 41(4):307-319.
- Joseph, K., Thomas, S., Pavithran, C. 1996. *Effect of chemical treatment on the tensile properties of short sisal fibre-reinforced polyethylene composites*. *J. Polymer*, 37(23):5139-5149.
- Karger-Kocsis, J. 2000. *Swirl mat and long discontinuous fiber mat reinforced polypropylene composites-status and future trends*. *J. Polymer Composite*, 21(4):514-522.
- Karmaker, A.C.; Youngquist, J.A. 1996. Injection molding of polypropylene reinforced with short jute fibers. *J Appl Polym Sci*, 62:1147-1151.
- Karnani, R.; Krishnan, M.; Narayan, R. 1997. Biofiber-reinforced polypropylene composites. *Polym Eng Sci*, 37(2):476-483.
- Karus, M., Kaup, M., 2002, Natural Fibers in the European Automotive Industry. *Journal of Industrial Hemp, vol. 7, no. 1*, pp. 119-131.
- Kavelin, K.G. 2005. *Investigation of Natural Fiber Composites heterogeneity with respect to automotive structure*. Thesis for degree of doctor at Delfi University of Tecnology, Netherland
- Kitagawa, K., Umaru, S., Ishiaku, Machiko Mizoguchi, and Hiroyuki Hamada. 2005. *Bamboo-Based Ecomposites and Their Potential Applications, Chapter 11 in Book of Natural Fibers, Biobiobased material, and biocomposite*. CRC Press, Taylor and Francis Group, 6000 Broken Sound Parkway NW, USA.
- Krisdinto, Sumarni, G., Ismanto, A. 2005. *Sari Hasil Penelitian Bambu*. Departemen Kehutanan Republik Indonesia



- Kushwaha, P dan Kumar, R. 2008. Enhanced Mechanical Strength of BFRP Composite Using Modified Bamboos. *Journal of Reinforced Plastics and Composites*, Vol. 00, No. 00/2008, SAGE Publications, Los Angeles, London, New Delhi and Singapore
- Kushwaha, P dan Kumar, R. 2009. Effect of Silanes on Mechanical Properties of Bamboo Fiber-epoxy Composites. *Journal of Reinforced Plastics and Composites*, Vol. 00, No. 00/2009, SAGE Publications, Los Angeles, London, New Delhi and Singapore.
- Langenheim, J.H. 2003. *Plant Resins: Chemistry, Evolution, Ecology, and Ethnobotany*, Timber Press Inc, Portland, Oregon 97204, USA.
- Lanzillotta, C., Pipino, A. and Lips, D. 2002. *New functional biopolymer natural fiber composites from agricultural resources*. In Proceedings of the Annual Technical Conference – Society of Plastics Engineers, San Francisco, California, Vol. 2, pp. 2185–9.
- Lee, S.W., Wang, S. 2006. Biodegradable polymers/bamboo fiber biocomposite with bio-based coupling agent. *Composites, Part A: applied science and manufacturing*; 37, 80–91, Elsevier.
- Lohda, P. and Netravali, A.N. 2002. Characterization of interfacial and mechanical properties of 'green' composites with soy protein isolate and ramie fiber. *J. Material Science*, 37 (17), pp. 3657–65
- Leonor, I.B., Sousa, R.A., Reis, R.L. 2002. Novel starch thermoplastic/Bioglass composites: Mechanical properties, degradation behaviour and in-vitro bioactivity. *J. Mat. Sci. Mat. Med.*, 13, 939.
- Luo, S. and Netravali, A.N. 1999. Interfacial and mechanical properties of environment friendly 'green' composites made from pineapple fibers and poly(hydroxybutyrate-co-valerate) resin. *J. Mater. Sci.*, 34 (15), 3709–19.
- Major, W.D. 1958. The Degradation of Cellulose in Oxygen and Nitrogen at High Temperatures. *TAPPI Journal* 41(9) : 530-537.
- Marsyahyo, E., Soekrisno, R., Heru, S.B.R., Jamasri, Sutapa, G. 2005. *Preliminary Study of The Tensile Properties Tropical Plant Fiber Reinforced-Termoseting Composites: Part I*. The 8th International Conferences on Quality in Research, Indonesia University, Depok Indonesia.
- Marsyahyo, E. 2009. *Perlakuan Permukaan Serat Rami (Boehmeria nivea) dan Kompatibilitas Serat – Matrik pada Komposit Matrik Polimer*. Disertasi program Doktor, Pascasarjana Teknik Mesin, Fakultas Teknik, Universitas Gadjah Mada.
- Matthews, F.L., Rawlings, R.D. 1994. *Composite Materials : Engineering and Science*. Chapman and Hall publisher, 2-6 Boundary Raw, London.
- Mieck, K.-P.; Lützkendorf, R.; Reussmann, T. 1996. Needle-punched hybrid nonwovens of flax and PP fibers—textile semiproducts for manufacturing of fiber composites. *J. Polym Composite*, 17(6):873-878



- Mohanty, A.K.; Misra, M.; Hinrichsen, G. 2000. Biofibres, biodegradable polymers and biocomposites: An overview. *Macromol Mater Eng*, 276/277:1-24.
- Mohanty, A.K.; Misra, M.; Dzral, L.T.; Selke, S.E.; Harte, B.R. and Hinrichsen, G. 2005. *Natural Fibers, Biopolymers, and biocomposite: An Introduction. Natural Fibers, Biopolymers And Biocomposite*, CRC Press, Taylor and Francis Group, 6000 Broken Sound Parkway NW, 300 suite 300 Boca Raton.
- Morisco. 1999. *Rekayasa Bambu*. Nafiri Ofset, Yogyakarta, Indonesia.
- Morrison, R.T., and Boyd, R.N. 2002. *Organic Chemistry*. Sixth edition. Prentice-Hall of India Private limited. New Delhi.
- Mueller, D.H., Krobjilowski, A. 2003. New Discovery in the Properties of Composites Reinforced with Natural Fibers. *Journal of Industrial Textiles*, vol.33, no.2, pp.111-130, Sage Publications.
- Munawar, S.S., Umemura, K., Kawai, S. 2006. Characterization of The Morphological, Physical, and Mechanical Properties of Seven Nonwood Plant Fiber Bundles. *Journal of Wood Science*, 53(2), pp. 108-113.
- Munawar, S.S., Umemura, K., Tanaka, F., Kawai, S. 2007. Effect of Alkali, Mild Steam, and Chitosan Treatments on The properties of Pineapple, Ramie, and Sansevieria Fiber Bundles. *Journal Wood Science*, volume 54, Number 1, pp. 28-35. The Japan Wood Research Society.
- Musaddad, M.A., 2007. *Agribisnis Tanaman Rami*, Penebar Swadaya, Depok, Jakarta, Indonesia.
- Oksman, K. 2000. Mechanical properties of natural fibre mat reinforced thermoplastic. *Appl Compos Mater*, 7:403-414.
- Paiva Junior, C.Z., Carlaho, L.H., Fonseca, V.M., Monteiro, S.N., and Almeida, J.R.M. 2003. Analysis of the tensile strength of polyester/hybrid ramie-cotton fabric composite. *Journal Polymer Testing*, Vol. 23, No 2, pp. 131-135. Elsevier Ltd, Brasil.
- Park, H.-M., Li, X., Jin, Ch.-Z., Park, Ch.-Y., Cho, W.J. and Ha, Ch.-S. 2002. Preparation and properties of biodegradable thermoplastic starch clay hybrids. *Macromol. Mater. Eng.*, 287, 553-8
- Pedro J. Herrera Franco and Alex Valadez-González. 2005. *Fiber-Matrix Adhesion in Natural Fiber Composites. Natural Fibers, Biopolymers And Biocomposite Book*, CRC Press, Taylor and Francis Group, 6000 Broken Sound Parkway NW, 300 suite 300 Boca Raton.
- Peijs, T. 2003. Composites for recyclability, Materials Today. *Journal Materials Today*, vol. 6, no. 4, pp. 30-35. Elsevier Science Ltd
- Pervaiz, M.; Sain, M.M. 2003. Carbon storage potential in natural fiber composites. *Resources Conserv. Recy.*, 39:325-340.



- Plackett, D., Andersen, T.L., Pedersen, W.B. and Nielsen L. 2003. Biodegradable composites based on L-poly lactide and jute fibres. *Comp. Sci .Tech.*, 63 (9), 1287-96
- Plackett, D., Vazquez, A. 2004. *Natural polymer source, Chapter 7 in Green Composites. Polymer composites and the environment* edited by Caroline Baillie, Woodhead Publishing Limited, Abington Cambridge, UK.
- Prayitno, T.A. 1995. *Perekat Alam*. Buku terbitan Yayasan Pembina Fakultas Kehutanan Universitas Gadjah Mada, Yogyakarta.
- Rana, A.K., Mandal, A., Mitra, B.C., Jacobson, R., Rowell, R.M., Banerjee, A.N. 1998. *Short jute fiber-reinforced polypropylene composites: Effect of compatibilizer*, *J Appl Polym Sci*, 69:329-338.
- Reis, L.S. and Román, J.S. 2005. *Biodegradable Systems in Tissue Copyright Engineering and Regenerative Medicine*. CRC Press, 2000 N.W. Corporate Blvd., Boca Raton, Florida 33431.
- Rochery, M., Vroman, I., Campagne, C., 2006. Coating of Polyester with Poly(dimethylsiloxane)-and Poly(tetramethylene oxide) based Polyurethane. *J. Industrial Textiles*, vol. 35, no.3, Sage Publ.
- Romhány, G.; Karger-Kocsis, J.; Czigány, T. 2003. Tensile fracture and failure behavior of thermoplastic starch with unidirectional and cross-ply flax fiber reinforcements. *Macromol Mater. Eng.*, 288(9):699-707.
- Rowell, R.M., 1995. *Composite Materials from Agricultural Resources*. Seminar proceedings on Research in industrial application of non food crops I: plant fibres, Copenhagen, Denmark. Lyngby, Denmark Academy of Technical Science: 27-41.
- Rowell R.M., Sanadi A., Jacobson R dan Caufield D., 1999. *Properties of Kenaf Polypropylene Composites*. Processing and Product, Mississippi State University, Ag and Bio Engineering, Chapter 32, pp. 381-392.
- Rowell, R.M., O'Dell, J., Basak, R.K., Sarkar, M. 1999. *Applications of jute in resin transfer molding*. Proc. of International Seminar on Jute and Allied Fibres: Changing Global Scenario, Indian Council of Agricultural Research 12, Calcutta, India 1999, pp. 89-96.
- Rowell, R.M., Han, J.S., Rowell, J.S., 2000. *Characterization and factors effecting fiber properties*. Proceedings of the Natural Polymers and Agrofibers Based Composites: Preparation, Properties, and Applications, Embrapa Instrumentação Agropecuária, São Carlos, Brazil, pp. 115-134
- Saeb, D.N.; Jog, J.P. 1999. Natural fiber polymer composites: A review. *Adv Polym Tech*, 18(4):351-363.
- Sao, K.P., and Pandey, S.K. 2009. Utilization of Aleuretic Acid Free Gummy Mass-an Industrial by- Product for Making Particle Board. *Indian Journal of Chemical Technology* Vol.16, March 2009, pp. 192-195.



- Sanadi, A.R.; Caulfield, D.F.; Jacobson, R.E.; Rowell, R.M. 1995. Renewable agricultural fibers as reinforcing fillers in plastics: Mechanical properties of kenaf fiberpolypropylene composites. *Ind. Eng. Chem. Research*, 34:1889-1896.
- Sao, K.P., and Pandey, S.K. 2009. Utilization of Aleuretic Acid Free Gummy Mass-an Industrial by Product for Making Particle Board. *Indian Journal of Chemical Technology* Vol.16, pp. 192-195
- Schwartz, M.M. 1984. *Composite Materials Handbook*, McGraw-Hill Book Company, New York, USA.
- Sharma, K. K., Jaiswal, A. K. and Kumar, K. K. 2006. Role of lac culture in biodiversity conservation: issues at stake and conservation strategy. *Review article, CURRENT SCIENCE*, 894 VOL. 91, NO. 7, pp 894-898.
- Simpson, W.T. 1999. *Drying and Control of Moisture Content and Dimensional Changes*, Wood Handbooks-Wood as Engineering materials, Forest Product laboratory, Madison, ch.12, pp.12.1-12.20.
- Singh, R. 2007. *Applied Zoology Lac Culture*. National Science Digital Library at NISCAIR, India. <http://nsdl.niscair.res.in/handle/123456789/219> access date 12/21/2006 4:07:18.
- Singh, B., Gupta, M., Verma, A. 1996. Influence of fiber surface treatment on the properties of sisal-polyester composites. *Polym Composite*, 17(6):910-918.
- Sousa, R.A., Mano, J.F., Reis, R.L., Cunha, A.M., Bevis, M.J. 2002. Mechanical performance of starch-based bioactive composite biomaterials molded with preferred orientation. *Polym. Eng. Sci.*, 42, 1032.
- Umemura, K. 2006. *Wood-Based Materials and Wood Adhesives*, Wood Science School in Cibinong, West Jave, indonesia.
- Vasiliev, V.V, Morozov, E.V. 2001. *Mechanic and Analysis of Composite Materials*, Elsevier Science Ltd, Langford Lane, Kidlington, Oxford OX5 1GB, UK
- Vick, C.B. 1999. *Adhesive Bonding of Wood Materials, Wood Handbooks-Wood as Engineering materials*, Forest Product laboratory, Madison, USA.
- Winarto, B.W. 2005. *Rami: Pengolahan serat rami kasar (china grass) menjadi serat pintal*. Monograf BALITTAS, No.8., pp.45-54, Balai Penelitian Tanaman Tembakau dan Serat, Malang.
- Wollerdorfer, M. dan Bader, H. 1998. Influence of natural fibres on the mechanical properties of biodegradable polymers. *Ind. Crop. Prod.*, 8 (2), 105-12.
- Yue, C.Y. 1995. *Determination of Interfacial Properties of Fibrous Composites, Handbook of Advanced Material Testing*, Mercel Dekker Publisher, New York, USA, pp.367-387.