

DAFTAR PUSTAKA

- Ando, D., H. Urabe, H. Saneyoshi, K. Shimoda, Y. Shinriki, T. Aoyama, and M. Nakajima. 2012. Latitudinal variation in the number of pectoral fin rays in juvenile masu salmon *Oncorhynchus masou masou* on the Sea of Japan side of Hokkaido Island. *Aquaculture Science*. 60(1): 143-145.
- Arai, T. 2014. Salmon migration patterns revealed the temporal and spatial fluctuations of the radiocesium levels in terrestrial and ocean environments. *PloS one*. 9(6): 1-6.
- Berrebi, P., S. Marić, A. Snoj, and K. Hasegawa. 2020. Brown trout in Japan—introduction history, distribution and genetic structure. *Knowledge & Management of Aquatic Ecosystems*. 421(18) : 1-16.
- Blegur, W.A. and R. Binsasi. 2022. Ancaman spesies invasif di hutan produksi oinbit Kabupaten Timor Tengah Utara. *Syntax Idea*. 4(1): 228-239.
- Burian, A., Mauvisseau, Q., Bulling, M., Domisch, S., Qian, S. and M. Sweet. 2021. Improving the reliability of eDNA data interpretation. *Molecular Ecology Resources*. 21(5): 1422-1433.
- Dadiono, M. S. 2023. Invasi spesies *Amphilophus citrinellus* terhadap ikan lokal di perairan Waduk Sanguling. *Nekton*. 3(2): 116-121.
- Deiner, K., E.A. Fronhofer, E. Mächler, J.C. Walser, and F. Altermatt. 2016. Environmental DNA reveals that rivers are conveyer belts of biodiversity information. *Nature communications*. 7: 1-9.
- Dina, R., G. Wahyudewantoro, S. Larashati, S. Aisyah, Lukman, Sulastri, Imroatushshoolikhah and S. Sauri. 2022. Distributional mapping and impacts of invasive alien fish in Indonesia: an alert to inland waters sustainability. *Sains Malaysiana*. 51(8): 2377-2401.
- Direktorat Kawasan Konservasi Jenis Ikan. 2015. Pedomam Umum Restocking Jenis Ikan Terancam Punah. Direktorat Kawasan Konservasi Jenis Ikan. 67 hal.
- Doğdu, S.A. and C. Turan. 2018. Environmental DNA (eDNA) Application in Fresh and Marine Water Ecosystem. *Proceedings of 3rd International Congress on Applied Ichthyology & Aquatic Environment, Volos, Greece, 8-11 November 2018*.
- Eldøy, S.H., X. Bordeleau, G.T. Crossin, and J.G. Davidsen, 2019. Individual repeatability in marine migratory behavior: a multi-population assessment of anadromous brown trout tracked through consecutive feeding migrations. *Frontiers in Ecology and Evolution*. 7: 1-12.
- Evans, M.J., A.R. Weeks, B.C. Scheele, I.J. Gordon, L.E. Neaves, T.A. Andrewartha, B. Brockett, S. Rapley, K.J. Smith, B.A. Wilson, and A.D. Manning. 2022.

Coexistence conservation: reconciling threatened species and invasive predators through adaptive ecological and evolutionary approaches. *Conservation Science and Practice*. 4(7): 1-14.

- FishBase. 2025. *Oncorhynchus masou* (Brevoort, 1856) summary page. https://www.fishbase.se/summary/Oncorhynchus_masou.html. Diakses pada 13 Oktober 2025.
- Freyhof, J. 2024. *Salmo trutta*. The IUCN Red List of Threatened Species 2024: e.T19861A58301467. <https://dx.doi.org/10.2305/IUCN.UK.2024-2.RLTS.T19861A58301467.en>. Diakses pada 13 Oktober 2025.
- Halim, Y. and S. Rizkalla. 2011. Aliens in Egyptian Mediterranean waters. A check-list of Erythrean fish with new records. *Mediterranean Marine Science*. 12(2): 479-490.
- Hasegawa, K. 2020. Invasions of rainbow trout and brown trout in Japan: A comparison of invasiveness and impact on native species. *Ecology of Freshwater Fish*. 29(3): 419-428.
- Herder, J., A. Valentini, E. Bellemain, T. Dejean, J.J.C.W. Van Delft, P.F. Thomsen, and P. Taberlet. 2014. Environmental DNA - A review of the possible applications for the detection of (invasive) species. Stichting RAVON, Nijmegen. Report. 104 p.
- Hutchings, A.M., C.S. de Vries, N.R. Hayes, and H.G. Orr. 2024. Temperature and dissolved oxygen trends in English estuaries over the past 30 years. *Estuarine, Coastal and Shelf Science*. 306: 1-12.
- Huth, W.L., D.M. McEvoy, and O.A. Morgan. 2018. Controlling an invasive species through consumption: the case of lionfish as an impure public good. *Ecological Economics*. 149: 74-79.
- Imamura, A., K. Hayami, M.K. Sakata, and T. Minamoto. 2020. Environmental DNA revealed the fish community of Hokkaido Island, Japan, after invasion by rainbow trout. *Biodiversity Data Journal*. 420(7): 1-12.
- Integrated Taxonomic Information System – Report. 2025. Taxonomy of *Oncorhynchus masou*. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=161978#null. Diakses 15 September 2025.
- Integrated Taxonomic Information System – Report. 2025. Taxonomy of *Salmo trutta*. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=161997#null. Diakses 15 September 2025.
- Jo, T., H. Murakami, S. Yamamoto, R. Masuda, and T. Minamoto. 2019. Effect of water temperature and fish biomass on environmental DNA shedding, degradation, and size distribution. *Ecology and evolution*. 9(3): 1135-1146.

- Kasugai, K., M. Nagata, K. Takeuchi, M. Torao, Y. Murakami, Y. Sasaki, Y. Miyakoshi, and J.R. Irvine. 2016. Migratory timing of masu salmon and Dolly Varden smolts exiting the Uebetsu River near the Shiretoko World Heritage Site, Hokkaido, Japan, and potential angling effects. *Ichthyological Research*. 63(1): 181-186.
- Kawai, H., N. Ishiyama, K. Hasegawa, and F. Nakamura. 2013. The relationship between the snowmelt flood and the establishment of non-native brown trout (*Salmo trutta*) in streams of the Chitose River, Hokkaido, northern Japan. *Ecology of freshwater fish*. 22(4): 645-653.
- Kiruba-Sankar, R., J.P. Raj, K. Saravanan, K.L. Kumar, J.R.J. Angel, A. Velmurugan, and S.D. Roy. 2018. Invasive species in freshwater ecosystems—threats to ecosystem services. *Biodiversity and Climate Change Adaptation in Tropical Islands*. Academic Press, London. 257-296.
- Kitano, S. 2004. Ecological Impacts of Rainbow, Brown and Brook Trout in Japanese Inland Waters. *Global Environmental Research-English Edition*. 8(1): 41-50.
- Koizumi, I., Y. Kanazawa, C. Yamazaki, Y. Tanaka, and K. Takaya, 2017. Extreme winter aggregation of invasive rainbow trout in small tributaries: implications for effective control. *Ichthyological research*. 64(2): 197-203.
- Leblanc, F., V. Belliveau, E. Watson, C. Coomber, N. Simard, C.D. Bacco, R. Bernier, & N. Gagné. 2020. Environmental DNA (eDNA) detection of marine aquatic invasive species (AIS) in Eastern Canada using a targeted species-specific qPCR approach. *Management of Biological Invasions*. 11(2): 201– 217.
- Lennox, R.J., E.M. Hanssen, E.S. Normann, B.T. Barlaup, C.I. Nilsen, L.S. Dahlmo, S. Berhe, and K.W. Vollset, 2024. Migratory contingents of brown trout reveal variable exposure to anthropogenic threats along a fjord-river continuum. *Marine Ecology*. 45(6): 1-12.
- Madduppa, H., L.M.I. Sani, K.C. Nugroho, D.G. Bengen, Z.A. Muchlisin, N. Fadli, B. Subhan, D. Arafat, N.P. Zamani, A. Sunuddin, and M.S. Ismet. 2022. eDNA metabarcoding of decapod crustaceans across Indonesian seas has implications for biodiversity conservation and fisheries sustainability. *Frontiers in Marine Science*. 9: 1-23.
- Minamoto, T., M. Miya, T. Sado, S. Seino, H. Doi, M. Kondoh, K. Nakamura, T. Takahara, S. Yamamoto, H. Yamanaka, and H. Araki. 2021. An illustrated manual for environmental DNA research: Water sampling guidelines and experimental protocols. *Environmental DNA*. 3(1): 8-13.
- Miyamoto, K., K. Fukuda, and Y. Michita. 2024. Evaluating the effectiveness of non-native brown trout suppression to improve native white-spotted charr stocking. *Ichthyological Research*. 71(4): 522-528.
- Miyazaki, Y., A. Murase, J. Honda, J. Yamaide, and H. Senou. 2020. Usefulness of a

Japanese internet community for fish conservation. *Biodiversity and Conservation*. 29(2): 625-642.

MLIT (Ministry of Land, Infrastructure, Transport and Tourism). 2025. Akagawa. https://www.mlit.go.jp/river/toukei_chousa/kasen/jiten/nihon_kawa/0212_akagawa/0212_akagawa_00.html. Diakses 13 Oktober 2025.

Morita, K., T. Tamate, M. Kuroki, and T. Nagasawa. 2014. Temperature-dependent variation in alternative migratory tactics and its implications for fitness and population dynamics in a salmonid fish. *Journal of Animal Ecology*. 83(6): 1268-1278.

Morita, K., T. Nagasawa, and Y. Miyakoshi. 2018. Ocean ecology of masu (cherry) salmon. *Ocean ecology of pacific salmon and trout*. American Fisheries Society, Bethesda. 697-730.

Munakata, A. 2012. Migratory Behaviors in Masu Salmon (*Oncorhynchus masou*) and the Influence of Endocrinological Factors. *Aqua-BioScience Monographs*. 5(2): 29-65.

Nagata, M., Y. Miyakoshi, H. Urabe, M. Fujiwara, Y. Sasaki, K. Kasugai, M. Torao, D. Ando, and M. Kaeriyama, 2012. An overview of salmon enhancement and the need to manage and monitor natural spawning in Hokkaido, Japan. *Environmental biology of fishes*. 94(1): 311-323.

Nasution, S.H., G.S. Haryani, R. Dina, and O. Samir. 2019. Ancaman jenis ikan asing louhan terhadap ikan endemik di Danau Matano, Sulawesi Selatan. *Berita biologi*. 18(2): 235-245.

Nishiyama, M., I. Yoneda, T. Watanabe, T. Sato, and K. Watanabe. 2024. Development of a method for detecting cherry salmon DNA in the Akagawa River system using environmental DNA analysis. *Japanese Journal of JSCE/Doboku Gakkai Ronbunshu*. 80(25): 24-25.

Peterson, M.I., S. Kitano, S. Yamamoto, T. Kando, and Y. Tsuda. 2024. Species-specific foraging behavior and diets of stream salmonids: An implication for negative impacts on native charr by nonnative trout in Japanese mountain streams. *Ecological Research*. 39(2): 169-181.

Pont, D., M. Roche, A. Valentini, R. Civade, P. Jean, A. Maire, N. Roset, M. Schabuss, H. Zornig, and T. Dejean. 2018. Environmental DNA reveals quantitative patterns of fish biodiversity in large rivers despite its downstream transportation. *Scientific reports*. 8: 1-13.

Rahmi, K.A., R.I. Adharini, D.W.K. Sari, and T.B. Satriyo, 2023. Detection of the presence and distribution of invasive fish in the Progo River, Yogyakarta, Indonesia using the environmental DNA method. *Biodiversitas Journal of Biological Diversity*. 24(1): 276-281.

Sakata Office of River and National Highway. 2024. Our Aka River.

<https://www.thr.mlit.go.jp/sakata/river/akagawa/index.html>. Diakses 26 Oktober 2024.

Sakata Office of River and National Highway. 2025. Akagawa News - Public Relations Activities.

https://www.thr.mlit.go.jp/sakata/community/press/akagawa_news/index.html. Diakses 13 Oktober 2025.

Schallenberg, L., S.A. Wood, X. Pochon, and J.K. Pearman. 2020. What can DNA in the environment tell us about an ecosystem. *Front. Young Minds*. 150(7): 1-8.

Sildever, S., N. Nishi, S. Tazawa, H. Kasai, J. Hirai, A. Shiimoto, T. Kikuchi, S. Katakura, and S. Nagai. 2023. Eight years of weekly eDNA monitoring in the North-Western Pacific. *Environmental DNA*. 5(6): 1202-1215.

Sinniger, F., J. Pawlowski, S. Harii, A.J. Gooday, H. Yamamoto, P. Chevaldonné, T. Cedhagen, G. Carvalho, and S. Creer. 2016. Worldwide analysis of sedimentary DNA reveals major gaps in taxonomic knowledge of deep-sea benthos. *Frontiers in Marine Science*. 92(3): 1-14.

Ugachi, Y., H. Kitade, E. Takahashi, S. Suzuki, M. Hayashi, T. Yamada, W. Cui, and M. Shimizu. 2023. Size-driven parr-smolt transformation in masu salmon (*Oncorhynchus masou*). *Scientific Reports*. 13(1): 1-11.

Valiente, A.G., F. Juanes, P. Nunez, and E. Garcia-Vazquez. 2010. Brown trout (*Salmo trutta*) invasiveness: plasticity in life-history is more important than genetic variability. *Biological Invasions*. 12(3): 451-462.

Xin, Y., Y. Guo, M. Sun, G. Yu, Z. Ma, K. Pei, and C. Qin. 2022. Optimal conditions to quantify the relationship between eDNA concentration and biomass in *Acanthopagrus latus*. *Water*. 14(21): 1-16.

Zhao, B., P.M. van Bodegom, and K.B. Trimbos. 2023. Bacterial abundance and pH associate with eDNA degradation in water from various aquatic ecosystems in a laboratory setting. *Frontiers in Environmental Science*. 11: 1-11.

Zhivotovsky, L.A., G.A. Rubtsova, V.D. Nikitin, A.P. Prokhorov, E.G. Shaikhaev, K.S. Kotkin, J.C. Gwo, and K.I. Afanasiev. 2017. Genetic differentiation and the problems of conservation of masu salmon (*Oncorhynchus masou* Brevoort, 1856 (Pisces: Salmonidae)) populations. *Russian Journal of Marine Biology*. 43(1): 83-91.