

TABLE OF CONTENTS

TITLE	i
AUTHENTICATION	ii
DECLARATION	iii
DEDICATION	iv
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	vii
LIST OF FIGURES	x
LIST OF TABLES	xiii
NOMENCLATURES	xiv
ABSTRACT	xvii
CHAPTER 1 – INTRODUCTION	
1.1 Background	1
1.2. Problems formulation	4
1.3. Research objectives	5
1.4. Benefit of the research	5
1.5. Problem assumptions	6
CHAPTER II – LITERATURE STUDY	
2.1. Co-current gas-liquid flow pattern in vertical pipes	7
2.2. Slug flow transition	10
2.3. Brief explanation of bubbly flow	13
2.3.1. Basic terminology	14
2.3.2. Bubble forces	17
2.3.3. Bubble rise velocity	21
2.4. Co-current upward slug flow	23
2.4.1. Basic terminology	23
2.4.2. Hydrodynamics of slug flow	25
2.4.3. Shape and characteristics of Taylor bubble	27

2.4.4. Taylor bubble rise velocity	30
2.4.5. Hydrodynamics parameter of slug flow regions	34
 CHAPTER III – RESEARCH METHODOLOGY	
3.1. Experimental setup	40
3.1.1. Working fluid	40
3.1.2. TOPFLOW research facility	41
3.1.3. ROFEX measuring principles	43
3.2. Test matrices and measurement stations	46
3.3. Data processing of ultrafast X-ray tomography	47
3.3.1. Image reconstruction	47
3.3.2. Image segmentation	48
3.4. Bubble pair algorithm	49
3.4.1. Bubble rise velocity probability	50
3.4.1.1. Calculation of expected velocity	50
3.4.1.2. Calculation of velocity probability	53
3.4.2. Bubble volume probability	54
3.4.3. Bubble position probability	55
3.5. Data analysis	56
3.5.1. Calculation of bubble velocities	56
3.5.2. Taylor bubble and liquid slug length	59
3.5.3. Bubble frequency	60
3.5.4. Averaged cross-sectional void fraction	60
3.5.5. Calculation of discretization error in temporal resolution	60
 CHAPTER IV – RESULTS AND DISCUSSION	
4.1. Qualitative observation	61
4.2. Slug flow general characteristics	64
4.2.1. General characteristics from time-series data	64
4.2.2. Averaged void fraction	69
4.3. Properties of Taylor bubble	69

4.3.1. Rise velocity	69
4.3.2. Taylor bubble length	71
4.4. Effects of the different axial station to the flow properties	74
4.4.1. Bubble frequency at various axial stations	74
4.4.2. Effects of the different axial station to Taylor bubble rise velocity	77
4.4.3. Effects of the different axial station to Taylor bubble length	78
4.4.4. Effects of different axial stations to the bubble properties in other regions	80
4.5. Relationship between the consecutive Taylor bubbles	82
4.6. Characteristics of bubbles in other slug flow regions	83
4.6.1. Bubbles in falling film region	83
4.6.2. Bubbles in wake region and developed bubble region	84
CHAPTER V – CONCLUSION AND FUTURE WORKS	
5.1. Conclusion	88
5.2. Future Works	89
BIBLIOGRAPHY	90
APPENDIX	
1. Visualization of Taylor bubbles	AP-1
2. Time-series data of void fraction	AP-7
3. Void fraction distribution	AP-10
4. Quantitative data of Taylor bubble and bubbles in other slug region properties at different stations	AP-12
5. Graphics of Taylor bubble and bubbles in other slug region properties at different stations	AP-14
6. Quantitative data of Taylor bubbles in matrix point 114-P	AP-17