

BIBLIOGRAPHY

- Ahmad, W.R., De Jesus, J.M., and Kawaji, M., 1998, Falling film hydrodynamics in slug flow, *Chem. Eng. Sci.*, 53, pp. 123-130.
- Alajdem Talvy, C., Shemer, L. and Barnea, D., 2000, On the interaction between two consecutive elongated bubbles in a vertical pipe. *Int. J. Multiphase Flow* 26: pp. 1905-1923.
- Antal, S.P., Lahey, R.T., and Flaherty, J.E., 1991, Analysis of Phase Distribution in Fully Developed Laminar Bubbly Two-Phase Flow, *International Journal of Multiphase Flow*, 17, pp. 635-652.
- Araújo, J.D.P., Miranda J.M., Campos, J.B.L.M., 2013, Flow of two consecutive Taylor bubbles through a vertical column of stagnant liquid – A CFD study about the influence of the leading bubble on the hydrodynamics of the trailing one, *Chemical Engineering Science*, 97, pp. 16-33.
- Bankoff, S. G., 1960, A variable density single-fluid model for two-phase flow with particular reference to steam-water flow, *J. Heat Transfer*, 82 (2), pp. 265-270.
- Banowski, M., Lucas, D., Hoppe, D., Beyer, M., Szalinski, L., Hampel, U., 2013, Segmentation of ultrafast x-ray tomographed gas-liquid flows in a vertical pipe at different flow regimes, *Proceeding of WCIPT7 2013*, Poland:Krakow.
- Bendiksen, K. H., 1984, An experimental investigation on the motion of long bubbles in inclined tubes, *Int. J. Multiphase Flow*, 10 (4), pp. 467-483.
- Beyerlein, S.W., Cosmann, R.K., Richter, H.J., 1985, Prediction of Bubble Concentration Profiles in Vertical Turbulent Two-Phase Flow, *Int. J. Multiphase Flow*, Vol. 11, No. 5, pp. 629-641.
- Boyd, D.P., Lipton, M.J., 1983. Cardiac computed tomography. *Proc. IEEE* 71, pp. 298–307.
- Brauner and Barnea, 1986, Slug/churn transition in upward gas-liquid flow, *Chem. Engng Sci.* 41, pp. 159-163.
- Broadkey, R.S., 1967, The Phenomena of Fluid Motions, *Addison-Wesley Press*.
- Brötz, W., 1954, Über die Vorausberechnung der Absorptionsgeschwindigkeit von Gasen in Stromenden Flüssigkeitsschichten, *Chem. Ing. Tech.*, Vol. 26, pp. 470. (in German language)
- Brown, R. A. S., 1965, The mechanics of large gas bubbles in tubes. I - Bubble velocities in stagnant liquids, *Canadian Journal of Chemical Engineering*, 43: pp. 217-223.
- Campos, J.B.L.M., De Carvalho, J.R.F.G., 1988a, Mixing Induced by Air Slugs Rising in Narrow Column of Water, *Chemical Engineering Science*, Vol. 43. No. 7, pp. 1569-1582.

- Campos, J.B.L.M., De Carvalho, J.R.F.G., 1988b, An experimental study of the wake of gas slugs rising in liquids, *J. Fluid Mech.*, Vol. 196, pp. 27-37.
- Clift, R., Grace, J.R., dan Weber, M.E., 1978, Bubbles, Drops, dan Particles, *Academic Press Inc.*, New York.
- Costigan, G., Whalley, P.B., 1997, Slug flow regime identification from dynamic void fraction measurements in vertical air–water flows, *Int. J. Multiphase Flow*, 23 (2), pp. 263–282
- Deendarlianto, Höhne, T., Lucas, D., Vierow, K., 2011, Gas–liquid countercurrent two-phase flow in a PWR hot leg: A comprehensive research review, *Nuclear Engineering and Design*, 243, pp. 214 – 233.
- De Jesus, J.M., Ahmad, W.R., Kawaji, M., 1995, Experimental Study of Flow Structure in Vertical Slug Flow, *Advances in Multiphase Flow*, pp. 105 – 118.
- Dukler, A.E., Taitel, Y., 1986, Flow pattern transitions in gas-liquid systems: measurement and modelling, *Multiphase Science and Technology*, Vol. 2, (Edited by Hewitt, G.F., Delhaye J.M., Zuber, N.), pp. 1-94, Hemisphere, Washington, DC.
- Dumitrescu, D.T.Z., 1943, Strömung an Einer Luftblase im Senkrechten Rohr, *Z. angew. Math. Mech.*, 23, pp. 139. (in German language)
- Engineering Toolbox, <http://www.engineeringtoolbox.com>, Accessed on July 2014,
- Fabre, J. and Liné, A., 1992, Modeling of two-phase slug flow, *Ann. Rev. Fluid Mech.*, 24, pp. 21-46.
- Fernandes, R.C., Semiat, R., dan Dukler, A.E., 1983, Hydrodynamic Model for Gas-Liquid Slug Flow in Vertical Tubes, *American Institute of Chemical Engineering Journal*, 29, pp. 981-989.
- Fischer, F., Hoppe, D., Schleicher, E., Mattausch, G., Flaske, H., Bartel, R., and Hampel, U., 2008, An Ultra Fast Electron Beam X-ray Tomography Scanner, *Measurement in Science and Technology*, 19.
- Fischer, F. and Hampel, U., 2010, Ultra Fast Electron Beam X-ray Computerd Tomography for Two-Phase Flow Measurement, *Nuclear Engineering and Design*, 240, pp. 2254-2259.
- Ghiaasiaan, S.M., 2008, Two-Phase Flow, Boiling and Condensation in Conventional and Miniature Systems, *Cambridge University Press*, England: Cambridge.
- Gould, R.G., 1992, Principles of ultra fast computed tomography, In: Stanford, W., Rumberger, J.A., Ultrafast (Eds.), *Computed Tomography in Cardiac Imaging: Principles and Practice*. Futura Publishing Co., Inc., Mount Kisco, NY.
- Govan, A. H., Hewitt, G. F., Richter, H.J., Scott, A, 1991, Flooding and churn flow in vertical pipes, *Int. J. Multiphase Flow*, 17, pp. 27-44

- Griffith, P. and G.B. Wallis, 1961, Two-Phase Slug Flow, *Transactions of the ASME Journal of Heat Transfer*, Vol. 83, No. 3, pp. 307-320.
- Guo-dong, X., Zhen-zhen, C., Qing, L., 2009, A model for liquid *slug* length distribution in vertical gas-liquid *slug* flow, *Journal of Hydrodynamics*, 21 (4), pp. 491-498.
- Hampel, U., et al., 2005, Experimental ultrafast X-ray computed tomography with a linearly scanned electron beam source, *Flow Measurement and Instrumentation*, 16, pp. 65–72.
- Harmathy, T.Z., 1960, Velocity of Large Drops and Bubbles in Media of Infinite or Restricted Extent, *American Institute of Chemical Engineering Journal*, 6, 281.
- Hasanein, H. A., Tudose, G. T., Wong, S., Malik, M., Esaki, S., Kawaji, M., 1996, Slug flow experiments and computer simulation of slug length distribution in vertical pipes, *AIChE Symposium Series*, 92 (310), pp. 211-219.
- Hewitt, G.F., Roberts, D.N., 1969, Studies of Two-Phase Flow Patterns by Simultaneous X-ray and Flash Photography, *AERE-M 2159*, HMSO.
- Hewitt, G.F. and Hall-Taylor, N.S., 1970, Annular Two-Phase Flow, *Pergamon Press*.
- HZDR Official Website, Schematic diagram of gas injection modules: <https://www.hzdr.de/db/Cms?pNid=1004>, Accessed on July 2014.
- HZDR Official Website, Schematic diagram of TOPFLOW facility: <https://www.hzdr.de/db/Cms?pNid=1004>, Accessed on July 2014.
- Ishii, M., Zuber, N., 1979, Drag coefficient and relative velocity in bubbly, droplet or particulate flows, *AIChE J.*, 25, pp. 843–855.
- Jayanti, S., Hewitt, G.F., 1992, Prediction of the Slug-to-Churn Flow Transition in Vertical Two-Phase Flow, *Int. J. Multiphase Flow*, Vol. 18, No. 6, pp. 847-860.
- Joseph, D., 2003, Rise velocity of a spherical cap bubble, *J. Fluid Mech.*, 488, pp. 213–223.
- Kaji, R., Azzopardi, B.J., Lucas, D., 2009, Investigation of flow development of co-current gas–liquid vertical *slug* flow, *International Journal of Multiphase Flow*, 35, pp. 335–348.
- Kak, A. C. and Slaney, M., 1988, Principles of computerized tomographic imaging, *IEEE Press*.
- Kang C-W., Quan, S., Lou, J., 2010, Numerical study of a Taylor bubble rising in stagnant liquids, *Phys. Rev. E*, Vol. 81, Iss. 6, 066308.
- Kawaji, M., DeJesus, J.M., dan Tudose, G., 1997, Investigation of flow structures in vertical *slug* flow, *Nuclear Engineering dan Design*, 175, pp. 37-48.

- Khatib, Z., Richardson, J.F., 1984, Vertical co-current flow of air dan shear thinning suspensions of kaolin, *Chem. Eng. Res. Design*, 62, pp. 139-154.
- Kirsner, W., 1998, Steam Condensation Induced Waterhammer, <http://www.kirsner.org/pages/condInduceWatHamText.html>, Accessed on July 2014.
- Krepper, E., Lucas, D., and Prasser, H.-M., 2005, On the modeling of bubbly flow in vertical pipes, *Nuclear Engineering and Design*, 235, pp. 597-611.
- Krepper, E., Lucas, D., Frank, T., Prasser, H.-M., Zwart, P.J., 2008, The inhomogeneous MUSIG model for the simulation of polydispersed flow, *Nuclear Engineering dan Design*, 238, pp. 1690–1702.
- Krüssenberg, A.-K., Prasser, H.-M., Schaffrath, A., 1999, A new criterion for the bubble slug transition in vertical tubes, *Proceeding of 9th International Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-9)*, USA: San Francisco CA, 3–8 October.
- Kulkarni, A.A., Joshi, J.B., 2005, Bubble Formation and Bubble Rise Velocity in Gas-Liquid Systems: A Review, *Ind. Eng. Chem. Res.*, 44, pp. 5873-5931.
- Lahey Jr., R.T., Lopez de Bertodano, M., and Jones. O.C., 1993, Phase Distribution in Complex Geometry Conduits, *Nuclear Engineering and Design*, 141, pp. 177-201.
- Laird, A.D.K., Chisholm, D., 1956, Pressure and Forces along Cylindrical Bubbles in a Vertical Tube, *Ind. Eng. Chem.*, 48 (8), pp. 1361–1364.
- Liao, Y., Lucas, D., 2009, A literature review of theoretical models for drop and bubble breakup in turbulent dispersions, *Chemical Engineering Science*, 64, pp. 3389 – 3406.
- Liao, Y., Lucas, D., 2010, A literature review on mechanisms and models for the coalescence process of fluid particles, *Chemical Engineering Science*, 65, pp. 2851–2864
- Liu, T.J., 1997. Investigation of the wall shear stress in vertical bubbly flow under different bubble size conditions. *Int. J. Multiphase Flow* 23, pp. 1085–1109.
- Lucas, D., Krepper, E., Prasser, H.-M., 2003, Evolution of flow patterns, gas fraction profiles and bubble size distributions in gas–liquid flows in vertical tubes, *Trans. Inst. Fluid-Flow Mach.*, 112, pp. 37–46.
- Lucas, D., Krepper, E., Prasser, H.-M, 2005, Development of co-current air–water flow in a vertical pipe, *International Journal of Multiphase Flow*, 31, pp. 1304–1328.
- Lucas, D., Krepper, E., 2007, CFD Models for Polydispersed *Bubbly Flow*, *HZDR Technical Report FZD-486*, Dresden: HZDR-Germany.
- Maley, L.C., Jepson, W.P., 2000, Wall shear stress and differential pressure in large diameter horizontal multiphase pipelines, *J. Energy Res. Technol.*, 122, pp. 193–197.

- Mao, Z.S., Dukler, A.E., 1989, An experimental study of gas-liquid slug flow, *Experiments in Fluids*, 8, pp. 169-182.
- Maxworthy, T., 1967, A note on the existence of wakes behind large, rising bubbles, *J. Fluid Mech.* 27 (2), pp. 367-368.
- Mayor, T.S., 2007, Hydrodynamics of gas-liquid flows in Slug Flow regime, *Ph.D. dissertation in Chemical and Biological Engineering, Faculdade de Engenharia Universidade do Porto, Porto - Portugal*
- Mayor, T.S., Ferreira, V., Pinto, A.M.F.R., Campos, J.B.L.M., 2008, Hydrodynamics of gas-liquid slug flow along vertical pipes in turbulent regime – An experimental study, *Int. J. Heat Fluid Flow*, 29, pp. 1039-1053.
- McQuillan, K.W., Whalley, P.B., 1985, Flow patterns in vertical two-phase flow. *Int. J. Multiphase Flow*, 11, pp. 161-175.
- Mi, Y., Ishii, M., Tsoukalas, L.H., 2001, Investigation of vertical slug flow with advanced two-phase flow instrument, *Nucl. Eng. Design* 204, pp. 69–85.
- Mishima, K., Ishii, M., 1984, Flow regime transition criteria for upward two-phase flow in vertical tubes, *Int. J. Heat Mass Transfer*, 27, pp. 723–737.
- Moissis, R., Griffith, P., 1962, Entrance effects in a two-phase slug flow, *J. Heat Transfer*, 84, pp. 29-39.
- Nakoryakov, V.E., Kashinski, O.N., and Kozmenko, B.K., 1986, Experimental Study of Gas-Liquid Slug Flow in a Small Diameter Vertical Pipe. *Int. J. Multiphase Flow* 12, pp. 337–355.
- Nakoryakov, V.E., Kashinski, O.N., Petukhov, and A.V., Gorelik, R.S., 1989, Study of Local Hydrodynamic Characteristics of Upward Slug Flow., *Exp. Fluids*, 7, pp. 560–566.
- Nicklin, D.J., Davidson, J.F., 1962, The onset of instability in two phase slug flow. *Presented at a Symp. on Two-phase Flow*, Inst. Mech. Engrs, London, paper no. 4.
- Nicklin, D.J., Wilkes, J.O., dan Davidson, J.F., 1962, Two-Phase Flow in Vertical Tubes, *Trans. Inst. Chem. Engrs*, 40, pp. 61.
- Orell, A., Rembrand, R., 1986, A Model for Gas-Liquid Slug Flow in a Vertical Tube, *Ind. Eng. Chem. Fundam.*, 25, pp. 196-206
- Patmonoaji, A., 2013, Development of Numerical Algorithms for the Determination of Gas Bubble Velocities from Experimental Data Obtained by Ultrafast Two-Layer Electron Beam X-Ray Tomography, *Bachelor Thesis*, Gadjah Mada University, Indonesia.
- Patmonoaji, A., 2014, Investigation of gas-bubble velocities from experimental data of ultrafast two-layer electron beam X-ray tomography, *Master Thesis*, Gadjah Mada University, Indonesia.
- Patmonoaji, A., Banowski, M., Lucas, D., Deendarlianto, 2013, Investigation of gas-bubble velocities from experimental data of ultrafast two-layer electron

- beam X-ray tomography, *Proceeding of The 12th Annual National Seminar of Mechanical Engineering (SNTTMXII), Bandar Lampung-Indonesia*, pp. 1374-1383.
- Pinto, AMFR, Campos, JBLM, 1996, Coalescence of two gas slugs rising in a vertical column of liquid, *Chemical Engineering Science*, Vol. 51, 1, pp. 45-54.
- Pinto, A. M. F. R., Pinheiro, M. N. C. and Campos, J. B. L. M., 1998, Coalescence of two gas slugs rising in a co-current flowing liquid in vertical tubes, *Chem. Eng. Sci.*, 53 (16), pp. 2973-2983.
- Polonsky, S., Shemer, L., Barnea, D., 1999a, The relation between the Taylor bubble motion and the velocity field ahead of it, *International Journal of Multiphase Flow*, 25, pp. 957-975.
- Polonsky, S., Barnea, D., Shemer, L., 1999b, Averaged and time dependent characteristics of the motion of an elongated *bubble* in a vertical pipe, *Int. J. Multiphase Flow*, vol. 25, pp. 795-812.
- Prasser, H.-M., Beyer, M., Carl, H., Manera, A., Pietruske, H., Schütz, P., Weiß, F.-P., 2006, The multipurpose thermal-hydraulic test facility TOPFLOW : an overview on experimental capabilities, instrumentation and results, *Kerntechnik*, vol. 71, pp. 163-173.
- Prasser, H.-M., Scholz, D., Zippe, C., 2001, Bubble size measurement using wire-mesh sensors, *Flow Measure. Instrument.*, 12, pp. 299-312,
- Prasser, H.-M., Misawa, M., Tiseanu, I., 2005, Comparison between wire-mesh sensor and ultra-fast X-ray tomograph for an air-water flow in a vertical pipe. *Flow Measure. Instrument.* 16, 73-83.
- Prince, M.J. and Blanch, H.W., 1990, Bubble coalescence and break-up in airsparged bubble columns, *AIChE J.*, vol. 36, pp. 1485-1499.
- Schaffrath, A., Krüssenberg, A.-K., Weiß, F.-P., Hicken, E.F., Beyer, M., Carl, H., Prasser, H.-M., Schuster, J., Schütz, P., Tamme, M., Zimmermann, W., 2001, TOPFLOW- a new multipurpose thermohydraulic test facility for the investigation of steady state and transient two phase flow phenomena, *Kerntechnik*, Vol. 66, 209-212.
- Schiller, L. and Naumann, A., 1933, *VDI Zeitschrift*, vol. 77, pp. 318.
- Seidel, T., Vallée, C., Lucas, D., Beyer, M., Deendarlianto, 2010, Two-Phase Flow Experiments in a Model of the Hot Leg of a Pressurised Water Reactor, *Wissenschaftlich – Technische Berichte/Forschungszentrum Dresden Rossendorf*; FZD-531.
- Sekoguchi, K., Sato, T. and Honda, T., 1974, Two phase bubble flow (first report), *Trans. Japan Soc. Mech Engng.*, Vol. 40 (333), pp. 1395-1403

- Serizawa, A., Kataoka, I., and Michiyoshi, I., 1975, Turbulence Structure of Air/Water Bubbly Flow, *International Journal of Multiphase Flow*, 2(3), pp. 221 -234.
- Shemer, L., Barnea, D., 1987, Visualization of the instantaneous velocity profiles in gas-liquid slug flow, *Physic. Chem. Hydrodyn.*, vol. 8, pp. 243-253.
- Shemer, L., 2003, Hydrodynamic and statistical parameters of slug flow, *International Journal of Heat and Fluid Flow*, 24, pp. 334-344.
- Shemer, L., Gulitski, A., Barnea, D., 2005, Experiments on the turbulent structure and void fraction distribution in the Taylor bubble wake, *Multiphase Sci. Technol.*, 17, pp. 103-122.
- Shemer, L., Gulitski, A., Barnea, D., 2007, On the turbulent structure in the wake of Taylor bubbles rising in vertical pipes, *Phys. Fluids*, 19, 035108.
- Strubelj, L., Ézsöl, G., Tiselj, I., Direct contact condensation induced transition from stratified to slug flow, *Nuclear Engineering and Design*, 240, pp. 266-27.
- Sylvester, N.D., 1987, A Mechanistic Model for Two-Phase Vertical Slug Flow in Pipes, *Journal of Energy Resources Technology, Transactions of the ASME*, Vol. 109, pp. 206-213.
- Taitel, Y., Barnea, D. dan Dukler, A.E., 1980, Modeling Flow Pattern Transition for Steady Upward Gas-Liquid Flow in Vertical Tubes, *American Institute of Chemical Engineering Journal*, 26, pp. 345-354.
- Taitel, Y. and Barnea, D., 1983, Counter Current Gas-Liquid Vertical Flow, Model for Flow Pattern and Pressure Drop, *International Journal of Multiphase Flow*, 8, pp. 1-10.
- Taylor G.I., Davies, R.M., 1950, The mechanics of large *bubbles* rising through extended liquids dan through liquids dan through liquids in tube, *Proc. R. Soc. London*, Ser. A, 200, 375.
- Tomiyama, A., Sou, A., Zun, I., Kanami, N., Sakaguchi, T., 1995, Effect of Eötvös Number dan Dimensionless Liquid Volumetric Flux on Lateral Motion of a *Bubble* in a Laminar Duct Flow, *Advances in Multiphase Flow*, pp. 3-15.
- Tomiyama, A., 1998, Struggle with computational bubble dynamics, *Proceedings of Third International Conference on Multiphase Flow, ICMF 98*, France: Lyon, June 8-12.
- Tomiyama, A., Nakahara, Y., Adachi, Y., Hosokawa, S., 2003, Shapes and rising velocities of single bubbles rising through an inner subchannel, *J. Nucl. Sci. Technol.*, 40, 136.
- Van Hout, R., Shemer, L., dan Barnea, D., 1992, Spatial Distribution of Void Fraction within a Liquid *Slug* dan Some Other Related *Slug*-Parameter, *Int. J. Multiphase Flow*, 18, pp. 831-845.

- Van Hout, R., Barnea, D., Shemer, L., 2001, Evolution of statistical parameters of gas-liquid slug flow along vertical pipes, *International Journal of Multiphase Flow*, 27, pp. 1579-1602.
- Van Hout, R., Barnea, D., Shemer, L., 2002, Translational velocities of elongated bubbles in continuous slug flow, *Int. J. Multiphase Flow*, 28, pp. 1333-1350, 2002.
- Van Hout, R., Gulitski, A., Barnea, D., and Shemer, L., 2002, Experimental Investigation of the velocity field induced by a Taylor bubble rising in stagnant water, *Int. J. Multiphase Flow*, 28, pp. 579-596.
- Wallis, G. B., 1969, One dimensional two-phase flow, *McGraw Hill Book Co.*, USA: New York.
- Wang, S., Nesic, S., 2003. On coupling CO₂ corrosion and multiphase flow models. *CORROSION*.
- Wellek, R.M., Agrawal. A.K., and Skelland, A.H.P., 1966, Shape of Liquid Drops Moving in Liquid Media, *American Institute of Chemical Engineering Journal*, 12, pp. 854-862.
- White, E.T., Beardmore, R.H., 1962, The velocity of rise single cylindrical air bubbles through liquid contained in vertical tubes, *Chemical Engineering Sciences*, 17, pp. 351-361.
- Yan, K., Che, D., 2011, Hydrodynamic and mass transfer characteristics of slug flow in a vertical pipe with and without dispersed small bubbles, *International Journal of Multiphase Flow*, 37, pp. 299-325.
- Zheng, D., Che, D., 2006, Experimental study on hydrodynamic characteristics of upward gas-liquid slug flow, *International Journal of Multiphase Flow*, 32, pp. 1191-1218.
- Zuber, N., Hench, J., 1962, Steady State and Transient Void Fraction of Bubbling Systems and Their Operating Limit. Part I: Steady State Operation, *General Electric Report*, 62GL100.
- Zukoski, E.E., 1966, Influence of viscosity, surface tension, and inclination angle on motion of long bubbles in closed tubes, *J. Fluid Mech.*, 25, 821.
- Zun, I., 1987, Transition from wall void peaking to core void peaking in turbulent bubbly flow, *Proceedings of the ICHMT Seminar on Transient Phenomena in Multiphase Flow*, Yugoslavia: Drubrovnik