

DAFTAR PUSTAKA

- Aziz, M.M. *et al.* (2019) 'Bedside evaluation of fluid responsiveness in shock state using electrical cardiometry', *Indian Journal of Public Health Research and Development*, 10(12), pp. 1570–1576. Available at: <https://doi.org/10.37506/v10/i12/2019/ijphrd/192432>.
- Bootsma, I.T. *et al.* (2022) 'The contemporary pulmonary artery catheter. Part 2: measurements, limitations, and clinical applications', *Journal of Clinical Monitoring and Computing*, 36(1), pp. 17–31. Available at: <https://doi.org/10.1007/s10877-021-00673-5>.
- Casanova-bracamontes, L. and Peregrino-bejarano, L. (2019) 'Relation between fluid overload and mortality in children with septic shock', 117(2), pp. 105–112.
- Chapalain, X. *et al.* (2019) 'Association between fluid overload and SOFA score kinetics in septic shock patients : a retrospective multicenter study', 0, pp. 1–10.
- Cox, P.B.W. *et al.* (2017) 'Accuracy, precision, and trending ability of electrical cardiometry cardiac index versus continuous pulmonary artery thermodilution method: A prospective, observational study', *BioMed Research International*, 2017. Available at: <https://doi.org/10.1155/2017/2635151>.
- Donati, A. *et al.* (2014) 'Thermodilution vs pressure recording analytical method in hemodynamic stabilized patients', *Journal of Critical Care*, 29(2), pp. 260–264. Available at: <https://doi.org/10.1016/j.jcrc.2013.11.003>.
- Fernando, S.M., Rochweg, B. and Seely, A.J.E. (2018) 'Clinical implications of the third international consensus definitions for sepsis and septic shock (Sepsis-3)', *Cmaj*, 190(36), pp. E1058–E1059. Available at: <https://doi.org/10.1503/cmaj.170149>.
- Gavelli, F., Castello, L.M. and Avanzi, G.C. (2021) 'Management of sepsis and septic shock in the emergency department', *Internal and Emergency Medicine*, 16(6), pp. 1649–1661. Available at: <https://doi.org/10.1007/s11739-021-02735-7>.
- Greive, G. *et al.* (2020) 'Cardiac output estimation by pulse wave analysis using the pressure recording analytical method and intermittent pulmonary artery thermodilution A method comparison study after off-pump coronary artery bypass surgery', pp. 920–925. Available at: <https://doi.org/10.1097/EJA.0000000000001227>.
- Guarino, M. *et al.* (2023) '2023 Update on Sepsis and Septic Shock in Adult Patients: Management in the Emergency Department', *Journal of Clinical Medicine*, 12(9). Available at: <https://doi.org/10.3390/jcm12093188>.
- Hendy, A. and Bubenek, Ş. (2016) 'Pulse waveform hemodynamic monitoring devices : recent advances and the place in goal-directed therapy in cardiac surgical patients', 23(1), pp. 55–65.
- Huan, S. *et al.* (2022) 'Stroke volume variation for predicting responsiveness to fluid therapy in patients undergoing cardiac and thoracic surgery: A

- systematic review and meta-analysis', *BMJ Open*, 12(5). Available at: <https://doi.org/10.1136/bmjopen-2021-051112>.
- Jakovljevic, D.G. (2014) 'Best Practice & Research Clinical Anaesthesiology Bioimpedance and bioreactance methods for monitoring cardiac output', *Best Practice & Research Clinical Anaesthesiology*, 28(4), pp. 381–394. Available at: <https://doi.org/10.1016/j.bpa.2014.09.003>.
- Jarczak, D., Kluge, S. and Nierhaus, A. (2021) 'Sepsis—Pathophysiology and Therapeutic Concepts', *Frontiers in Medicine*, 8(May), pp. 1–22. Available at: <https://doi.org/10.3389/fmed.2021.628302>.
- Ji, W. *et al.* (2021) *Interpretation of surviving sepsis campaign: international guidelines for the management of sepsis and septic shock 2021*, *Chinese Journal of Anesthesiology*. Available at: <https://doi.org/10.3760/cma.j.cn131073.20211210.01201>.
- Ketley, D. (2021) 'Shock and haemodynamic monitoring', *Surgery*, pp. 1–6. Available at: <https://doi.org/10.1016/j.mpsur.2021.08.005>.
- Lilly, L.S. (2015) *Pathophysiology of heart disease: A collaborative project of medical students and faculty*, *Pathophysiology of Heart Disease: A Collaborative Project of Medical Students and Faculty*. Available at: <https://doi.org/10.1097/01823246-199506030-00013>.
- Liu, Y.C. *et al.* (2022) 'Frequency and mortality of sepsis and septic shock in China: a systematic review and meta-analysis', *BMC Infectious Diseases*, 22(1), pp. 1–12. Available at: <https://doi.org/10.1186/s12879-022-07543-8>.
- Lokhorst, C. (2021) 'Accuracy , reliability , and applicability of electrical cardiometry for measuring cardiac output in critically ill newborns', (October).
- Madhuri, M.R. *et al.* (2023) 'Comparision of Cardiac Output Measured by Transthoracic Echocardiography with Continuous Cardiac Output Measured by Pressure Recording Analytical Method', pp. 155–159. Available at: <https://doi.org/10.4103/aca.aca>.
- Malbrain, M.L.N.G. *et al.* (2016) 'Hemodynamic monitoring in the critically ill: An overview of current cardiac output monitoring methods', *F1000Research*, 5(0), pp. 1–9. Available at: <https://doi.org/10.12688/f1000research.8991.1>.
- Malik, V. *et al.* (2014) 'Correlation of Electric Cardiometry and Continuous Thermodilution Cardiac Output Monitoring Systems', *World J Carvasc Surg*, 4(July), pp. 101–108.
- Martin, E. *et al.* (2015) 'ORIGINAL RESEARCH A validation study of electrical cardiometry in pregnant patients using transthoracic echocardiography as the reference standard', *Journal of Clinical Monitoring and Computing* [Preprint]. Available at: <https://doi.org/10.1007/s10877-015-9771-y>.
- Mercado, P. *et al.* (2017) 'Transthoracic echocardiography: An accurate and precise method for estimating cardiac output in the critically ill patient', *Critical Care*, 21(1), pp. 1–8. Available at: <https://doi.org/10.1186/s13054-017-1737-7>.
- Monnet, X., Marik, P. and Teboul, J.L. (2016) 'Passive leg raising for predicting fluid responsiveness: a systematic review and meta-analysis', *Intensive Care Medicine*, 42(12), pp. 1935–1947. Available at:

- <https://doi.org/10.1007/s00134-015-4134-1>.
- Monnet, X. and Teboul, J.L. (2015) 'Passive leg raising: Five rules, not a drop of fluid!', *Critical Care*, 19(1), pp. 18–20. Available at: <https://doi.org/10.1186/s13054-014-0708-5>.
- Müller, M., Saugel, B. and Schulte-uentrop, L. (2022) 'Technology, Computing and Simulation E Original Clinical Research Report', 135(1), pp. 71–78. Available at: <https://doi.org/10.1213/ANE.0000000000006010>.
- Narula, J. *et al.* (2017) 'Electrical Cardiometry : A Reliable Solution to Cardiac Output Estimation in Children With Structural Heart Disease', *Journal of Cardiothoracic and Vascular Anesthesia*, pp. 1–6. Available at: <https://doi.org/10.1053/j.jvca.2016.12.009>.
- Osyпка (2009) 'Electrical Cardiometry™ NONINVASIVE HEMODYNAMICS'.
- Perner, A. and Singer, M. (2017) 'Fixed minimum fluid volume for resuscitation: Con', *Intensive Care Medicine*, 43(11), pp. 1681–1682. Available at: <https://doi.org/10.1007/s00134-016-4581-3>.
- Persona, P. *et al.* (2021) 'Cardiac output evaluation on septic shock patients: Comparison between calibrated and uncalibrated devices during vasopressor therapy', *Journal of Clinical Medicine*, 10(2), pp. 1–10. Available at: <https://doi.org/10.3390/jcm10020213>.
- Piccioni, F. *et al.* (2016) 'ORIGINAL RESEARCH A systematic review of pulse pressure variation and stroke volume variation to predict fluid responsiveness during cardiac and thoracic surgery', *Journal of Clinical Monitoring and Computing*, v. Available at: <https://doi.org/10.1007/s10877-016-9898-5>.
- Pittarello, D. *et al.* (2018) 'Comparison between Pressure Recording Analytical Method and Fick Method to Measure Cardiac Output in Pediatric Cardiac Surgery Abstract ', pp. 8–18. Available at: <https://doi.org/10.2174/2589645801812010008>.
- Rajput, R.S. *et al.* (2014) 'Comparison of Cardiac Output Measurement by Noninvasive Method with Electrical Cardiometry and Invasive Method with Thermodilution Technique in Patients Undergoing Coronary Artery Bypass Grafting', *World Journal of Cardiovascular Surgery*, 04(07), pp. 123–130. Available at: <https://doi.org/10.4236/wjcs.2014.47019>.
- Rajuri, S. (2023) 'MONITORING MODALITIES ', pp. 1436–1442. Available at: <https://doi.org/10.47009/jamp.2023.5.5.284>.
- Rudziński, P.N. *et al.* (2016) 'Pulmonary artery rupture as a complication of Swan-Ganz catheter application . Diagnosis and endovascular treatment : a single centre ' s experience', 2(44), pp. 135–139. Available at: <https://doi.org/10.5114/aic.2016.59364>.
- Ruiqiang, Z. *et al.* (2021) *Surviving Sepsis Campaign: international guidelines for management of sepsis and septic shock 2021, interpretation and expectation*, *Chinese Critical Care Medicine*. Available at: <https://doi.org/10.3760/cma.j.cn121430-20211009-01442>.
- Said, A. *et al.* (2023) 'Validation of stroke volume variation assessed by electrical cardiometry to predict fluid responsiveness in patients undergoing coronary artery bypass surgery after closure of the sternum : an observational study', v, pp. 47–52. Available at: <https://doi.org/10.4103/ejca.ejca>.

- Salah, R. Ben (2017) 'A New Formula for Noninvasive Determination of Cardiac Output by Bioadmittance Signal Processing', pp. 62–65.
- Sanders, M., Servaas, S. and Slagt, C. (2020) 'Accuracy and precision of non-invasive cardiac output monitoring by electrical cardiometry: a systematic review and meta-analysis', *Journal of Clinical Monitoring and Computing*, 34(3), pp. 433–460. Available at: <https://doi.org/10.1007/s10877-019-00330-y>.
- Sangkum, L. *et al.* (2016) 'Minimally invasive or noninvasive cardiac output measurement: an update', *Journal of Anesthesia*, 30(3), pp. 461–480. Available at: <https://doi.org/10.1007/s00540-016-2154-9>.
- Soliman, R. (2017) 'The Egyptian Journal of Critical Care Medicine Prediction of fluid status and survival by electrical cardiometry in septic patients with acute circulatory failure', *The Egyptian Journal of Critical Care Medicine*, 5(2), pp. 65–68. Available at: <https://doi.org/10.1016/j.ejccm.2017.03.001>.
- Sondergaard, S., Parkin, G. and Aneman, A. (2015) 'Central venous pressure : we need to bring clinical use into'. Available at: <https://doi.org/10.1111/aas.12490>.
- Srzić, I., Adam, V.N. and Pejak, D.T. (2022) 'Sepsis Definition: What'S New in the Treatment Guidelines', *Acta Clinica Croatica*, 61, pp. 67–72. Available at: <https://doi.org/10.20471/acc.2022.61.s1.11>.
- Teja, B., Bosch, N.A. and Diep, C. (2024) 'Complication Rates of Central Venous Catheters', *JAMA Intern Med*, 184(5), pp. 474–482. Available at: <https://doi.org/10.1001/jamainternmed.2023.8232>.
- Velissaris, D. *et al.* (2016) 'The Use of Pulmonary Artery Catheter in Sepsis Patients : A Literature Review', 8(11), pp. 769–776.
- Xu, S.H. *et al.* (2021) 'Non-invasive cardiac output measurement by electrical cardiometry and M-mode echocardiography in the neonate: a prospective observational study of 136 neonatal infants', *Translational Pediatrics*, 10(7), pp. 1757–1764. Available at: <https://doi.org/10.21037/tp-21-20>.