

## DAFTAR PUSTAKA

Anggraini, D., Hasni, D., & Amelia, R. (2022). Pathogenesis of Sepsis. *Scientific Journal*, 1(4 SE-Systematic Literature Review), 334–341. <https://doi.org/10.56260/sciena.v1i4.63>

Asim, M., Amin, F., & El-Menyar, A. (2020). Multiple organ dysfunction syndrome: Contemporary insights on the clinicopathological spectrum. *Qatar Medical Journal*, 2020(1), 22. <https://doi.org/10.5339/qmj.2020.22>

Balkrishna, A., Sinha, S., Kumar, A., Arya, V., Gautam, A. K., Valis, M., Kuca, K., Kumar, D., & Amarowicz, R. (2023). Sepsis-mediated renal dysfunction: Pathophysiology, biomarkers and role of phytoconstituents in its management. *Biomedicine & Pharmacotherapy = Biomedecine & Pharmacotherapie*, 165, 115183. <https://doi.org/10.1016/j.biopha.2023.115183>

Bauer, M., Gerlach, H., Vogelmann, T., Preissing, F., Stiefel, J., & Adam, D. (2020). Mortality in sepsis and septic shock in Europe, North America and Australia between 2009 and 2019- results from a systematic review and meta-analysis. *Critical Care (London, England)*, 24(1), 239. <https://doi.org/10.1186/s13054-020-02950-2>

Baysal, P. K., Güzelmeriç, F., Kahraman, E., Gürcü, M. E., Erkıılınc, A., & Orki, T. (2021). Is Vasoactive-Inotropic Score a Predictor for Mortality and Morbidity in Patients Undergoing Coronary Artery Bypass Surgery? *Brazilian Journal of Cardiovascular Surgery*, 36(6), 802–806. <https://doi.org/10.21470/1678-9741-2020-0219>

Belletti, A., Lerose, C. C., Zangrillo, A., & Landoni, G. (2021). Vasoactive-Inotropic Score: Evolution, Clinical Utility, and Pitfalls. *Journal of Cardiothoracic and Vascular Anesthesia*, 35(10), 3067–3077. <https://doi.org/10.1053/j.jvca.2020.09.117>

Daniels, R., & Nutbeam, T. (2024). The Sepsis Manual: Responsible Management of Sepsis, Severe Infection and Antimicrobial Stewardship. In *The Sepsis Manual*. <https://sepsistrust.org/wp-content/uploads/2024/02/Sepsis-Manual-7th-Edition-2024-V1.0.pdf>

Duyen, L.T.T. et al. (2025) “Prevalence, mortality rate, and factors associated with mortality in patients with sepsis in Vietnam,” *IJID Regions*, 16, p. 100695. Available at: <https://doi.org/10.1016/j.ijregi.2025.100695>.

Evans, L., Rhodes, A., Alhazzani, W., Antonelli, M., Coopersmith, C. M., French, C., Machado, F. R., Mcintyre, L., Ostermann, M., Prescott, H. C., Schorr, C., Simpson, S., Wiersinga, W. J., Alshamsi, F., Angus, D. C., Arabi, Y., Azevedo, L., Beale, R., Beilman, G., ... Levy, M. (2021). Surviving sepsis campaign: international guidelines for management of sepsis and septic shock

2021. *Intensive Care Medicine*, 47(11), 1181–1247.  
<https://doi.org/10.1007/S00134-021-06506-Y>,
- Gai, X., Wang, Y., Gao, D., Ma, J., Zhang, C., & Wang, Q. (2022). Risk factors for the prognosis of patients with sepsis in intensive care units. *PloS One*, 17(9), e0273377. <https://doi.org/10.1371/journal.pone.0273377>
- Gaies, M. G., Gurney, J. G., Yen, A. H., Napoli, M. L., Gajarski, R. J., Ohye, R. G., Charpie, J. R., & Hirsch, J. C. (2010). Vasoactive-inotropic score as a predictor of morbidity and mortality in infants after cardiopulmonary bypass. *Pediatric Critical Care Medicine : A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 11(2), 234–238. <https://doi.org/10.1097/PCC.0b013e3181b806fc>
- Gaies, M. G., Jeffries, H. E., Niebler, R. A., Pasquali, S. K., Donohue, J. E., Yu, S., Gall, C., Rice, T. B., & Thiagarajan, R. R. (2014). Vasoactive-inotropic score is associated with outcome after infant cardiac surgery: an analysis from the Pediatric Cardiac Critical Care Consortium and Virtual PICU System Registries. *Pediatric Critical Care Medicine : A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 15(6), 529–537. <https://doi.org/10.1097/PCC.0000000000000153>
- Guarino, M., Perna, B., Cesaro, A. E., Maritati, M., Spampinato, M. D., Contini, C., & De Giorgio, R. (2023). 2023 Update on Sepsis and Septic Shock in Adult Patients: Management in the Emergency Department. *Journal of Clinical Medicine*, 12(9). <https://doi.org/10.3390/jcm12093188>
- Gyawali, B., Ramakrishna, K., & Dhamoon, A. S. (2019). Sepsis: The evolution in definition, pathophysiology, and management. *SAGE Open Medicine*, 7, 2050312119835043. <https://doi.org/10.1177/2050312119835043>
- Haque, A., Siddiqui, N. R., Munir, O., Saleem, S., & Mian, A. (2015). Association between vasoactive-inotropic score and mortality in pediatric septic shock. *Indian Pediatrics*, 52(4), 311–313. <https://doi.org/10.1007/s13312-015-0630-1>
- Hosmer, D. W., & Lemeshow, S. (2000). *Applied Logistic Regression* (2nd (ed.)). John Wiley & Sons.
- La Via, L. et al. (2024) “The Global Burden of Sepsis and Septic Shock,” *Epidemiologia*, 5(3), pp. 456–478. Available at: <https://doi.org/10.3390/epidemiologia5030032>.
- Li, A. et al. (2022) “Epidemiology, Management, and Outcomes of Sepsis in ICUs among Countries of Differing National Wealth across Asia,” *American Journal of Respiratory and Critical Care Medicine*, 206(9), pp. 1107–1116. Available at: <https://doi.org/10.1164/rccm.202112-2743OC>.
- Kara, İ., Sargin, M., Bayraktar, Y., Eyiol, H., Duman, İ., & Çelik, J. (2019). The

use of Vasoactive-Inotropic Score in Adult Patients with Septic Shock in Intensive Care. *Dahili ve Cerrahi Bilimler Yoğun Bakım Dergisi*. <https://doi.org/10.33381/dcbybd.2019.2057>

- Koponen, T., Karttunen, J., Musialowicz, T., Pietiläinen, L., Uusaro, A., & Lahtinen, P. (2019). Vasoactive-inotropic score and the prediction of morbidity and mortality after cardiac surgery. *British Journal of Anaesthesia*, *122*(4), 428–436. <https://doi.org/10.1016/j.bja.2018.12.019>
- Kothari, C. R. (2004). *Research Methodology: Methods and Techniques* (3rd (ed.)). New Age International.
- Maryani, N., Yun Jufan, A., Uyun, Y., Fitriani Retno Wisudarti, C., Widodo, U., Gadjah Mada, U., & Sardjito Yogyakarta, R. (2023). Penggunaan Delta C-Reaktif Protein dan SOFA Score sebagai Prediktor Kematian Pasien Sepsis Use of Delta C-Reactive Protein and SOFA Score as Predictors of Mortality in Sepsis Patients. *Jurnal Anestesi Preoperatif*, *11*(1), 13–21. <http://dx.doi.org/10.15851/jap.v8n3.0000>
- McIntosh, A. M., Tong, S., Deakyne, S. J., Davidson, J. A., & Scott, H. F. (2017). Validation of the Vasoactive-Inotropic Score in Pediatric Sepsis. *Pediatric Critical Care Medicine : A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, *18*(8), 750–757. <https://doi.org/10.1097/PCC.0000000000001191>
- Medam, S., Zieleskiewicz, L., Duclos, G., Baumstarck, K., Loundou, A., Alingrin, J., Hammad, E., Vigne, C., Antonini, F., & Leone, M. (2017). Risk factors for death in septic shock: A retrospective cohort study comparing trauma and non-trauma patients. *Medicine*, *96*(50), e9241. <https://doi.org/10.1097/MD.00000000000009241>
- Murti, B. (2013). *Desain dan Ukuran Sampel untuk Penelitian Kuantitatif dan Kualitatif di Bidang Kesehatan*. Gadjah Mada University Press.
- Pattinasarany, L. C. (2023). *Value of The Vasoactive-Inotropic Score As A Predictor Of Mortality In Children with Septic Shock* (D. dr. Nurnaningsih Sp.A(K) & dr. Noormanto Sp.A(K) (ed.)) [Universitas Gadjah Mada]. <http://etd.repository.ugm.ac.id/>
- Pölkki, A., Pekkarinen, P. T., Lahtinen, P., Koponen, T., & Reinikainen, M. (2023). Vasoactive Inotropic Score compared to the sequential organ failure assessment cardiovascular score in intensive care. *Acta Anaesthesiologica Scandinavica*, *67*(9), 1219–1228. <https://doi.org/10.1111/aas.14287>
- Reddy, V., Reddy, H., Gemnani, R., Kumar, S., & Acharya, S. (2024). Navigating the Complexity of Scoring Systems in Sepsis Management: A Comprehensive Review. *Cureus*. <https://doi.org/10.7759/cureus.54030>
- Rudd, K. E., Johnson, S. C., Agesa, K. M., Shackelford, K. A., Tsoi, D., Kievlan, D. R., Colombara, D. V, Ikuta, K. S., Kissoon, N., Finfer, S., Fleischmann-

- Struzek, C., Machado, F. R., Reinhart, K. K., Rowan, K., Seymour, C. W., Watson, R. S., West, T. E., Marinho, F., Hay, S. I., ... Naghavi, M. (2020). Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *The Lancet*, 395(10219), 200–211. [https://doi.org/10.1016/S0140-6736\(19\)32989-7](https://doi.org/10.1016/S0140-6736(19)32989-7)
- Russell, J. A., Rush, B., & Boyd, J. (2018). Pathophysiology of Septic Shock. *Critical Care Clinics*, 34(1), 43–61. <https://doi.org/10.1016/j.ccc.2017.08.005>
- Shah, P., Petersen, T. L., Zhang, L., Yan, K., & Thompson, N. E. (2022). Using Aggregate Vasoactive-Inotrope Scores to Predict Clinical Outcomes in Pediatric Sepsis. *Frontiers in Pediatrics*, 10, 778378. <https://doi.org/10.3389/fped.2022.778378>
- Singer, M., Deutschman, C. S., Seymour, C. W., Shankar-Hari, M., Annane, D., Bauer, M., Bellomo, R., Bernard, G. R., Chiche, J.-D., & Coopersmith, C. M. (2016). The third international consensus definitions for sepsis and septic shock (Sepsis-3). *Jama*, 315(8), 801–810.
- Song, J., Cho, H., Park, D. W., Moon, S., Kim, J. Y., Ahn, S., Lee, S.-G., & Park, J. (2021). Vasoactive-Inotropic Score as an Early Predictor of Mortality in Adult Patients with Sepsis. *Journal of Clinical Medicine*, 10(3). <https://doi.org/10.3390/jcm10030495>
- Sun, G.-D., Zhang, Y., Mo, S.-S., & Zhao, M.-Y. (2021). Multiple Organ Dysfunction Syndrome Caused by Sepsis: Risk Factor Analysis. *International Journal of General Medicine*, 14, 7159–7164. <https://doi.org/10.2147/IJGM.S328419>
- Vallabhajosyula, S., Jentzer, J. C., Kotecha, A. A., Murphree, D. H. J., Barreto, E. F., Khanna, A. K., & Iyer, V. N. (2018). Development and performance of a novel vasopressor-driven mortality prediction model in septic shock. *Annals of Intensive Care*, 8(1), 112. <https://doi.org/10.1186/s13613-018-0459-6>
- Widyastuti, Y., Jufan, A. Y., Widodo, U., Wisudarti, C. F. R., Sudadi, Fauzi, R. A., & Ardiansyah, F. (2024). A tertiary care center-based study of a novel 'ICU Mortality and Prolonged Stay Risk Scoring System.' *Anaesthesia, Pain and Intensive Care*, 28(1), 100–107. <https://doi.org/10.35975/apic.v28i1.2382>
- Yadav, H., Harrison, A. M., Hanson, A. C., Gajic, O., Kor, D. J., & Cartin-Ceba, R. (2015). Improving the Accuracy of Cardiovascular Component of the Sequential Organ Failure Assessment Score. *Critical Care Medicine*, 43(7), 1449–1457. <https://doi.org/10.1097/CCM.0000000000000929>
- Yan, J., Li, S., & Li, S. (2014). The role of the liver in sepsis . In *International Reviews of Immunology* (Vol. 33, Nomor 6, hal. 498–510). <https://doi.org/10.3109/08830185.2014.889129>