

DAFTAR PUSTAKA

- Ahlrichs, R., Bär, M., Häser, M., Horn, H., and Kölmel, C., 1989. Electronic Structure Calculations on Workstation Computers: The Program System Turbomole. *Chem. Phys. Lett.*, 162, 165–169.
- Alt, H.C., 2004. Infrared Absorption Due to Local Vibrational Modes of Nitrogen in GaAs:N and GaAs-Based Dilute Nitrides. *J. Phys. Condens. Matter*, 16, S3037.
- Anam, M.S., and Suwardi, S., 2022. Hydration Structures and Dynamics of Ga³⁺ Ion Based on Molecular Mechanics Molecular Dynamics Simulation (Classical DM). *Indones. J. Chem. Environ.*, 4, 49–56.
- Ash., and Grandinetti., 2006. Solid-state NMR characterization of ⁶⁹Ga and ⁷¹Ga in crystalline solids. *Magnetic Resonance in Chemistry.*, 44, 823-831
- Azam, S.S., Hofer, T.S., Randolf, B.R., and Rode, B.M., 2009, Hydration of sodium(I) and potassium(I) revisited: A comparative QM/MM and QMCF MD simulation study of weakly hydrated ions, *Journal of Physical Chemistry A*, 113, 1827–1834.
- Berendsen, H.J.C., Grigera, J.R., and Straatsma, T.P., 1987. The Missing Term in Effective Pair Potentials. *J. Phys. Chem.*, 91, 6269–6271.
- Berendsen, H.J.C., Postma, J.P.M., van Gunsteren, W.F., DiNola, A., and Haak, J.R., 1984. Molecular Dynamics with Coupling to an External Bath. *J. Chem. Phys.*, 81, 3684–3690.
- Bhat, I., 2019. Physical Properties of Gallium Nitride and Related III–V Nitrides. In: *Wide Bandgap Semiconductor Power Devices*. Elsevier, pp. 43–77.
- Bhattacharjee, A., Hofer, T.S., and Rode, B.M., 2008. Local Density Corrected Three-Body Distribution Functions for Probing Local Structure Reorganization in Liquids. *Phys Chem Chem Phys*, 10, 6653–6657.
- Blair, F.M., Whitworth, J.M., and McCabe, J.F., 1995. The Physical Properties of a Gallium Alloy Restorative Material. *Dent. Mater.*, 11, 277–280.
- Bopp, P., 1986. A Study of the Vibrational Motions of Water in an Aqueous CaCl₂ Solution. *Chem. Phys.*, 106, 205–212.

- Brooks, C.L., Case, D.A., Plimpton, S., Roux, B., Van Der Spoel, D., and Tajkhorshid, E., 2021. Classical Molecular Dynamics. *J. Chem. Phys.*, 154, 100401.
- Canaval, L.R., Weiss, A.K.H., and Rode, B.M., 2013. Structure and Dynamics of the Th⁴⁺-Ion in Aqueous Solution – An Ab Initio QMCF-MD Study. *Comput. Theor. Chem.*, 1022, 94–102.
- Chitambar, C.R., 2010. Medical Applications and Toxicities of Gallium Compounds. *Int. J. Environ. Res. Public Health*, 7, 2337–2361.
- Eklund, L., Hofer, T.S., and Persson, I., 2015. Structure and Water Exchange Dynamics of Hydrated Oxo Halo Ions in Aqueous Solution Using QMCF MD Simulation, Large Angle X-Ray Scattering and EXAFS. *Dalton Trans.*, 44, 1816–1828.
- Fitriani, I.N., 2016, Karakterisasi Struktur dan Dinamika Solvasi Ion Stronsium (II) dalam Amoniak Cair : Simulasi Dinamika Molekuler Quantum Mechanical Charge Field (QMCF),. *Thesis*.
- Frisch, M.J., Trucks, G.W., Schlegel, H.B., Scuseria, G.E., Robb, M.A., Cheeseman, J.R., Scalmani, G., Barone, V., Petersson, G.A., Nakatsuji, H., Li, X., Caricato, M., Marenich, A.V., Bloino, J., Janesko, B.G., Gomperts, R., Mennucci, B., Hratchian, H.P., Ortiz, J.V., Izmaylov, A.F., Sonnenberg, J.L., Williams-Young, D., Ding, F., Lipparini, F., Egidi, F., Goings, J., Peng, B., Petrone, A., Henderson, T., Ranasinghe, D., Zakrzewski, V.G., Gao, J., Rega, N., Zheng, G., Liang, W., Hada, M., Ehara, M., Toyota, K., Fukuda, R., Hasegawa, J., Ishida, M., Nakajima, T., Honda, Y., Kitao, O., Nakai, H., Vreven, T., Throssell, K., Montgomery, J.A., Jr., Peralta, J.E., Ogliaro, F., Bearpark, M.J., Heyd, J.J., Brothers, E.N., Kudin, K.N., Staroverov, V.N., Keith, T.A., Kobayashi, R., Normand, J., Raghavachari, K., Rendell, A.P., Burant, J.C., Iyengar, S.S., Tomasi, J., Cossi, M., Millam, J.M., Klene, M., Adamo, C., Cammi, R., Ochterski, J.W., Martin, R.L., Morokuma, K., Farkas, O., Foresman, J.B., and Fox, D.J., 2016. Gaussian~16 Revision C.01.
- Grant, J., Gallardo, M., Pickup, B., 1996. A Fast Method of Molecular Shape Comparison: A Simple Application of a Gaussian Description of Molecular Shape. *Journal of Computational Chemistry*, 17, 1653-1666
- Gray, F., Kramer, D.A., Bliss, J.D., and Staff, U. by, 2013. Gallium and Gallium Compounds. In: Kirk-Othmer Encyclopedia of Chemical Technology. John Wiley & Sons, Ltd, pp. 1–26.

- Gunarathne, V., Rajapaksha, A.U., Vithanage, M., Alessi, D.S., Selvasembian, R., Naushad, Mu., You, S., Oleszczuk, P., and Ok, Y.S., 2022. Hydrometallurgical Processes for Heavy Metals Recovery from Industrial Sludges. *Crit. Rev. Environ. Sci. Technol.*, 52, 1022–1062.
- Hidayat, Y., Armunanto, R., and Pranowo, H.D., 2018. Investigation of Rubidium(I) Ion Solvation in Liquid Ammonia Using QMCF-MD Simulation and NBO Analysis of First Solvation Shell Structure. *J. Mol. Model.*, 24, 122.
- Hidayat, Y., Prasetyo, N., and Pranowo, H.D., 2024. A Hybrid Forces Quantum Mechanical Charge Field Molecular Dynamics of Cs⁺ Ion in Aqueous Ammonia: A Solvation Lability, “Structure Breaking” Phenomenon and Hydrogen Bond Properties. *Int. J. Quantum Chem.*, 124, e27324.
- Hofer, T.S., 2014. Perspectives for Hybrid Ab Initio/Molecular Mechanical Simulations of Solutions: From Complex Chemistry to Proton-Transfer Reactions and Interfaces. *Pure Appl. Chem.*, 86, 105–117.
- Hofer, T.S., Pribil, A.B., Randolf, B.R., and Rode, B.M., 2010a. Ab Initio Quantum Mechanical Charge Field Molecular Dynamics—A Nonparametrized First-Principle Approach to Liquids and Solutions. In: *Advances in Quantum Chemistry*. Elsevier, pp. 213–246.
- Hofer, T.S., Rode, B.M., Pribil, A.B., and Randolf, B.R., 2010b. Simulations of Liquids and Solutions Based on Quantum Mechanical Forces. In: *Advances in Inorganic Chemistry*. Elsevier, pp. 143–175.
- Hofer, T.S., Tran, H.T., Schwenk, C.F., and Rode, B.M., 2004. Characterization of Dynamics and Reactivities of Solvated Ions Byab Initio Simulations. *J. Comput. Chem.*, 25, 211–217.
- Hofer, T.S., Weiss, A.K.H., Randolf, B.R., and Rode, B.M., 2011. Hydration of Highly Charged Ions. *Chem. Phys. Lett.*, 512, 139–145.
- Horn, H.W., Swope, W.C., Pitner, J.W., Madura, J.D., Dick, T.J., Hura, G.L., and Head-Gordon, T., 2004. Development of an Improved Four-Site Water Model for Biomolecular Simulations: TIP4P-Ew. *J. Chem. Phys.*, 120, 9665–9678.
- Humphrey, W., Dalke, A., and Schulten, K., 1996. VMD: Visual Molecular Dynamics. *J. Mol. Graph.*, 14, 33–38.

- Jamal, S., Naz, Z., Moin, S.T., and Hofer, T.S., 2023. Deciphering Structural and Dynamical Properties of Hydrated Cobalt Porphyrins via Ab Initio Quantum Mechanical Charge Field Molecular Dynamics Simulation. *J. Phys. Chem. B*, 127, 5072–5083.
- Kowall, Th., Caravan, P., Bourgeois, H., Helm, L., Rotzinger, F.P., and Merbach, A.E., 1998. Interpretation of Activation Volumes for Water Exchange Reactions Revisited: *Ab Initio* Calculations for Al³⁺, Ga³⁺, and In³⁺, and New Experimental Data. *J. Am. Chem. Soc.*, 120, 6569–6577.
- Krätzler, V., van Gunsteren, W.F., and Hünenberger, P.H., 2001. A Fast SHAKE Algorithm to Solve Distance Constraint Equations for Small Molecules in Molecular Dynamics Simulations. *J. Comput. Chem.*, 22, 501–508.
- Laage, D., Elsaesser, T., and Hynes, J.T., 2017. Water Dynamics in the Hydration Shells of Biomolecules. *Chem. Rev.*, 117, 10694–10725.
- Lindqvist-Reis, P., Muñoz-Páez, A., Díaz-Moreno, S., Pattanaik, S., Persson, I., and Sandström, M., 1998. The Structure of the Hydrated Gallium(III), Indium(III), and Chromium(III) Ions in Aqueous Solution. A Large Angle X-Ray Scattering and EXAFS Study. *Inorg. Chem.*, 37, 6675–6683.
- Lutz, O.M.D., Hofer, T.S., Randolph, B.R., Weiss, A.K.H., and Rode, B.M., 2012. A QMCF-MD Investigation of the Structure and Dynamics of Ce⁴⁺ in Aqueous Solution. *Inorg. Chem.*, 51, 6746–6752.
- Malavasi, G., Pedone, A., and Menziani, M.C., 2013. Study of the Structural Role of Gallium and Aluminum in 45S5 Bioactive Glasses by Molecular Dynamics Simulations. *J. Phys. Chem. B*, 117, 4142–4150.
- Marcus, Y., 2009. Effect of Ions on the Structure of Water: Structure Making and Breaking. *Chem. Rev.*, 109, 1346–1370.
- Morales, N., Galbis, E., Martínez, J.M., Pappalardo, R.R., and Sánchez Marcos, E., 2016. Identifying Coordination Geometries of Metal Aqueous Ions in Water: Application to the Case of Lanthanoid and Actinoid Hydrates. *J. Phys. Chem. Lett.*, 7, 4275–4280.
- Muñoz-Páez, A., Díaz-Moreno, S., Marcos, E.S., Martínez, J.M., Pappalardo, R.R., Persson, I., Sandström, M., Pattanaik, S., and Lindqvist-Reis, P., 1997. EXAFS Study of the Hydration Structure of Ga in Aqueous Solution. Comparison of Data from Two Laboratories. *J. Phys. Chem. B*, 7, 648–648.

- Oliveri, A.F., Wills, L.A., Hazlett, C.R., Carnes, M.E., Chang, I.-Y., Cheong, P.H.-Y., and Johnson, D.W., 2015. Solution Structural Characterization of an Array of Nanoscale Aqueous Inorganic Ga_{13-x}In_x (0 ≤ x ≤ 6) Clusters by 1H-NMR and QM Computations. *Chem. Sci.*, 6, 4071–4085.
- Oozeerally, R., Pillier, J., Kilic, E., Thompson, P.B.J., Walker, M., Griffith, B.E., Hanna, J.V., and Degirmenci, V., 2020. Gallium and Tin Exchanged Y Zeolites for Glucose Isomerisation and 5-Hydroxymethyl Furfural Production. *Appl. Catal. Gen.*, 605, 117798.
- Pattanayak, S.K., and Chowdhuri, S., 2011. Effect of Water on Solvation Structure and Dynamics of Ions in the Peptide Bond Environment: Importance of Hydrogen Bonding and Dynamics of the Solvents. *J. Phys. Chem. B*, 115, 13241–13252.
- Perez-Angel, E.C., and Seminario, J.M., 2011. Ab Initio Analysis and Harmonic Force Fields of Gallium Nitride Nanoclusters. *J. Phys. Chem. C*, 115, 6467–6477.
- Persson, I., 2024. Structure and Size of Complete Hydration Shells of Metal Ions and Inorganic Anions in Aqueous Solution. *Dalton Trans.*, 53, 15517–15538.
- Prasetyo, N., 2021. The Effect of Electron Correlation in Unraveling the Hydration Properties of Sc³⁺ in Aqueous Solution: A Rigid Body Quantum Mechanics/Molecular Mechanics Simulation Study. *J. Mol. Liq.*, 331, 115735.
- Prasetyo, N., Zikri, A.T., and Hadisaputra, S., 2020. First Solvation Shell Structure and Dynamics of Solvated Ca²⁺ in Dilute Aqueous Ammonia by First Principle Approach: A QMCF MD Simulation Study. *Monatshefte Für Chem. - Chem. Mon.*, 151, 1493–1500.
- Radnai, T., Bálint, S., Bakó, I., Megyes, T., Grósz, T., Pallagi, A., Peintler, G., Pálincó, I., and Sipos, P., 2014. The Structure of Hyperalkaline Aqueous Solutions Containing High Concentrations of Gallium – a Solution X-Ray Diffraction and Computational Study. *Phys. Chem. Chem. Phys.*, 16, 4023.
- Rode, B.M., Hofer, T.S., Randolph, B.R., Schwenk, C.F., Xenides, D., and Vchirawongkwin, V., 2006. Ab Initio Quantum Mechanical Charge Field (QMCF) Molecular Dynamics: A QM/MM – MD Procedure for Accurate Simulations of Ions and Complexes. *Theor. Chem. Acc.*, 115, 77–85.

- Rudolph, W.W., and Pye, C.C., 2002. Gallium(III) Hydration in Aqueous Solution of Perchlorate, Nitrate and Sulfate. Raman and 71-Ga NMR Spectroscopic Studies and Ab Initio Molecular Orbital Calculations of Gallium(III) Water Clusters. *Phys. Chem. Chem. Phys.*, 4, 4319–4327.
- Saputri, W.D., 2019, Struktur Solvasi dan Sifat Dinamika Ion Cu²⁺ dan Cu⁺ dalam Pelarut Amonia Cair dan Larutan Amonia : Simulasi Dinamika Molekul Ab Initio Quantum Mechanical Charge Field (QMCF),. *Thesis*.
- Simon, S., Duran, M., and Dannenberg, J.J., 1996. How Does Basis Set Superposition Error Change the Potential Surfaces for Hydrogen-bonded Dimers? *J. Chem. Phys.*, 105, 11024–11031.
- Sole, K.C., Mooiman, M.B., and Hardwick, E., 2018. Ion Exchange in Hydrometallurgical Processing: An Overview and Selected Applications. *Sep. Purif. Rev.*, 47, 159–178.
- Suwardi, S., Pranowo, H.D., and Armunanto, R., 2015. Structure and Dynamics of Zr⁴⁺ in Aqueous Solution: An Ab Initio QM/MM Molecular Dynamics Study. *Indones. J. Chem.*, 15, 155–162.
- Suzuki, K., and Hayashi, S., 2006. H 1 NMR Study of Proton Dynamics in Cs₅H₃(SO₄)₄ xH₂O. *Phys. Rev. B*, 74, 134303.
- Taylor, C., Schönberger, N., Laníková, A., Patzschke, M., Drobot, B., Židek, L., and Lederer, F., 2021. Investigation of the Structure and Dynamics of Gallium Binding to High-Affinity Peptides Elucidated by Multi-Scale Simulation, Quantum Chemistry, NMR and ITC. *Phys. Chem. Chem. Phys.*, 23, 8618–8632.
- Te Vrugt, M., Löwen, H., and Wittkowski, R., 2020. Classical Dynamical Density Functional Theory: From Fundamentals to Applications. *Adv. Phys.*, 69, 121–247.
- Truong, V.K., Hayles, A., Bright, R., Luu, T.Q., Dickey, M.D., Kalantar-Zadeh, K., and Vasilev, K., 2023. Gallium Liquid Metal: Nanotoolbox for Antimicrobial Applications. *ACS Nano*, 17, 14406–14423.
- Tuckerman, M.E., and Martyna, G.J., 2000. Understanding Modern Molecular Dynamics: Techniques and Applications. *J. Phys. Chem. B*, 104, 159–178.

- Varghese, J.J., and Mushrif, S.H., 2019. Origins of Complex Solvent Effects on Chemical Reactivity and Computational Tools to Investigate Them: A Review. *React. Chem. Eng.*, 4, 165–206.
- Vilela Oliveira, D., Laun, J., Peintinger, M.F., and Bredow, T., 2019. BSSE-Correction Scheme for Consistent Gaussian Basis Sets of Double- and Triple-Zeta Valence with Polarization Quality for Solid-State Calculations. *J. Comput. Chem.*, 40, 2364–2376.
- Von Arnim, M., and Ahlrichs, R., 1998. Performance of Parallel TURBOMOLE for Density Functional Calculations. *J. Comput. Chem.*, 19, 1746–1757.
- Weiss, A., Hofer, T., 2013. Exploiting the capabilities of quantum chemical simulations to characterise the hydration of molecular compounds. *RSC Advances*, 3, 1606-1635
- Weller, M., Rourke, J., Overton, T., and Armstrong, F., 2018, Inorganic Chemistry, Seventh Edition. Oxford University Press.
- Yuan, W., Chen, J., Birck, J., Yin, Z., Yuan, S., Cai, H., Wang, Z., Huang, Q., 2016. Precise Analysis of Gallium Isotopic Composition by MC-ICP-MS. *Analytical Chemistry*. 88, 9606-9613.
- Zhang, J., 2024. Gallium Isotope Effect of Ga-Si Complex Solutions in Water: Theoretical Study Based on Density Functional Theory. *Water*, 16, 1680.
- Zhidomirov, G.M., Shubin, A.A., Milov, M.A., Kazansky, V.B., Van Santen, R.A., and Hensen, E.J.M., 2008. Cluster Model DFT Study of CO Adsorption to Gallium Ions in Ga/HZSM-5. *J. Phys. Chem. C*, 112, 3321–3326.