

DAFTAR PUSTAKA

- Arslan, S. (2024). Application of BiLSTM-CRF model with different embeddings for product name extraction in unstructured Turkish text. *Neural Computing and Applications*, 36(15), 8371-8382. <https://doi.org/10.1007/s00521-024-09532-1>
- Budi, I., & Suryono, R. R. (2023). Application of named entity recognition method for Indonesian datasets: a review. *Bulletin of Electrical Engineering and Informatics*, 12(2), 969-978. <https://doi.org/10.11591/eei.v12i2.4529>
- Chen, Y., Lasko, T. A., Mei, Q., Denny, J. C., & Xu, H. (2015). A study of active learning methods for named entity recognition in clinical text. *Journal of biomedical informatics*, 58, 11-18. <https://doi.org/10.1016/j.jbi.2015.09.010>
- Grave, E., Bojanowski, P., Gupta, P., Joulin, A., & Mikolov, T. (2018). Learning word vectors for 157 languages. *arXiv preprint arXiv:1802.06893*. <https://doi.org/10.48550/arXiv.1802.06893>
- Gunawan, W., Suhartono, D., Purnomo, F., & Ongko, A. (2018). Named-entity recognition for indonesian language using bidirectional lstm-cnns. *Procedia Computer Science*, 135, 425-432. <https://doi.org/10.1016/j.procs.2018.08.193>
- Huang, Y., Tang, K., & Chen, M. (2024). Leveraging large language models for enhanced nlp task performance through knowledge distillation and optimized training strategies. *arXiv preprint arXiv:2402.09282*. <https://doi.org/10.48550/arXiv.2402.09282>
- Huang, Z., Xu, W., & Yu, K. (2015). Bidirectional LSTM-CRF models for sequence tagging. *arXiv preprint arXiv:1508.01991*. <https://doi.org/10.48550/arXiv.1508.01991>
- Ikhwantri, F. (2019). Cross-lingual transfer for distantly supervised and low-resources Indonesian NER. In *International Conference on Computational Linguistics and Intelligent Text Processing* (pp. 391-405). Cham: Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-24337-0_29
- Khairunnisa, S. O., Imankulova, A., & Komachi, M. (2020). Towards a standardized dataset on Indonesian named entity recognition. In *Proceedings of the 1st Conference of the Asia-Pacific Chapter of the Association for Computational*

- Linguistics and the 10th International Joint Conference on Natural Language Processing: Student Research Workshop* (pp. 64-71).
<https://doi.org/10.18653/v1/2020.aacl-srw.10>
- Lample, G., Ballesteros, M., Subramanian, S., Kawakami, K., & Dyer, C. (2016). Neural architectures for named entity recognition. *arXiv preprint arXiv:1603.01360*.
<https://doi.org/10.48550/arXiv.1603.01360>
- Latif, E., Fang, L., Ma, P., & Zhai, X. (2024). Knowledge distillation of llms for automatic scoring of science assessments. In *International Conference on Artificial Intelligence in Education* (pp. 166-174). Cham: Springer Nature Switzerland.
https://doi.org/10.1007/978-3-031-64312-5_20
- Li, B., Hou, Y., & Che, W. (2022). Data augmentation approaches in natural language processing: A survey. *Ai Open*, 3, 71-90.
<https://doi.org/10.48550/arXiv.2110.01852>
- Li, P. H., Fu, T. J., & Ma, W. Y. (2020). Why attention? Analyze BiLSTM deficiency and its remedies in the case of NER. In *Proceedings of the AAAI conference on artificial intelligence* (Vol. 34, No. 05, pp. 8236-8244).
<https://doi.org/10.48550/arXiv.1908.11046>
- Naveed, H., Khan, A. U., Qiu, S., Saqib, M., Anwar, S., Usman, M., ... & Mian, A. (2023). A comprehensive overview of large language models. *arXiv preprint arXiv:2307.06435*. <https://doi.org/10.48550/arXiv.2307.06435>
- Nayel, H., & Shashirekha, H. L. (2017). Improving NER for clinical texts by ensemble approach using segment representations. In *Proceedings of the 14th International Conference on Natural Language Processing (ICON-2017)* (pp. 197-204).
- Phuong, M., & Lampert, C. (2019). Towards understanding knowledge distillation. In *International conference on machine learning* (pp. 5142-5151). PMLR.
<https://doi.org/10.48550/arXiv.2105.13093>
- Sang, E. F., & De Meulder, F. (2003). Introduction to the CoNLL-2003 shared task: Language-independent named entity recognition. *arXiv preprint cs/0306050*.
<https://doi.org/10.48550/arXiv.cs/0306050>
- Santoso, J., Sutanto, P., Cahyadi, B., & Setiawan, E. (2024). Pushing the limits of low-resource NER using LLM artificial data generation. In *Findings of the Association*

- for *Computational Linguistics ACL 2024* (pp. 9652-9667).
<https://doi.org/10.18653/v1/2024.findings-acl.575>
- Setiawan, V. D., Iswavigra, D. U., & Anggiratih, E. (2025). Implementation of IndoBERT for sentiment analysis of the Constitutional Court's decision regarding the minimum age of vice presidential candidates. *Scientific Journal of Informatics*, 12(3), 397-406. <https://doi.org/10.15294/sji.v12i3.26320>
- Todorović, A., Batanović, V., & Bajčetić, L. (2025). A Comparison of Named Entity Recognition Evaluation Frameworks. In *2025 12th International Conference on Electrical, Electronic and Computing Engineering (IcETRAN)* (pp. 1-5). IEEE. <https://doi-org.ezproxy.ugm.ac.id/10.1109/IcETRAN66854.2025.11114116>
- Wang, S., Sun, X., Li, X., Ouyang, R., Wu, F., Zhang, T., ... & Wang, G. (2023). Gptner: Named entity recognition via large language models. *arXiv preprint arXiv:2304.10428*. <https://doi.org/10.48550/arXiv.2304.10428>
- Wei, J., Wang, X., Schuurmans, D., Bosma, M., Xia, F., Chi, E., ... & Zhou, D. (2022). Chain-of-thought prompting elicits reasoning in large language models. *Advances in neural information processing systems*, 35, 24824-24837. <https://doi.org/10.48550/arXiv.2201.11903>
- Wilie, B., Vincentio, K., Winata, G. I., Cahyawijaya, S., Li, X., Lim, Z. Y., ... & Purwarianti, A. (2020). IndoNLU: Benchmark and resources for evaluating Indonesian natural language understanding. *arXiv preprint arXiv:2009.05387*. <https://doi.org/10.48550/arXiv.2009.05387>
- Yuan, Y., Shi, J., Zhang, Z., Chen, K., Zhang, J., Stoico, V., & Malavolta, I. (2024). The Impact of Knowledge Distillation on the Energy Consumption and Runtime Efficiency of NLP Models. In *Proceedings of the IEEE/ACM 3rd International Conference on AI Engineering-Software Engineering for AI* (pp. 129-133). <https://doi.org/10.1145/3644815.3644966>