

DAFTAR PUSTAKA

- Acharya R, Sriramka B, Panigrahi S. (2018) Comparison of 4 mg dexamethasone versus 8 mg dexamethasone as an adjuvant to levobupivacaine in fascia iliaca block- a prospective study, *Korean J Pain*, 31, pp. 261-7. Available at <https://doi.org/10.3344/kjp.2018.31.4.261>
- Akkaya A, Yildiz I, Tekelioglu UY, Demirhan A, Bayir H, Ozlu T, *et al.* (2014) Dexamethasone Added to Levobupivacaine in Ultrasound-Guided Transversus Abdominis Plain Block Increased the Duration of Postoperative Analgesia After Caesarean Section: A Randomized, Double Blind, Controlled Trial, *Eur Rev Med Pharmacol Sci*, 18, pp. 717-722. Available at <https://www.europeanreview.org/article/7064>
- Ammar AS, Mahmoud KM. (2012) Effect of Adding Dexamethasone to Bupivacaine on Transversus Abdominis Plane Block for Abdominal Hysterectomy: A Prospective Randomized Controlled Trial, *Saudi Journal of Anaesthesia*, 6(3), pp. 229-233. Available at doi: [10.4103/1658-354X.101213](https://doi.org/10.4103/1658-354X.101213)
- Artawan MI, Sarim BY, Sagita S, Dedi MAE. (2021) Comparison of Spinal Anesthesia Using Hyperbaric Bupivacaine and Isobaric Levobupivacaine in Caesarean Section, *JAOI*, 4(2), pp. 93-9. Available at <https://doi.org/10.47507/obstetri.v4i2.74>
- Baamer RM, Iqbal A, Lobo DN, Knaggs RD, Levy NA, Toh LS. (2022) Utility of unidimensional and functional pain assessment tools in adult postoperative patients: a systemic review, *British Journal of Anaesthesia*, 128(5), pp. 874-888. Available at <http://dx.doi.org/10.1016/j.bja.2021.11.032>
- Bansal T, Singhal S, Taxak S, Bajwa SJS. (2024) Dexamethasone in anesthesia practice: A narrative review, *J Anaesthesiol Clin Pharmacol*, 40: pp. 3-8. Available at http://dx.doi.org/10.4103/joacp.joacp_164_22
- Bodian CA, Freedman G, Hossain S, Eisenkraft JB, Beilin Y. (2001) The Visual Analog Scale for Pain: Clinical Significance in Postoperative Patients, *Anesthesiology*, 95, pp. 1356-1361. Available at doi:[10.1097/00000542-200112000-00013](https://doi.org/10.1097/00000542-200112000-00013)
- Boghdadly K, Desai N, Halpern S, Blake L, Odor PM, Bampoe S, Carvalho B, *et al.* (2021) Quadratuslumborum block vs. transversus abdominis plane block for caesarean delivery: a systematic review and network meta-analysis, *Anaesthesia*, 76, pp. 393-403. Available at <http://dx.doi.org/10.1111/anae.15160>

- Bollag L, Grace L, Pervez S, Ashraf SH, Ruth L, Mark Z, Mohamed T, *et al.* (2021) Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean, *Anesthesia & Analgesia*, 132(5), pp. 1362-1377. Available at https://journals.lww.com/anesthesia-analgesia/fulltext/2021/05000/society_for_obstetric_anesthesia_and_perinatology_25.aspx
- Champaneria R, Shah L, Wilson MJ, Daniels JP. (2016) Clinical Effectiveness of Transversus Abdominis Plane (TAP) Block for Pain Relief after Caesarean Section: A Meta-Analysis, *International Journal of Obstetric Anesthesia*, 28, pp. 45-60. Available at <https://doi.org/10.1016/j.ijoa.2016.07.009>
- Chandra S, ed. (2009) Panduan Tatalaksana Nyeri Perioperatif, PP IDSAI.
- Chrousos GP. (2018) “Adrenocorticoids and Adrenocortical Antagonists”, Basic and Clinical Pharmacology fourteenth Edition, pp. 703-719. Philadelphia: McGraw-Hill.
- Edinoff AN, Kaplan LA, Khan S, Petersen M, Sauce E, Causey CD, *et al.* (2021) Full Opioid Agonists and Tramadol: Pharmacological and Clinical Considerations, *Anesth Pain Med*, 11(4), e119156. Available at <https://doi.org/10.5812/aapm.119156>.
- Eisenach JC, Peter HP, Richard S, Patricia L, Ruth L, Timothy TH. (2008) Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression, *Pain*, 140(1), pp 87-94. Available at <https://doi.org/10.1016/j.pain.2008.07.011>
- Ellis H, Lawson A. (2014) Anatomy for Anaesthetists ninth Edition, West Sussex: Willey Blackwell.
- George RB, Carvalho B, Butwick A, Flood P. (2020) Postoperative Analgesia in Chestnut’s Obstetric Anesthesia Principles and Practice sixth Edition, pp. 627-669. Philadelphia: Elsevier Inc.
- Gupta A, Gupta A, Yadav N. (2019) Effect of dexamethasone as an adjuvant to ropivacaine on duration and quality of analgesia in ultrasound-guided transversus abdominis plane block in patients undergoing lower segment caesarean section- A prospective, randomised, single-blinded study, *Indian J Anaesth*, 63, pp. 469-74. Available at http://dx.doi.org/10.4103/ija.IJA_773_18
- Hofmeyr GJ, Mathai M, Shah AN, Novikova N. (2008) Techniques for Caesarean Section (Review), *Cochrane Database Syst Rev*, 1: CD004662. Available at <https://doi.org/10.1002/14651858.cd004662.pub2>

- Iddrisu M, Khan ZH. (2021) Anesthesia for cesarean delivery: general or regional anesthesia – a systematic review, *Ains-Sham Journal of Anesthesiology*, 13(1). Available at <https://asja.springeropen.com/articles/10.1186/s42077-020-00121-7#citeas>
- Jafr A, Makkar JK, Bhatia N, Singh NP. (2021) Quadratus Lumborum Block for Post Caesarean Delivery Analgesia: A Review, *J Anesthesiol & Pain Therapy*, 2(3), pp. 8-13. Available at [Quadratus Lumborum Block for Post Caesarean Delivery Analgesia: A Review](#)
- John R, Ranjan RV, Ramachandran TR, George SK. (2017) Analgesic Efficacy of Transverse Abdominal Plane Block after Elective Cesarean Delivery – Bupivacaine with Fentanyl versus Bupivacaine Alone: A Randomized, Double-blind Controlled Clinical Trial, *Anesthesia: Essays and Researches*, 11(1), pp. 181-184. Available at <http://dx.doi.org/10.4103/0259-1162.186864>
- Kehlet K, Dahl JB. (1993) The Value of "Multimodal" or "Balanced Analgesia" in Postoperative Pain Treatment, *Anesth Analg*, 77, pp. 1048-1056.
- Kemendes RI. (2019) Laporan Nasional RISKERDAS 2018. Available at [Laporan Riskasdas 2018 Nasional.pdf \(kemkes.go.id\)](#)
- Kemendes RI. (2024) Survei Kesehatan Indonesia 2023 Dalam Angka. Available at [LAPORAN SKI 2023 DALAM ANGKA REVISI I OK.pdf - Google Drive](#)
- Kirkham KR, Jacot-Guillarmod A, Albrecht E. (2018) Optimal dose of perineural dexamethasone to prolong analgesia after brachial plexus blockade: A systematic review and meta-analysis, *Anesth Analg*, 126, pp. 270-9. Available at <http://dx.doi.org/10.1213/ANE.0000000000002488>
- Krishna Prasad GV, Khanna S, Jaishree SV. (2020) Review of adjuvants to local anesthetics in peripheral nerve blocks: Current and future trends, *Saudi J Anaesth*, 14(1), pp. 77-84. Available at http://dx.doi.org/10.4103/sja.SJA_423_19
- Maheswari K, Naguib MA. (2022) Local Anesthetics in Stoelting's Pharmacology and Physiology in Anesthetic Practice sixth Edition, pp. 903-1000. Philadelphia: Wolters Kluwers.
- Mavarez AC, Hendrix JM, Ahmed AA. (2023) Transabdominal Plane Blok. Available at [Transabdominal Plane Block - StatPearls - NCBI Bookshelf \(nih.gov\)](#)
- Mishriky BM, George RB, Habib AS. (2012) Transversus abdominis plane block for analgesia after Cesarean delivery: a systematic review and meta-analysis,

Can J Anesth/J Can Anesth, 59, pp. 766–778. Available at <http://dx.doi.org/10.1007/s12630-012-9729-1>

Modak A, Paul A, Chakole V, Verma N. (2023) Comparison of Dexamethasone Versus Methylprednisolone With Bupivacaine in Transversus Abdominis Plane Block for Attenuation of Chronic Postoperative Abdominal Pain, *Cureus*, 15(10). Available at <http://dx.doi.org/10.7759/cureus.47243>

Mukhtar K. (2013) Transversus Abdominis Plane (TAP) Block, *The Journal of New York School of Regional Anesthesia*. Available at [TRANSVERSUS-ABDOMINIS-PLANE\(TAP\).pdf \(nysora.com\)](http://www.nysora.com/TRANSVERSUS-ABDOMINIS-PLANE(TAP).pdf)

Nasir F, Sohail I, Sadiq H, Habib M. (2019) Local Wound Infiltration with Ropivacaine for Postoperative Pain Control in Caesarean Section, *Cureus*, 11(5). Available at <http://doi.org/10.7759/cureus.5572>

Negm AA, Furst DE. (2018) “Nonsteroidal Anti-Inflammatory Drugs, Disease-Modifying Antirheumatic Drugs, Nonopioid Analgesics, & Drugs Used in Gout”, pp. 642-666. Basic and Clinical Pharmacology fourteenth Edition, Philadelphia: McGraw-Hill.

Nikolajsen L, Sorensen HC, Jensen TS, Kehlet H. (2004) Chronic pain following caesarean Section, *Acta Anaesthesiol Scand*, 48(1), pp. 111-116. Available at <https://doi.org/10.1111/j.1399-6576.2004.00271.x>

Oliveira GSD, Almeida MD, Benzoni HT, McCarthy RJ. (2011) Perioperative Single Dose Systemic Dexamethasone for Postoperative Pain: A Meta-analysis of Randomized Controlled Trials, *Anesthesiology*, 115, pp. 575-588. Available at <https://doi.org/10.1097/ALN.0b013e31822a24c2>

Patel R, Carvalho JCA, Downey K, Kanczuk M, Bernstein P, Siddiqui N. (2017) Intraperitoneal Instillation of Lidocaine Improves Postoperative Analgesia at Cesarean Delivery: A Randomized, Double-Blind, Placebo-Controlled Trial, *Anesthesia & Analgesia*, 124(2), pp. 554-559. Available at <https://DOI.org/10.1213/ANE.0000000000001799>

Qian H, Zhang Q, Zhu P, Zhang X, Tian L, Feng J, *et al.* (2020) Ultrasound-guided transversus abdominis plane block using ropivacaine and dexmedetomidine in patients undergoing caesarian sections to relieve post-operative analgesia: A randomized controlled clinical trial, *Exp Ther Med*, 20(2), pp. 1163-1168. Available at <http://dx.doi.org/10.3892/etm.2020.8781>

Rafi, AN. (2001) Abdominal field block: a new approach via the lumbar triangle, *Anaesthesia*, 56(10), pp. 1024-1026. Available at <https://doi.org/10.1111/j.1365-2044.2001.2279-40.x>

- Roofthoof E, Joshi GP, Rawal N, Van de Velde M. (2022) PROSPECT guideline for elective caesarean section: updated systematic review and procedure-specific postoperative pain management recommendations, *Anaesthesia*, 76, pp. 665-680. Available at <https://doi.org/10.1111/anae.15339>
- Sachdeva J, Sinha A. (2016) Randomized Controlled Trial to Study the Effect of Dexamethasone as Additive to Ropivacaine on Duration of Ultrasound-Guided Transversus Abdominis Plane Block in Cesarean Section, *Indian J Pain*, 30, pp. 181-185. Available at DOI:[10.4103/0970-5333.198056](https://doi.org/10.4103/0970-5333.198056)
- Singh R, Kumar N, Jain A, Joy S. (2016) Addition of clonidine to bupivacaine in transversus abdominis plane block prolongs postoperative analgesia after cesarean section, *J Anaesthesiol Clin Pharmacol*, 32(4), pp. 501-504. Available at <http://dx.doi.org/10.4103/0970-9185.173358>
- Tandon M, Singh A, Saluja V, Dhankhar M, Pandey CK, Jain P. (2016) Validation of a New "Objective Pain Score" Vs. "Numeric Rating Scale" For the Evaluation of Acute Pain: A Comparative Study, *Anesth Pain Med*, 6(1), pp. e32101. Available at <http://dx.doi.org/10.5812/aapm.32101>
- Toda C, Naguib MA. (2022) Peripherally Acting Analgesics in Stoelting's Pharmacology and Physiology in Anesthetic Practice sixth Edition, pp. 866-902. Philadelphia: Wolters Kluwer.
- Tow BA. (2019) Implications of Dexamethasone and Ropivacaine in Peripheral Nerve Blocks, *J Hosp Manag Health Policy*, 4, pp. 4-13. Available at <http://dx.doi.org/10.21037/jhmhp.2019.12.01>
- Tsen LC, Bateman BT. (2020) Anesthesia for Cesarean Delivery in Chestnut's Obstetric Anesthesia Principles and Practice sixth Edition, pp. 568-626. Philadelphia: Elsevier Inc.
- Van Dijk JF, Kappen TH, Schuurmans MJ, van Wijck AJ. (2015) The Relation Between Patients' NRS Pain Scores and Their Desire for Additional Opioids after Surgery, *Pain Pract*, 15(7), pp. 604-609. Available at <http://dx.doi.org/10.1111/papr.12217>
- Vuilleumier PH, Schliessbach J, Curatolo M. (2018) Current Evidence for Central Analgesic Effects of NSAIDs: An Overview of the Literature, *Minerva Anestesiologica*, 84, pp. 865-70. Available at <https://doi.org/10.23736/S0375-9393.18.12607-1>
- Watkins TW, Dupre S, Coucher JR. (2015) Ropivacaine and Dexamethasone: A Potentially Dangerous Combination for Therapeutic Pain Injections, *Journal of Medical Imaging and Radiation Oncology*, 59, pp. 571-577. Available at <https://onlinelibrary.wiley.com/doi/10.1111/1754-9485.12333>

Yang H, Bie B, Naguib MA. (2022) Pain Physiology in Stoelting's Pharmacology and Physiology in Anesthetic Practice sixth Edition, pp. 679-709. Philadelphia: Wolters Kluwers.