

## DAFTAR PUSTAKA

- Bichler, L., Elsayed, A., and Lee, K., 2008, "*Influence of Mold and Pouring Temperatures on Hot Tearing Susceptibility of AZ91D Magnesium Alloy*", *International Journal of Metal Casting*, Volume 2(1), pp. 43-54.
- Bishop, H. F., Ackerlind, C. G. and Pellini, W. S., 1952, "*Metallurgy and Mechanics of Hot tearing*", *American Foundrymen's Society Transaction. Volume 60*, pp 818-833.
- Campbell, J., 1991, "*Casting*", *Butterworth-Heinemann*, pp.74.
- Cao, G. Zhang, Cao, H., Chang, Y.A. and Kou, S., 2010, "*Hot-Tearing Susceptibility of Ternary Mg-Al-Sr Alloy Castings*", *Metallurgical and Materials Transactions A, Volume 41A*, pp 706-716.
- Clyne, T.W., and Davies, G.J., 1975, "*A Quantitive Solidification Test for Casting and An Evaluation of Cracking in Aluminium-Magnesium Alloys*", *The British Foundryman*, vol. 68, no. 9, pp. 238-2243.
- Couture, A., and Edwards, J. O., 1966, "*The Hot-Tearing of Copper-Base Casting Alloys*", *Transaction of The American Foundrymen's society*, vol. 74, pp. 709-721.
- Eskin, D.G., Suyitno, and Katgerman, L., 2004, "*Mechanical Properties in the Semi-solid State and Hot Tearing of Aluminium Alloys*", *Progress in Material Science*, vol.49, pp.629-711.
- Grasso, P.-D. ,Drezet, J. M., Rappaz, M., 2002 "*Hot Tear formation and coalescence observations in organic alloys*". *Journal Of Metals, electronic edition*, pp 1-9.
- J. Zhang and R.F. Singer, "*Hot Tearing of Nickel-Based Superalloys during Directional Solidification*", *Acta Materialia, Volume 50*, 2002, pp. 1869–1879
- Kôrber, F. and Schitzkowski, G., 1928, "*Determination of the Contraction of Cast steel*", *Stahlund Eisen. vol. 15*, pp.128.

- Lange, E. A., and Heine, R. W., 1952, "A Test For Hot Tearing Tendency", *Transaction of The American Foundrymen's society*, vol. 60, pp. 182-196.
- Li, S., 2010, "Hot Tearing in Cast Aluminum Alloys", *Worcester Polytechnic Institute*.
- Lin, S., 1999, "A Study Of Hot Tearing In Wrought Aluminum Alloys" *université du Québec à Chicoutimi*.
- Lin, S., Aliravci, C., and Pekguleryuz, M.O., 2007, "Hot-Tear Susceptibility of Aluminum Wrought Alloys and the Effect of Grain Refining", *Metallurgical and Materials Transactions A*, vol. 38A, pp. 1056-1068.
- Metz, S. A. & Flemings, M. C., 1969. "Hot tearing in cast metals". *American Foundrymen's Society Transaction. Volume 77*, pp. 329-334
- Pekguleryuz, M.O., LI, X., and Aliravci, C.A., 2009, "In-Situ Investigation of Hot Tearing in Aluminum Alloy AA1050 via Acoustic Emission and Cooling Curve Analysis", *Metallurgical and Materials Transactions A*, Vol. 40A, pp. 1436-1456
- Pellini, W. S., 1952, "Strain Theory of Hot Tearing", *Foundry*, vol. 80, pp. 125-199.
- Pumphrey, W.I., and Jennings, P.H., 1940, "A Consideration of the Nature of Brittleness at Temperatures above the Solidus in Castings and Welds in Aluminum Alloys", *Journal Institute of Metals*, vol. 75, pp. 235.
- Rappaz, M., Drezet, J.-M., and Gremaud, M., 1999, "A New Hot Tearing Criterion", *Metallurgical and Materials Transactions A*, vol. 30A, pp. 449-455.
- Spittle, J. A., and Cushway, A. A., 1983, "Influence of Superheat and Grain Structure on Hot-Tearing Susceptibilities of Al-Cu Alloy Castings", *Metals Technology*, vol. 10(1), pp. 6-13.
- Suyitno, Kool, W. H., and Katgerman, L., 2005, "Hot Tearing Criteria Evaluation for Direct-Chill Casting of an Al-4.5 Pct Cu Alloy", *Metallurgical and Materials Transactions A*, vol. 36A, pp. 1537-1546.

- Suyitno, W.H. Kool, and L. Katgerman, 2009, "*Integrated Approach for Prediction of Hot Tearing*", *Metallurgical and Materials Transactions A*, vol. 36A, pp. 2388-2400.
- Thomas, B.G., Bellet, M., 2008, "*Modeling of Stress, Distortion and Hot Tearing*", *ASM handbook*, vol. 15, 449-461.
- Verö, J., 1936, "*The Hot-Shortness of Aluminum Alloys*", *The Metals Industry*, vol. 48, pp. 431-434.
- Yan, X., and Llin J. C., 2006," *Prediction of Hot Tearing Tendency for Multicomponent Aluminum Alloys*" *Metallurgical and Materials Transactions B*, 913-918.
- Zolotarevsky, V.S., Belov, N.A., and Glazoff, M.V., 2007, *Casting Aluminum Alloy*, Moscow. pp 24-29.