

DAFTAR PUSTAKA

- Abd Hamid, F.K., Hasan, M.N., Murty, G.E., Ahmad Asri, M.I., Saleh, T. and Mohamed Ali, M.S., 2024, *Resistive strain sensors based on carbon black and multi-wall carbon nanotube composites*, *Sensors and Actuators A: Physical*, **366**, 114960, doi: <https://doi.org/10.1016/j.sna.2023.114960>.
- Abedheydari, F., Sadeghzadeh, S., Saadatbakhsh, M., Heydariyan, A. and Khakpour, E., 2024, *Silver-decorated laser-induced graphene for a linear, sensitive, and almost hysteresis-free piezoresistive strain sensor*, *Scientific Reports*, **14**(1), 28715, doi: [10.1038/s41598-024-80158-y](https://doi.org/10.1038/s41598-024-80158-y).
- Aguero, M., Maharjan, D., Rodriguez, M. del P., Mascarenas, D.D.L. and Moreu, F., 2020, *Design and Implementation of a Connection between Augmented Reality and Sensors*, *Robotics*, **9**(1), doi: [10.3390/robotics9010003](https://doi.org/10.3390/robotics9010003).
- Akhtar, I. and Chang, S.-H., 2020, *Highly aligned carbon nanotubes and their sensor applications*, *Nanoscale*, The Royal Society of Chemistry, **12**(41), 21447–21458, doi: [10.1039/D0NR05951J](https://doi.org/10.1039/D0NR05951J).
- Akhtar, I. and Chang, S., 2021, *Radial alignment of carbon nanotubes for directional sensing application*, *Composites Part B*, Elsevier Ltd, **222**(April), 109038, doi: [10.1016/j.compositesb.2021.109038](https://doi.org/10.1016/j.compositesb.2021.109038).
- Alberto, G., María, S., Bosque, A., Xoan, F.S. and Ure, A., 2023, *Sensors and Actuators : A . Physical Highly stretchable strain sensors based on graphene nanoplatelet-doped ecoflex for biomedical purposes*, **353**(February), doi: [10.1016/j.sna.2023.114249](https://doi.org/10.1016/j.sna.2023.114249).
- Amjadi, M., Kyung, K.-U., Park, I. and Sitti, M., 2016, *Stretchable, Skin-Mountable, and Wearable Strain Sensors and Their Potential Applications: A Review*, *Advanced Functional Materials*, **26**(11), 1678–1698, doi: <https://doi.org/10.1002/adfm.201504755>.
- Amjadi, M., Turan, M., Clementson, C.P. and Sitti, M., 2016, *Parallel Microcracks-based Ultrasensitive and Highly Stretchable Strain Sensors*, *ACS Applied Materials & Interfaces*, American Chemical Society, **8**(8), 5618–5626, doi: [10.1021/acsami.5b12588](https://doi.org/10.1021/acsami.5b12588).
- Amjadi, M., Yoon, Y.J. and Park, I., 2015, *Ultra-stretchable and skin-mountable strain sensors using carbon nanotubes–Ecoflex nanocomposites*, *Nanotechnology*, IOP Publishing, **26**(37), 375501, doi: [10.1088/0957-4484/26/37/375501](https://doi.org/10.1088/0957-4484/26/37/375501).
- Aqeel, M., Nasir, M.A., Rehman, Z.U., Nauman, S., Wakeel, A. and Hanna, E.G., 2024, *Development of AgNPs-PVP/TPU based flexible strain sensors for structural health monitoring of composite structures*, *Results in Engineering*, **23**, 102526, doi: <https://doi.org/10.1016/j.rineng.2024.102526>.
- Asad, M., Khalid, U. and Chang, S.H., 2022, *Flexible strain sensors for wearable applications fabricated using novel functional nanocomposites : A review*, *Composite Structures*, Elsevier Ltd, **284**(January), 115214, doi: <https://doi.org/10.1016/j.compstruct.2022.115214>.

10.1016/j.compstruct.2022.115214.

Bharadwaj, S., Gupta, T.K., Chauhan, G.S., Sehrawat, M., Kumar, A., Dhakate, S.R. and Singh, B.P., 2023, *Long Length MWCNT/TPU Composite Materials for Stretchable and Wearable Strain Sensors*, *Sensors and Actuators A: Physical*, **357**, 114364, doi: <https://doi.org/10.1016/j.sna.2023.114364>.

Bouhamed, A., Al-Hamry, A., Müller, C., Choura, S. and Kanoun, O., 2017, *Assessing the electrical behaviour of MWCNTs/epoxy nanocomposite for strain sensing*, *Composites Part B: Engineering*, **128**, 91–99, doi: <https://doi.org/10.1016/j.compositesb.2017.07.005>.

Cao, M., Su, J., Fan, S., Qiu, H., Su, D. and Li, L., 2021, *Wearable piezoresistive pressure sensors based on 3D graphene*, *Chemical Engineering Journal*, **406**, 126777, doi: <https://doi.org/10.1016/j.cej.2020.126777>.

Cao, P., Feng, J., Yang, T., Ao, H., Shang, T. and Xing, B., 2023, *Colloids and Surfaces A : Physicochemical and Engineering Aspects MXene-enhanced deep eutectic solvent-based flexible strain sensor with high conductivity and anti-freezing using electrohydrodynamic direct-writing method*, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Elsevier B.V., **677**(PA), 132349, doi: 10.1016/j.colsurfa.2023.132349.

Chen, C., Bu, X., Feng, Q. and Li, D., 2018, *Cellulose Nanofiber/Carbon Nanotube Conductive Nano-Network as a Reinforcement Template for Polydimethylsiloxane Nanocomposite*, *Polymers*, 2018, doi: 10.3390/polym10091000.

Chen, C., Chu, F., Zhang, Y., Ma, M., Sun, R., Jia, P. and Sun, J., 2023, *Fabricating Flexible Strain Sensor with Direct Writing Graphene / Carbon Nanotube Aerogel*, doi: 10.1021/acsaelm.2c01338.

Chen, J., Zhu, Y. and Jiang, W., 2020a, *A stretchable and transparent strain sensor based on sandwich-like PDMS / CNTs / PDMS composite containing an ultrathin conductive CNT layer*, *Composites Science and Technology*, Elsevier Ltd, **186**(November 2019), 107938, doi: 10.1016/j.compscitech.2019.107938.

Chen, J., Zhu, Y. and Jiang, W., 2020b, *A stretchable and transparent strain sensor based on sandwich-like PDMS/CNTs/PDMS composite containing an ultrathin conductive CNT layer*, *Composites Science and Technology*, Elsevier Ltd, **186**(November 2019), 107938, doi: 10.1016/j.compscitech.2019.107938.

Chen, S., Bai, C., Zhang, C., Geng, D., Liu, R., Xie, Y. and Zhou, W., 2021, *Flexible piezoresistive three-dimensional force sensor based on interlocked structures*, *Sensors and Actuators A: Physical*, **330**, 112857, doi: <https://doi.org/10.1016/j.sna.2021.112857>.

Chen, W. and Yan, X., 2020, *Progress in achieving high-performance piezoresistive and capacitive flexible pressure sensors: A review*, *Journal of Materials Science & Technology*, **43**, 175–188, doi:

<https://doi.org/10.1016/j.jmst.2019.11.010>.

- Chen, X., Wang, F., Shu, L., Tao, X., Wei, L., Xu, X., Zeng, Q., *et al.*, 2022, *A Single-material-printed, Low-cost design for a Carbon-based fabric strain sensor*, *Materials & Design*, **221**, 110926, doi: <https://doi.org/10.1016/j.matdes.2022.110926>.
- Chen, X., Yang, X., Zhang, Q., Shu, S. and Han, Z., 2025, *Bioinspired, ultrasensitive, highly stable flexible strain sensor with circularly arranged cross-cracks*, *Chemical Engineering Journal*, **505**, 159370, doi: <https://doi.org/10.1016/j.cej.2025.159370>.
- Chen, Z., Wang, Z., Li, X., Lin, Y., Luo, N. and Long, M., 2017, *Sensors for Static Measurements Based on*, (Cvd), doi: 10.1021/acsnano.6b08027.
- Chen, Z., Yang, Z., Yu, T., Wei, Z., Ji, C., Zhao, B. Bin, Yu, T., *et al.*, 2023, *Sandwich-structured flexible PDMS@graphene multimodal sensors capable of strain and temperature monitoring with superlative temperature range and sensitivity*, *Composites Science and Technology*, **232**(October 2022), 1–8, doi: 10.1016/j.compscitech.2022.109881.
- Cheng, M., Zhu, G., Zhang, F., Tang, W., Jianping, S., Yang, J. and Zhu, L., 2020, *A review of flexible force sensors for human health monitoring*, *Journal of Advanced Research*, **26**, 53–68, doi: <https://doi.org/10.1016/j.jare.2020.07.001>.
- Cui, M., Wu, S., Li, J., Zhao, Y., Zhai, W., Dai, K. and Liu, C., 2023, *An ultrasensitive flexible strain sensor based on CNC / CNTs / MXene / TPU fibrous mat for human motion , sound and visually personalized rehabilitation training monitoring*, *Composites Science and Technology*, Elsevier Ltd, **244**(June), 110309, doi: 10.1016/j.compscitech.2023.110309.
- Fu, K., Wang, Y., Yan, C., Yao, Y., Chen, Y., Dai, J., Lacey, S., *et al.*, 2016, *Graphene Oxide-Based Electrode Inks for 3D-Printed Lithium-Ion Batteries*, 2587–2594, doi: 10.1002/adma.201505391.
- Gaddam, A., Brazete, D.S., Neto, A.S., Nan, B., Fernandes, H.R. and Ferreira, J.M.F., 2022, *Robocasting and surface functionalization with highly bioactive glass of ZrO₂ scaffolds for load bearing applications*, *Journal of the American Ceramic Society*, **105**(3), 1753–1764, doi: <https://doi.org/10.1111/jace.17869>.
- Gan, I., Chow, W.S., Khoo, S.H. and Shafiq, M.D., 2024, *Polyurethane dispersion/carboxylated nitrile butadiene rubber blends produced by a greener dual crosslinking approach*, *Cleaner Materials*, **12**, 100252, doi: <https://doi.org/10.1016/j.clema.2024.100252>.
- Gao, W.-C., Wu, W., Chen, C.-Z., Zhao, H., Liu, Y., Li, Q., Huang, C.-X., *et al.*, 2022, *Design of a Superhydrophobic Strain Sensor with a Multilayer Structure for Human Motion Monitoring*, *ACS Applied Materials & Interfaces*, American Chemical Society, **14**(1), 1874–1884, doi: 10.1021/acsaami.1c17565.

- Gong, J., Tang, W., Xia, L., Fu, Z., Zhou, S., Zhang, J., Zhang, C., *et al.*, 2023, *Flexible and weavable 3D porous graphene/PPy/lignocellulose-based versatile fibrous wearables for thermal management and strain sensing*, *Chemical Engineering Journal*, **452**, 139338, doi: <https://doi.org/10.1016/j.cej.2022.139338>.
- Gu, J., Kwon, D., Ahn, J. and Park, I., 2020, *Wearable Strain Sensors Using Light Transmittance Change of Carbon Nanotube-Embedded Elastomers with Microcracks*, *ACS Applied Materials & Interfaces*, American Chemical Society, **12**(9), 10908–10917, doi: 10.1021/acsami.9b18069.
- Guo, X., Huang, Y., Zhao, Y., Mao, L., Gao, L., Pan, W., Zhang, Y., *et al.*, 2017, *Highly stretchable strain sensor based on SWCNTs/CB synergistic conductive network for wearable human-activity monitoring and recognition*, *Smart Materials and Structures*, IOP Publishing, **26**(9), 95017, doi: 10.1088/1361-665X/aa79c3.
- Guo, X., Liu, L., Ding, N. and Liu, G., 2023, *Transformation from Electromagnetic Inflection to Absorption of Silicone Rubber and Accordion-Shaped Ti3C2MXene Composites by Highly Electric Conductive Multi-Walled Carbon Nanotubes*, *Polymers*, 2023, doi: 10.3390/polym15102332.
- Guo, Z., Gu, Z., Xue, J., Gao, M., Yu, Y., Liu, H., Lu, Y., *et al.*, 2023, *Flexible germanium monotelluride phase change films with ultra-high bending stability for wearable piezoresistive sensors*, *Journal of Alloys and Compounds*, Elsevier B.V., **969**(July), 172333, doi: 10.1016/j.jallcom.2023.172333.
- Hakim, M.L., Herianto and Muflikhun, M.A., 2024, *Next-gen strain sensors: self-healing, ultra-sensitive, lightweight, and durable MWCNT-silicone rubber for advanced human motion tracking*, *Journal of Engineering Research*, doi: <https://doi.org/10.1016/j.jer.2024.10.009>.
- Han, F., Li, J., Zhao, S., Zhang, Y., Huang, W., Zhang, G., Sun, R., *et al.*, 2017, *A crack-based nickel@graphene-wrapped polyurethane sponge ternary hybrid obtained by electrodeposition for highly sensitive wearable strain sensors*, *J. Mater. Chem. C*, The Royal Society of Chemistry, **5**(39), 10167–10175, doi: 10.1039/C7TC03636A.
- Han, F., Li, M., Ye, H. and Zhang, G., 2021, *Materials, Electrical Performance, Mechanisms, Applications, and Manufacturing Approaches for Flexible Strain Sensors*, *Nanomaterials*, **11**(5), doi: 10.3390/nano11051220.
- Han, Y., Li, Y., Liu, Y., Alsubaie, A.S., El-Bahy, S.M., Qiu, H., Jiang, D., *et al.*, 2024, *Carbon nanotube reinforced ionic liquid dual network conductive hydrogels: Leveraging the potential of biomacromolecule sodium alginate for flexible strain sensors*, *International Journal of Biological Macromolecules*, **282**, 137123, doi: <https://doi.org/10.1016/j.ijbiomac.2024.137123>.
- Hohimer, C.J., Petrossian, G., Ameli, A., Mo, C. and Pötschke, P., 2020, *3D printed conductive thermoplastic polyurethane / carbon nanotube composites*

for capacitive and piezoresistive sensing in soft pneumatic actuators, Additive Manufacturing, Elsevier, **34**(April), 101281, doi: 10.1016/j.addma.2020.101281.

Htwe, Y.Z.N. and Mariatti, M., 2023, *Performance of water-based printed hybrid graphene/silver nanoparticle conductive inks for flexible strain sensor applications*, *Synthetic Metals*, **300**, 117495, doi: <https://doi.org/10.1016/j.synthmet.2023.117495>.

Hu, B., Chen, W. and Zhou, J., 2013, *High performance flexible sensor based on inorganic nanomaterials*, *Sensors and Actuators B: Chemical*, **176**, 522–533, doi: <https://doi.org/10.1016/j.snb.2012.09.036>.

Hu, F., Dong, B., Yu, D., Zhao, R., Chen, W., Song, Z., Lu, P., *et al.*, 2024, *Highly stretchable, self-healing, antibacterial, conductive, and amylopectin-enhanced hydrogels with gallium droplets loading as strain sensors*, *Carbohydrate Polymers*, **342**, 122357, doi: <https://doi.org/10.1016/j.carbpol.2024.122357>.

Hu, T. and Sheng, B., 2024, *A Highly Sensitive Strain Sensor with Wide Linear Sensing Range Prepared on a Hybrid-Structured CNT/Ecoflex Film via Local Regulation of Strain Distribution*, *ACS Applied Materials & Interfaces*, American Chemical Society, **16**(16), 21061–21072, doi: 10.1021/acsami.4c00648.

Huang, C.-T., Shen, C.-L., Tang, C.-F. and Chang, S.-H., 2008, *A wearable yarn-based piezo-resistive sensor*, *Sensors and Actuators A: Physical*, **141**(2), 396–403, doi: <https://doi.org/10.1016/j.sna.2007.10.069>.

Hwang, J., Kim, Y., Yang, H. and Oh, J.H., 2021, *Fabrication of hierarchically porous structured PDMS composites and their application as a flexible capacitive pressure sensor*, *Composites Part B: Engineering*, **211**, 108607, doi: <https://doi.org/10.1016/j.compositesb.2021.108607>.

Iqra, M., Anwar, F., Jan, R. and Mohammad, M.A., 2022, *A flexible piezoresistive strain sensor based on laser scribed graphene oxide on polydimethylsiloxane*, *Scientific Reports*, **12**(1), 4882, doi: 10.1038/s41598-022-08801-0.

Jeong, S.-Y., Lee, J.-U., Hong, S.-M., Lee, C.-W., Hwang, S.-H., Cho, S.-C. and Shin, B.-S., 2021, *Highly Skin-Conformal Laser-Induced Graphene-Based Human Motion Monitoring Sensor*, *Nanomaterials*, **11**(4), doi: 10.3390/nano11040951.

Jian, M., Wang, C., Wang, Q., Wang, H., Xia, K., Yin, Z., Zhang, M., *et al.*, 2017, *Advanced carbon materials for flexible and wearable sensors*, *Science China Materials*, **60**(11), 1026–1062, doi: 10.1007/s40843-017-9077-x.

Jiang, H., Zhang, J., Qin, M., Zhang, J., Zou, X. and Weng, X., 2023, *Sensors and Actuators : A . Physical A flexible piezoresistive strain sensor based on black phosphorus / gold nanocomposites interspersed sponge for motion sensing*, *Sensors and Actuators: A. Physical*, Elsevier B.V., **356**(February), 114359,

doi: 10.1016/j.sna.2023.114359.

- Joo, D.H., Kang, M.S., Park, S.J., Yu, S.A. and Park, W.T., 2022a, *Fabrication method of flexible strain sensors with CNTs and solvents, Sensors and Actuators A: Physical*, **345**(July), doi: 10.1016/j.sna.2022.113775.
- Joo, D.H., Kang, M.S., Park, S.J., Yu, S.A. and Park, W.T., 2022b, *Fabrication method of flexible strain sensors with CNTs and solvents, Sensors and Actuators A: Physical*, **345**(July), 113775, doi: 10.1016/j.sna.2022.113775.
- Jung, Y., Lee, W., Jung, K., Park, B., Park, J., Ko, J. and Cho, H., 2020, *A Highly Sensitive and Flexible Capacitive Pressure Sensor Based on a Porous Three-Dimensional PDMS/Microsphere Composite, Polymers*, **12**(6), doi: 10.3390/polym12061412.
- Kalkal, A., Kumar, S., Kumar, P., Pradhan, R., Willander, M., Packirisamy, G., Kumar, S., et al., 2021, *Recent advances in 3D printing technologies for wearable (bio) sensors, Additive Manufacturing, Elsevier B.V.*, **46**(April), 102088, doi: 10.1016/j.addma.2021.102088.
- Kanoun, O., Bouhamed, A., Ramalingame, R., Bautista-Quijano, J.R., Rajendran, D. and Al-Hamry, A., 2021, *Review on Conductive Polymer/CNTs Nanocomposites Based Flexible and Stretchable Strain and Pressure Sensors, Sensors*, **21**(2), doi: 10.3390/s21020341.
- Kantarak, E., Rucman, S., Kumpika, T., Sroila, W., Tippo, P. and Panthawan, A., 2020, *Fabrication , Design and Application of Stretchable Strain Sensors for Tremor Detection in Parkinson Patient*, 955–968.
- Khan, A., Nichakornpong, N., Wongsalam, T., Prathumrat, P., Likitaporn, C., Kasemsiri, P. and Okhawilai, M., 2024, *Development of green synthesised AgNPs decorated on MWCNT modified guar gum-based self-healing hydrogel for strain sensors, Scientific Reports*, **14**(1), 29715, doi: 10.1038/s41598-024-81085-8.
- Kim, J., Lee, Y., Kang, M., Hu, L., Zhao, S. and Ahn, J.-H., 2021, *2D Materials for Skin-Mountable Electronic Devices, Advanced Materials*, **33**(47), 2005858, doi: <https://doi.org/10.1002/adma.202005858>.
- Kim, K.-H., Hong, S.K., Ha, S.-H., Li, L., Lee, H.W. and Kim, J.-M., 2020, *Enhancement of linearity range of stretchable ultrasensitive metal crack strain sensor via superaligned carbon nanotube-based strain engineering, Mater. Horiz., The Royal Society of Chemistry*, **7**(10), 2662–2672, doi: 10.1039/D0MH00806K.
- Kohestanian, M., Hasany, M., Najafi Tireh Shabankareh, A. and Mehrali, M., 2023, *Fabricating of a custom 3D-printed setup for evaluating gel-based strain sensors, Alexandria Engineering Journal*, **76**, 517–523, doi: <https://doi.org/10.1016/j.aej.2023.06.058>.
- Kouediatouka, A.N., Liu, Q., Mawignon, F.J., Wang, W., Wang, J., Ruan, C., Yeo, K.F.H., et al., 2023, *Sensing characterization of an amorphous PDMS/Ecoflex blend composites with an improved interfacial bonding and*

rubbing performance, Applied Surface Science, **635**, 157675, doi:
<https://doi.org/10.1016/j.apsusc.2023.157675>.

- Kouediatouka, A.N., Mawignon, F.J., Jiang, S., Meng, Z., Wang, J., Xia, W., Su, J., *et al.*, 2025, *Highly sensitive and Durable crack structures on Flexible, Friction-Resistant substrates, Applied Surface Science*, **685**, 161826, doi: <https://doi.org/10.1016/j.apsusc.2024.161826>.
- Kür, H. and Eren, O., 2019, *FDM 3D printing of MWCNT re-inforced ABS nano-composite parts with enhanced mechanical and electrical properties*, **37**(December 2018), 339–347, doi: 10.1016/j.jmapro.2018.12.004.
- Lao, Y., Wei, Q., Xiao, S., Li, D., Ye, L., Lv, Y. and Lu, S., 2024, *AgNPs with CNTs to construct multifunctional flexible sensor with dual conductive network structure, International Journal of Biological Macromolecules*, **279**, 135569, doi: <https://doi.org/10.1016/j.ijbiomac.2024.135569>.
- Lee, I., Snyder, A.D., Turicek, J.S., Blanc, F., Patrick, J.F. and Therriault, D., 2023, *Electrically conductive and 3D-printable copolymer / MWCNT nanocomposites for strain sensing, Composites Science and Technology*, Elsevier Ltd, **232**(November 2022), 109850, doi: 10.1016/j.compscitech.2022.109850.
- Li, B., Liang, W., Zhang, L., Ren, F. and Xuan, F., 2022a, *Sensors and Actuators : A . Physical TPU / CNTs flexible strain sensor with auxetic structure via a novel hybrid manufacturing process of fused deposition modeling 3D printing and ultrasonic cavitation-enabled treatment*, **340**(February), doi: 10.1016/j.sna.2022.113526.
- Li, B., Liang, W., Zhang, L., Ren, F. and Xuan, F., 2022b, *TPU/CNTs flexible strain sensor with auxetic structure via a novel hybrid manufacturing process of fused deposition modeling 3D printing and ultrasonic cavitation-enabled treatment, Sensors and Actuators A: Physical*, **340**, 113526, doi: <https://doi.org/10.1016/j.sna.2022.113526>.
- Li, H., Chen, J., Chang, X., Xu, Y., Zhao, G., Zhu, Y. and Li, Y., 2021, *A highly stretchable strain sensor with both an ultralow detection limit and an ultrawide sensing range, J. Mater. Chem. A*, The Royal Society of Chemistry, **9**(3), 1795–1802, doi: 10.1039/D0TA10990H.
- Li, J., Fang, L., Sun, B., Li, X. and Kang, S.H., 2020, *Review—Recent Progress in Flexible and Stretchable Piezoresistive Sensors and Their Applications, Journal of The Electrochemical Society*, IOP Publishing, **167**(3), 37561, doi: 10.1149/1945-7111/ab6828.
- Li, L., Shi, W., Zhu, S., Chang, Y., Hou, W., Zhang, Y., Wang, H., *et al.*, 2024, *One-dimensional hierarchically structured strain sensor with high sensitivity, stretchability and durability for physiological monitoring, Materials Research Bulletin*, **177**, 112876, doi: <https://doi.org/10.1016/j.materresbull.2024.112876>.
- Li, R., Gou, X., Lee, C.H., Ruan, H., Wang, X., Zhou, Z., Huang, X., *et al.*, 2023,

Fe NWs/CNT/PUS composite constructed rigid-flexible coupling 3D porous structure with highly linear response and large strain for strain sensor, Sensors and Actuators A: Physical, **353**, 114211, doi: <https://doi.org/10.1016/j.sna.2023.114211>.

Li, T., Li, J., Zhong, A., Han, F., Sun, R., Wong, C.-P., Niu, F., *et al.*, 2020, *A flexible strain sensor based on CNTs/PDMS microspheres for human motion detection, Sensors and Actuators A: Physical*, **306**, 111959, doi: <https://doi.org/10.1016/j.sna.2020.111959>.

Li, W., Jin, X., Han, X., Li, Y., Wang, W., Lin, T. and Zhu, Z., 2021, *Synergy of Porous Structure and Microstructure in Piezoresistive Material for High-Performance and Flexible Pressure Sensors, ACS Applied Materials & Interfaces*, American Chemical Society, **13**(16), 19211–19220, doi: [10.1021/acscami.0c22938](https://doi.org/10.1021/acscami.0c22938).

Li, X., Koh, K.H., Farhan, M. and Lai, K.W.C., 2020, *An ultraflexible polyurethane yarn-based wearable strain sensor with a polydimethylsiloxane infiltrated multilayer sheath for smart textiles, Nanoscale*, The Royal Society of Chemistry, **12**(6), 4110–4118, doi: [10.1039/C9NR09306K](https://doi.org/10.1039/C9NR09306K).

Li, Y., Ai, Q., Mao, L., Guo, J., Gong, T., Lin, Y. and Wu, G., 2021, *Hybrid strategy of graphene / carbon nanotube hierarchical networks for highly sensitive , flexible wearable strain sensors, Scientific Reports*, Nature Publishing Group UK, 1–9, doi: [10.1038/s41598-021-00307-5](https://doi.org/10.1038/s41598-021-00307-5).

Li, Y., He, T., Shi, L., Wang, R. and Sun, J., 2020, *Strain Sensor with Both a Wide Sensing Range and High Sensitivity Based on Braided Graphene Belts, ACS Applied Materials & Interfaces*, American Chemical Society, **12**(15), 17691–17698, doi: [10.1021/acscami.9b21921](https://doi.org/10.1021/acscami.9b21921).

Li, Z., Feng, D., Li, B., Xie, D. and Mei, Y., 2023, *FDM printed MXene / MnFe₂O₄ / MWCNTs reinforced TPU composites with 3D Voronoi structure for sensor and electromagnetic shielding applications, Composites Science and Technology*, Elsevier Ltd, **231**(June 2022), 109803, doi: [10.1016/j.compscitech.2022.109803](https://doi.org/10.1016/j.compscitech.2022.109803).

Liang, A., Stewart, R. and Bryan-Kinns, N., 2019, *Analysis of Sensitivity, Linearity, Hysteresis, Responsiveness, and Fatigue of Textile Knit Stretch Sensors, Sensors*, **19**(16), doi: [10.3390/s19163618](https://doi.org/10.3390/s19163618).

Liao, Q., Mohr, M., Zhang, X., Zhang, Z., Zhang, Y. and Fecht, H.-J., 2013, *Carbon fiber–ZnO nanowire hybrid structures for flexible and adaptable strain sensors, Nanoscale*, The Royal Society of Chemistry, **5**(24), 12350–12355, doi: [10.1039/C3NR03536K](https://doi.org/10.1039/C3NR03536K).

Lin, H., Liu, D., Zhou, Y., Liu, M., Huang, C., Fu, Q., Deng, K., *et al.*, 2024, *A flexible PTI-CNT strain sensor with high stretchable and sensitive for human movement and vocal cord vibration monitoring, Polymer*, **299**, 126887, doi: <https://doi.org/10.1016/j.polymer.2024.126887>.

Lin, H., Zhang, C., Liao, N. and Zhang, M., 2023, *Microcracked strain sensor*

based on carbon nanotubes/copper composite film with high performance and waterproof property for underwater motion detection, Composites Part B: Engineering, **254**, 110574, doi:
<https://doi.org/10.1016/j.compositesb.2023.110574>.

- Lin, Y., Liu, S., Chen, S., Wei, Y., Dong, X. and Liu, L., 2016, *A highly stretchable and sensitive strain sensor based on graphene–elastomer composites with a novel double-interconnected network, J. Mater. Chem. C*, The Royal Society of Chemistry, **4**(26), 6345–6352, doi:
[10.1039/C6TC01925K](https://doi.org/10.1039/C6TC01925K).
- Liu, K., Yang, C., Song, L., Wang, Y., Wei, Q. and Deng, Q., 2022, *Highly stretchable, superhydrophobic and wearable strain sensors based on the laser-irradiated PDMS / CNT composite, Composites Science and Technology*, Elsevier Ltd, **218**(March 2021), 109148, doi:
[10.1016/j.compscitech.2021.109148](https://doi.org/10.1016/j.compscitech.2021.109148).
- Liu, L., Shen, Z., Zhang, X. and Ma, H., 2021, *Highly conductive graphene/carbon black screen printing inks for flexible electronics, Journal of Colloid and Interface Science*, **582**, 12–21, doi:
<https://doi.org/10.1016/j.jcis.2020.07.106>.
- Liu, X., Liang, X., Lin, Z., Lei, Z., Xiong, Y., Hu, Y., Zhu, P., *et al.*, 2020, *Highly Sensitive and Stretchable Strain Sensor Based on a Synergistic Hybrid Conductive Network, ACS Applied Materials & Interfaces*, American Chemical Society, **12**(37), 42420–42429, doi: [10.1021/acsami.0c12642](https://doi.org/10.1021/acsami.0c12642).
- Liu, X., Wei, L., Wang, X., He, S., Yan, Y. and Li, Q., 2023, *Flexible strain sensors based on gold nanowire dominoes for human motion detection, Materials Today Communications*, Elsevier Ltd, **35**(February), 105703, doi:
[10.1016/j.mtcomm.2023.105703](https://doi.org/10.1016/j.mtcomm.2023.105703).
- Liu, Y., Zhang, D., Wang, K., Liu, Y. and Shang, Y., 2016, *A novel strain sensor based on graphene composite films with layered structure, Composites Part A: Applied Science and Manufacturing*, **80**, 95–103, doi:
<https://doi.org/10.1016/j.compositesa.2015.10.010>.
- Liu, Z., Qi, D., Hu, G., Wang, H., Jiang, Y., Chen, G., Luo, Y., *et al.*, 2018, *Surface Strain Redistribution on Structured Microfibers to Enhance Sensitivity of Fiber-Shaped Stretchable Strain Sensors, Advanced Materials*, **30**(5), 1704229, doi: <https://doi.org/10.1002/adma.201704229>.
- Liu, Z., Tian, B., Liu, X., Zhang, X., Li, Y., Zhang, Z., Liu, J., *et al.*, 2023, *Multifunctional nanofiber mat for high temperature flexible sensors based on electrospinning, Journal of Alloys and Compounds*, Elsevier, **941**, 168959, doi: [10.1016/j.jallcom.2023.168959](https://doi.org/10.1016/j.jallcom.2023.168959).
- Lu, Y., Biswas, M.C., Guo, Z., Jeon, J.-W. and Wujcik, E.K., 2019, *Recent developments in bio-monitoring via advanced polymer nanocomposite-based wearable strain sensors, Biosensors and Bioelectronics*, **123**, 167–177, doi:
<https://doi.org/10.1016/j.bios.2018.08.037>.

- Lu, Z., Wang, J., He, L., Song, J., Yang, Z. and Hammad, F.A., 2024, *High-Performance Multidirectional Flexible Strain Sensor for Human Motion and Health Monitoring*, *ACS Applied Materials & Interfaces*, American Chemical Society, **16**(31), 41409–41420, doi: 10.1021/acsami.4c04583.
- Luo, J., Zhang, L., Wu, T., Song, H. and Tang, C., 2021, *Flexible piezoelectric pressure sensor with high sensitivity for electronic skin using near-field electrohydrodynamic direct-writing method*, *Extreme Mechanics Letters*, **48**, 101279, doi: <https://doi.org/10.1016/j.eml.2021.101279>.
- Luo, L., Jiang, J., Ying, N., Liang, B., Chen, S., Zeng, D., Luo, S., *et al.*, 2024, *High sensitivity and wide sensing range graphene flexible strain sensors based on pre-stretching and layer-by-layer self-assembly*, *Surfaces and Interfaces*, **49**, 104385, doi: <https://doi.org/10.1016/j.surfin.2024.104385>.
- Lv, R., Cao, X., Zhang, T., Ji, W., Muhammad, U., Chen, J. and Wei, Y., 2024, *A highly stretchable, self-healing, self-adhesive polyacrylic acid/chitosan multifunctional composite hydrogel for flexible strain sensors*, *Carbohydrate Polymers*, 123111, doi: <https://doi.org/10.1016/j.carbpol.2024.123111>.
- Ma, C., Zhu, B., Qian, Z., Ren, L., Yuan, H. and Meng, Y., 2023, *3D-printing of conductive inks based flexible tactile sensor for monitoring of temperature, strain and pressure*, *Journal of Manufacturing Processes*, Elsevier Ltd, **87**(January), 1–10, doi: 10.1016/j.jmapro.2023.01.008.
- Ma, L., Yang, W., Wang, Y., Chen, H., Xing, Y. and Wang, J., 2018, *Multi-dimensional strain sensor based on carbon nanotube film with aligned conductive networks*, *Composites Science and Technology*, Elsevier, **165**(March), 190–197, doi: 10.1016/j.compscitech.2018.06.030.
- Maciel, C.C., Lima, L.F. De, Ferreira, L., Araujo, W.R. De and Ferreira, M., 2022, *Development of a flexible and disposable electrochemical sensor based on poly (butylene adipate-co-terephthalate) and graphite for hydroquinone sensing*, **4**(December 2021), 0–9, doi: 10.1016/j.snr.2022.100091.
- Mahato, R., Masiul Islam, S. and Singh, S., 2024, *Flexible piezo-resistive strain sensors based on silver nanowires and graphene nanoplatelets reinforced polydimethylsiloxane for human motion detection*, *Materials Today Communications*, **40**, 110056, doi: <https://doi.org/10.1016/j.mtcomm.2024.110056>.
- Mai, D., Mo, J., Shan, S., Lin, Y. and Zhang, A., 2021, *Self-Healing, Self-Adhesive Strain Sensors Made with Carbon Nanotubes/Polysiloxanes Based on Unsaturated Carboxyl–Amine Ionic Interactions*, *ACS Applied Materials & Interfaces*, American Chemical Society, **13**(41), 49266–49278, doi: 10.1021/acsami.1c12438.
- Mannsfeld, S.C.B., Tee, B.C.-K., Stoltenberg, R.M., Chen, C.V.H.-H., Barman, S., Muir, B.V.O., Sokolov, A.N., *et al.*, 2010, *Highly sensitive flexible pressure sensors with microstructured rubber dielectric layers*, *Nature Materials*, **9**(10), 859–864, doi: 10.1038/nmat2834.

- Meng, Y., Cheng, J. and Zhou, C., 2023, *Superhydrophobic and Stretchable Carbon Nanotube/Thermoplastic Urethane-Based Strain Sensor for Human Motion Detection*, *ACS Applied Nano Materials*, American Chemical Society, **6**(7), 5871–5878, doi: 10.1021/acsanm.3c00246.
- Mishra, R.B., El-Atab, N., Hussain, A.M. and Hussain, M.M., 2021, *Recent Progress on Flexible Capacitive Pressure Sensors: From Design and Materials to Applications*, *Advanced Materials Technologies*, **6**(4), 2001023, doi: <https://doi.org/10.1002/admt.202001023>.
- Mohammed, M.I., Zahran, H.Y., Zyoud, S., Yahia, I.S. and Ismail, A.M., 2024, *Simple processed polyvinyl alcohol/multi-wall carbon nanotube polymeric nanocomposites for high-performance optoelectronics*, *Journal of Materials Science: Materials in Electronics*, **35**(7), 515, doi: 10.1007/s10854-024-12144-z.
- Nagpal, K., Rapenne, L., Wragg, D.S., Rauwel, E. and Rauwel, P., 2022, *The role of CNT in surface defect passivation and UV emission intensification of ZnO nanoparticles*, *Nanomaterials and Nanotechnology*, SAGE Publications Ltd STM, **12**, 18479804221079420, doi: 10.1177/18479804221079419.
- Patrizi, D., Xoan, F.S., Ure, A., Wang, D. and María, S., 2023, *Sensors and Actuators : A . Physical Ultrasensitive flexible strain sensors based on graphene nanoplatelets doped poly (ethylene glycol) diglycidyl ether : Mask breathing monitoring for the Internet of Things*, **358**(May), doi: 10.1016/j.sna.2023.114448.
- Peng, J., Wang, B., Cheng, H., Yang, R., Yin, Y., Xu, S. and Wang, C., 2022, *Highly sensitive and superhydrophobic fabric sensor based on AgNPs / Polypyrrole composite conductive networks for body movement monitoring*, *Composites Science and Technology*, Elsevier Ltd, **227**(May), 109561, doi: 10.1016/j.compscitech.2022.109561.
- Praveena, B.A., Lokesh, N., Buradi, A., Santhosh, N., Praveena, B.L. and Vignesh, R., 2022, *Materials Today : Proceedings A comprehensive review of emerging additive manufacturing (3D printing technology): Methods , materials , applications , challenges , trends and future potential*, *Materials Today: Proceedings*, Elsevier Ltd, **52**, 1309–1313, doi: 10.1016/j.matpr.2021.11.059.
- Qu, J., Yuan, Q., Li, Z., Wang, Z., Xu, F., Fan, Q., Zhang, M., *et al.*, 2023, *All-in-one strain-triboelectric sensors based on environment-friendly ionic hydrogel for wearable sensing and underwater soft robotic grasping*, *Nano Energy*, **111**, 108387, doi: <https://doi.org/10.1016/j.nanoen.2023.108387>.
- Sampath Kumar, T.S., 2013, *Chapter 2 - Physical and Chemical Characterization of Biomaterials*, in Bandyopadhyay, A. and Bose, S.B.T.-C. of B. (Eds.), , Academic Press, Oxford, pp. 11–47, doi: <https://doi.org/10.1016/B978-0-12-415800-9.00002-4>.
- Sharma, A., Zahid, M. and Cho, C., 2022, *Sensors and Actuators : A . Physical Ultrasensitive flexible wearable pressure / strain sensors : Parameters ,*

materials , mechanisms and applications, Sensors and Actuators: A. Physical, Elsevier B.V., **347**(October), 113934, doi: 10.1016/j.sna.2022.113934.

Shi, R., Lou, Z., Chen, S. and Shen, G., 2018, *Flexible and transparent capacitive pressure sensor with patterned microstructured composite rubber dielectric for wearable touch keyboard application*, *Science China Materials*, **61**(12), 1587–1595, doi: 10.1007/s40843-018-9267-3.

Sima, H., Liu, B., Shi, X., Zhao, Z., Liu, C. and Zhang, C., 2024, *Flexible and self-healing tannic acid-Fe₃O₄@MXene-composited dual network hydrogel multifunctional strain sensor*, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **702**, 135028, doi: <https://doi.org/10.1016/j.colsurfa.2024.135028>.

Singh, K., Sharma, S., Gupta, M. and Tripathi, C.C., 2021, *Fabrication of serpentine and I structured graphene-CNT based highly sensitive and flexible strain sensors*, *Microelectronic Engineering*, Elsevier B.V., **250**(September), 111631, doi: 10.1016/j.mee.2021.111631.

Singh, K., Sharma, S., Singh, B., Gupta, M. and Tripathi, C.C., 2022, *Fabrication of graphene , graphite and multi wall carbon nano tube based thin films and their potential application as strain sensor*, *Thin Solid Films*, Elsevier B.V., **761**(April 2021), 139540, doi: 10.1016/j.tsf.2022.139540.

Sonil, N.I., Ullah, Z., Chen, J. and Wang, G.P., 2023, *Wearable strain sensors for human motion detection and health monitoring based on hybrid graphite-textile flexible electrodes*, *Journal of Materials Research and Technology*, **26**, 764–774, doi: <https://doi.org/10.1016/j.jmrt.2023.07.185>.

Sun, H., Fang, X., Fang, Z., Zhao, L., Tian, B., Verma, P., Maeda, R., *et al.*, 2022, *An ultrasensitive and stretchable strain sensor based on a microcrack structure for motion monitoring*, *Microsystems & Nanoengineering*, **8**(1), 111, doi: 10.1038/s41378-022-00419-6.

Tang, J., Wu, Y., Ma, S., Yan, T. and Pan, Z., 2022, *Flexible strain sensor based on CNT/TPU composite nanofiber yarn for smart sports bandage*, *Composites Part B: Engineering*, Elsevier Ltd, **232**(September 2021), 109605, doi: 10.1016/j.compositesb.2021.109605.

Tang, Z., Jia, S., Wang, F., Bian, C., Chen, Y., Wang, Y. and Li, B., 2018, *Highly Stretchable Core–Sheath Fibers via Wet-Spinning for Wearable Strain Sensors*, *ACS Applied Materials & Interfaces*, American Chemical Society, **10**(7), 6624–6635, doi: 10.1021/acsami.7b18677.

Thouti, E., Chauhan, K., Prajesh, R., Farman, M., Maurya, R.K., Sharma, P. and Nagaraju, A., 2022, *Flexible capacitive pressure sensors using microdome like structured polydimethylsiloxane dielectric layers*, *Sensors and Actuators A: Physical*, **335**, 113393, doi: <https://doi.org/10.1016/j.sna.2022.113393>.

Tian, H., Shu, Y., Cui, Y.-L., Mi, W.-T., Yang, Y., Xie, D. and Ren, T.-L., 2014, *Scalable fabrication of high-performance and flexible graphene strain*

sensors, *Nanoscale*, The Royal Society of Chemistry, **6**(2), 699–705, doi:
10.1039/C3NR04521H.

Tian, Z., Qin, W., Wang, Y., Li, X., Gu, C., Chen, J., Yang, M., *et al.*, 2023a, *Colloids and Surfaces A: Physicochemical and Engineering Aspects Ultra-stable strain / humidity dual-functional flexible wearable sensor based on brush-like AgNPs @ CNTs @ TPU heterogeneous structure*, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Elsevier B.V., **670**(November 2022), 131398, doi: 10.1016/j.colsurfa.2023.131398.

Tian, Z., Qin, W., Wang, Y., Li, X., Gu, C., Chen, J., Yang, M., *et al.*, 2023b, *Ultra-stable strain/ humidity dual-functional flexible wearable sensor based on brush-like AgNPs@CNTs@TPU heterogeneous structure*, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **670**, 131398, doi: <https://doi.org/10.1016/j.colsurfa.2023.131398>.

Truby, R.L. and Lewis, J.A., 2016, *Printing soft matter in three dimensions*, *Nature*, **540**(7633), 371–378, doi: 10.1038/nature21003.

Tseng, S.-F., Tsai, H.-T., Lee, C.-C. and Kuo, C.-C., 2025, *Laser-induced nano-Ag/graphene composites for highly responsive flexible strain sensors*, *Composites Part A: Applied Science and Manufacturing*, **188**, 108586, doi: <https://doi.org/10.1016/j.compositesa.2024.108586>.

Vahdani, M., Mirjalali, S., Chowdary Karlapudi, M., Abolpour Moshizi, S., Kim, J., Huang, S., Asadnia, M., *et al.*, 2023, *Highly stretchable strain sensors based on gold thin film reinforced with carbon nanofibers*, *Smart Materials in Manufacturing*, **1**, 100016, doi: <https://doi.org/10.1016/j.smmf.2023.100016>.

De Vivo, B., Lamberti, P., Spinelli, G., Tucci, V., Vertuccio, L. and Vittoria, V., 2014, *Simulation and experimental characterization of polymer/carbon nanotubes composites for strain sensor applications*, *Journal of Applied Physics*, **116**(5), 54307, doi: 10.1063/1.4892098.

Wang, C., Zhao, J., Ma, C., Sun, J., Tian, L. and Li, X., 2017, *Nano Energy Detection of non-joint areas tiny strain and anti-interference voice recognition by micro-cracked metal thin film*, *Nano Energy*, Elsevier Ltd, **34**(March), 578–585, doi: 10.1016/j.nanoen.2017.02.050.

Wang, G., Wang, M., Zheng, M., Ebo, B., Xu, C. and Liu, Z., 2023, *Thermoplastic Polyurethane / Carbon Nanotube Composites for Stretchable Flexible Pressure Sensors*, doi: 10.1021/acsnm.3c01543.

Wang, G., Wang, M., Zheng, M., Ebo, B., Xu, C., Liu, Z. and He, L., 2023, *Thermoplastic Polyurethane/Carbon Nanotube Composites for Stretchable Flexible Pressure Sensors*, *ACS Applied Nano Materials*, American Chemical Society, **6**(11), 9865–9873, doi: 10.1021/acsnm.3c01543.

Wang, G., Wang, M., Zheng, M., Yao, S. and Ebo, B., 2022, *High-Sensitivity GNPs / PDMS Flexible Strain Sensor with a Microdome Array*, doi: 10.1021/acsaelm.2c00782.

- Wang, L., Dou, W., Chen, J., Lu, K., Zhang, F., Abdulaziz, M., Su, W., *et al.*, 2020, *A CNT-PDMS wearable device for simultaneous measurement of wrist pulse pressure and cardiac electrical activity*, *Materials Science and Engineering: C*, **117**, 111345, doi: <https://doi.org/10.1016/j.msec.2020.111345>.
- Wang, T., Guo, Y., Wan, P., Zhang, H., Chen, X. and Sun, X., 2016, *Flexible Transparent Electronic Gas Sensors*, *Small*, **12**(28), 3748–3756, doi: <https://doi.org/10.1002/sml.201601049>.
- Wang, X., Dong, L., Zhang, H., Yu, R., Pan, C. and Wang, Z.L., 2015, *Recent Progress in Electronic Skin*, *Advanced Science*, **2**(10), 1500169, doi: <https://doi.org/10.1002/advs.201500169>.
- Wang, X., Liu, Z. and Zhang, T., 2017, *Flexible Sensing Electronics for Wearable/Attachable Health Monitoring*, *Small*, **13**(25), 1602790, doi: <https://doi.org/10.1002/sml.201602790>.
- Wang, X., Zhao, X., Yu, Y., Zhai, W., Yue, X., Dai, K., Liu, C., *et al.*, 2024, *Design of flexible micro-porous fiber with double conductive network synergy for high-performance strain sensor*, *Chemical Engineering Journal*, **495**, 153641, doi: <https://doi.org/10.1016/j.cej.2024.153641>.
- Wang, Y.-F., Sekine, T., Takeda, Y., Hong, J., Yoshida, A., Matsui, H., Kumaki, D., *et al.*, 2020, *Printed Strain Sensor with High Sensitivity and Wide Working Range Using a Novel Brittle–Stretchable Conductive Network*, *ACS Applied Materials & Interfaces*, American Chemical Society, **12**(31), 35282–35290, doi: 10.1021/acsami.0c09590.
- Wang, Y., Cui, X., Lu, S., Liu, X., Li, W., Wang, X., Zhang, L., *et al.*, 2025, *Highly stable two-dimensional MXene/CNT/CuNPs sensor for impact damage monitoring of composite materials*, *Measurement*, **253**, 117884, doi: <https://doi.org/10.1016/j.measurement.2025.117884>.
- Wang, Y., Liu, S., Lu, S., Wang, X., Zhang, L., Li, N. and Moliar, O., 2025, *Composites structural health monitoring and de-icing based on multifunctional flexible MXene/CNT/CuNPs nanosensor-skin*, *Sensors and Actuators A: Physical*, **383**, 116184, doi: <https://doi.org/10.1016/j.sna.2024.116184>.
- Wang, Z., Zhang, X., Wang, F., Lan, X. and Zhou, Y., 2016, *Effects of aging on the structural, mechanical, and thermal properties of the silicone rubber current transformer insulation bushing for a 500 kV substation*, *SpringerPlus*, **5**(1), 790, doi: 10.1186/s40064-016-2549-y.
- Webber, R.E., Creton, C., Brown, H.R. and Gong, J.P., 2007, *Large Strain Hysteresis and Mullins Effect of Tough Double-Network Hydrogels*, *Macromolecules*, American Chemical Society, **40**(8), 2919–2927, doi: 10.1021/ma062924y.
- Wen, Y., Zeng, L.Y., Wang, X.C., Chen, H.M., Li, X.C., Ni, H.L., Yu, W.H., *et al.*, 2025, *Conductive hydrogel based on dual-network structure with high*

toughness, adhesion, self-healing and anti-freezing for flexible strain sensor, *Next Materials*, **6**, 100436, doi:
<https://doi.org/10.1016/j.nxmte.2024.100436>.

Wu, Z., Deng, X., Yu, X., Gu, J., El-Bahy, Z.M., Mersal, G.A.M., Zhang, J., *et al.*, 2024, *Electrospun thermoplastic polyurethane membrane decorated with carbon nanotubes: A platform of flexible strain sensors for human motion monitoring*, *Polymer*, **303**, 127120, doi:
<https://doi.org/10.1016/j.polymer.2024.127120>.

Xia, Y., Zhang, Q., Wu, X.E., Kirk, T. V. and Chen, X.D., 2019, *Practical and durable flexible strain sensors based on conductive carbon black and silicone blends for large scale motion monitoring applications*, *Sensors (Switzerland)*, **19**(20), 23–25, doi: 10.3390/s19204553.

Xiang, D., Zhang, X., Harkin-jones, E., Zhu, W. and Zhou, Z., 2020, *Synergistic effects of hybrid conductive nano fillers on the performance of 3D printed highly elastic strain sensors*, *Composites Part A*, Elsevier, **129**(December 2019), 105730, doi: 10.1016/j.compositesa.2019.105730.

Xiang, D., Zhang, X., Li, Y., Harkin-jones, E., Zheng, Y., Wang, L., Zhao, C., *et al.*, 2019, *Enhanced performance of 3D printed highly elastic strain sensors of carbon nanotube / thermoplastic polyurethane nanocomposites via non-covalent interactions*, *Composites Part B*, Elsevier Ltd, **176**(August), 107250, doi: 10.1016/j.compositesb.2019.107250.

Xiang, D., Zhang, X., Liu, Z., Liu, L., Wang, P., Zhao, C., Li, H., *et al.*, 2024, *Preparation and performance of biaxially stretched CNT-SBS/POE flexible strain sensor with a double percolation structure*, *Sensors and Actuators A: Physical*, **371**, 115340, doi: <https://doi.org/10.1016/j.sna.2024.115340>.

Xie, M., Li, S., Qi, X., Chi, Z., Shen, L., Islam, Z. and Dong, Y., 2022, *Thermal and infrared light self-repairing, high sensitivity, and large strain sensing range shape memory MXene/CNTs/EVA composites fiber strain sensor for human motion monitoring*, *Sensors and Actuators A: Physical*, Elsevier B.V., **347**(March), 113939, doi: 10.1016/j.sna.2022.113939.

Xie, X., Huang, H., Zhu, J., Yu, J., Wang, Y. and Hu, Z., 2020, *A spirally layered carbon nanotube-graphene / polyurethane composite yarn for highly sensitive and stretchable strain sensor*, *Composites Part A*, Elsevier, **135**(May), 105932, doi: 10.1016/j.compositesa.2020.105932.

Xu, J., Wang, H., Ma, T., Wu, Y., Xue, R., Cui, H., Wu, X., *et al.*, 2020, *A graphite nanoplatelet-based highly sensitive flexible strain sensor*, *Carbon*, Elsevier Ltd, **166**, 316–327, doi: 10.1016/j.carbon.2020.05.042.

Yan, T., Wang, Z. and Pan, Z., 2018, *Current Opinion in Solid State & Materials Science Flexible strain sensors fabricated using carbon-based nanomaterials : A review*, *Current Opinion in Solid State & Materials Science*, Elsevier, **22**(6), 213–228, doi: 10.1016/j.cossms.2018.11.001.

Yan, W., Tian, X., Zhang, D., Zhou, Y. and Wang, Q., 2023, *3D Printing of*

Stretchable Strain Sensor Based on Continuous Fiber Reinforced Auxetic Structure, Chinese Journal of Mechanical Engineering: Additive Manufacturing Frontiers, **2**(2), 100073, doi:
<https://doi.org/10.1016/j.cjmeam.2023.100073>.

Yang, C., Huang, W., Lin, Y., Cao, S., Wang, H., Sun, Y., Fang, T., *et al.*, 2024, *Stretchable MXene/Carbon Nanotube Bilayer Strain Sensors with Tunable Sensitivity and Working Ranges, ACS Applied Materials & Interfaces*, American Chemical Society, **16**(23), 30274–30283, doi:
[10.1021/acsami.4c04770](https://doi.org/10.1021/acsami.4c04770).

Yang, P., Liu, Z., Zou, L., Li, R., Zhou, Z. and Deng, W., 2023, *Diamond & Related Materials Optimal design and fabrication of stable ordered porous conductive structure for flexible strain sensors with high sensitivity and linearity, Diamond & Related Materials*, Elsevier B.V., **136**(April), 109990, doi: [10.1016/j.diamond.2023.109990](https://doi.org/10.1016/j.diamond.2023.109990).

Yang, Y., Pan, H., Xie, G., Jiang, Y., Chen, C., Su, Y., Wang, Y., *et al.*, 2020, *Flexible piezoelectric pressure sensor based on polydopamine-modified BaTiO₃/PVDF composite film for human motion monitoring, Sensors and Actuators A: Physical*, **301**, 111789, doi:
<https://doi.org/10.1016/j.sna.2019.111789>.

Yang, Z., Wang, D.-Y., Pang, Y., Li, Y.-X., Wang, Q., Zhang, T.-Y., Wang, J.-B., *et al.*, 2018, *Simultaneously Detecting Subtle and Intensive Human Motions Based on a Silver Nanoparticles Bridged Graphene Strain Sensor, ACS Applied Materials & Interfaces*, American Chemical Society, **10**(4), 3948–3954, doi: [10.1021/acsami.7b16284](https://doi.org/10.1021/acsami.7b16284).

Yi, H., Wang, S., Mei, S. and Li, Z., 2024, *Conductive polymer composites for resistive flexible strain sensors, Polymer*, **307**, 127286, doi:
<https://doi.org/10.1016/j.polymer.2024.127286>.

Yin, Y., Guo, C., Li, W., Liu, H. and Mu, Q., 2024, *A super-elastic wearable strain sensor based on PU/CNTs yarns for human-motion detection, Composites Communications*, 102017, doi:
<https://doi.org/10.1016/j.coco.2024.102017>.

Yu, M., Gao, Y., Hong, H., Wang, T. and Peng, Z., 2025, *A versatile, highly stretchable, and anti-freezing alginate/polyacrylamide/polyaniline multi-network hydrogel for flexible strain sensors and supercapacitors, International Journal of Biological Macromolecules*, **288**, 138740, doi:
<https://doi.org/10.1016/j.ijbiomac.2024.138740>.

Yu, T., Chen, R., Chang, G., Xu, B., Ye, F., Xu, Y., Liu, X., *et al.*, 2024, *Development of a flexible strain sensor for monitoring human activities based on 3D MXene microspheres and 1D CNTs, Materials Letters*, **377**, 137460, doi: <https://doi.org/10.1016/j.matlet.2024.137460>.

Yu, T., Lü, X. and Bao, W., 2023, *High electrical self-healing flexible strain sensor based on MWCNT- polydimethylsiloxane elastomer with high gauge factor and wide measurement range, Composites Science and Technology*,

238, 110049, doi: <https://doi.org/10.1016/j.compscitech.2023.110049>.

Yu, T., Lü, X., Xue, C. and Bao, W., 2024, *Biomimetic three-dimensional microchannel non-destructive self-healing flexible strain sensor based on liquid metal-polydimethylsiloxane elastomer*, *Chemical Engineering Journal*, **497**, 154526, doi: <https://doi.org/10.1016/j.cej.2024.154526>.

Yue, X., Yang, J., Gao, J., Xu, X., Jing, Y., Wang, X., Li, W., *et al.*, 2022, *Wearable hydroxylated MWCNTs/ecoflex composite strain sensor with high comprehensive performance based on electron irradiation*, *Composites Science and Technology*, **226**, 109537, doi: <https://doi.org/10.1016/j.compscitech.2022.109537>.

Zhan, P., Jia, Y., Zhai, W., Zheng, G., Dai, K., Liu, C. and Shen, C., 2023, *A fibrous flexible strain sensor with Ag nanoparticles and carbon nanotubes for synergetic high sensitivity and large response range*, *Composites Part A*, Elsevier Ltd, **167**(January), 107431, doi: [10.1016/j.compositesa.2023.107431](https://doi.org/10.1016/j.compositesa.2023.107431).

Zhang, J., Wang, M., Yang, Z. and Zhang, X., 2021, *Highly flexible and stretchable strain sensors based on conductive whisker carbon nanotube films*, *Carbon*, Elsevier Ltd, **176**, 139–147, doi: [10.1016/j.carbon.2021.01.130](https://doi.org/10.1016/j.carbon.2021.01.130).

Zhang, R., Li, S., Ying, C., Hu, Z., Lv, A., Hu, H., Fu, X., *et al.*, 2020, *Bioinspired design of flexible strain sensor with high performance based on gradient filler distributions*, *Composites Science and Technology*, **200**, 108319, doi: <https://doi.org/10.1016/j.compscitech.2020.108319>.

Zhang, X., Li, Z., Liu, C., Shan, J., Guo, X., Zhao, X., Ding, J., *et al.*, 2024, *High-performance fingerprint bionic Ecoflex@AgNW/graphite/Pt hybrid strain sensor*, *Journal of Materiomics*, **10**(1), 7–16, doi: <https://doi.org/10.1016/j.jmat.2023.03.010>.

Zhang, X., Xiang, D., Wu, Y., Harkin-Jones, E., Shen, J., Ye, Y., Tan, W., *et al.*, 2021, *High-performance flexible strain sensors based on biaxially stretched conductive polymer composites with carbon nanotubes immobilized on reduced graphene oxide*, *Composites Part A: Applied Science and Manufacturing*, **151**, 106665, doi: <https://doi.org/10.1016/j.compositesa.2021.106665>.

Zhang, X., Xiang, D., Zhu, W., Zheng, Y., Harkin-Jones, E., Wang, P., Zhao, C., *et al.*, 2020, *Flexible and high-performance piezoresistive strain sensors based on carbon nanoparticles@polyurethane sponges*, *Composites Science and Technology*, **200**, 108437, doi: <https://doi.org/10.1016/j.compscitech.2020.108437>.

Zhang, X.M., 2022, *Fabrication of silver plated copper powders to apply in flexible conductive films for strain sensor*, *Journal of Materials Science: Materials in Electronics*, Springer US, **33**(10), 8096–8103, doi: [10.1007/s10854-022-07959-7](https://doi.org/10.1007/s10854-022-07959-7).

Zhao, C., Xia, Z., Wang, X., Nie, J., Huang, P. and Zhao, S., 2020a, *3D-printed*

highly stable flexible strain sensor based on silver-coated-glass fiber-filled conductive silicon rubber, *Materials & Design*, The Authors, **193**, 108788, doi: 10.1016/j.matdes.2020.108788.

Zhao, C., Xia, Z., Wang, X., Nie, J., Huang, P. and Zhao, S., 2020b, *3D-printed highly stable flexible strain sensor based on silver-coated-glass fiber-filled conductive silicon rubber*, *Materials & Design*, **193**, 108788, doi: <https://doi.org/10.1016/j.matdes.2020.108788>.

Zhao, J., Dai, K., Liu, C., Zheng, G., Wang, B., Liu, C., Chen, J., *et al.*, 2013, *A comparison between strain sensing behaviors of carbon black/polypropylene and carbon nanotubes/polypropylene electrically conductive composites*, *Composites Part A: Applied Science and Manufacturing*, **48**, 129–136, doi: <https://doi.org/10.1016/j.compositesa.2013.01.004>.

Zhao, S.-Q., Zheng, P.-X., Cong, H.-L. and Wan, A.-L., 2021a, *Facile fabrication of flexible strain sensors with AgNPs-decorated CNTs based on nylon/PU fabrics through polydopamine templates*, *Applied Surface Science*, **558**, 149931, doi: <https://doi.org/10.1016/j.apsusc.2021.149931>.

Zhao, S., Zheng, P., Cong, H. and Wan, A., 2021b, *Applied Surface Science Facile fabrication of flexible strain sensors with AgNPs-decorated CNTs based on nylon / PU fabrics through polydopamine templates*, *Applied Surface Science*, Elsevier B.V., **558**(December 2020), 149931, doi: 10.1016/j.apsusc.2021.149931.

Zhao, W., Natsuki, J., Dinh Trung, V., Li, H., Tan, J., Yang, W. and Natsuki, T., 2024, *AgNPs/CNTs modified nonwoven fabric for PET-based flexible interdigitated electrodes in pressure sensor applications*, *Chemical Engineering Journal*, **499**, 156252, doi: <https://doi.org/10.1016/j.cej.2024.156252>.

Zhao, X., Li, J., Jiang, M., Zhai, W., Dai, K., Liu, C. and Shen, C., 2024, *Flexible strain sensor based on CNTs/CB/TPU conductive fibrous film with wide sensing range and high sensitivity for human biological signal acquisition*, *Polymer*, **302**, 127049, doi: <https://doi.org/10.1016/j.polymer.2024.127049>.

Zhao, Y., Yang, Y., Wan, B., Ding, T. and Sha, X., 2024, *Improvement of shoulder peak effect in graphene/silicone rubber strain sensors by nanosilica*, *Case Studies in Construction Materials*, **21**, e03551, doi: <https://doi.org/10.1016/j.cscm.2024.e03551>.

Zheng, L., Liu, D., Dai, J., Hao, Z., Wu, W. and Yin, X., 2024, *Flexible antibacterial strain sensor with low electrical hysteresis, ultralow detection limit, and wide linear sensing range for human motion monitoring and human-machine interaction*, *Chemical Engineering Journal*, **500**, 157289, doi: <https://doi.org/10.1016/j.cej.2024.157289>.

Zheng, Q., Lee, J., Shen, X., Chen, X. and Kim, J.-K., 2020, *Graphene-based wearable piezoresistive physical sensors*, *Materials Today*, **36**, 158–179, doi: <https://doi.org/10.1016/j.mattod.2019.12.004>.



Zheng, Y., Li, Y., Wang, L., Xu, H. and Han, W., 2024, *A wearable strain sensor based on self-healable MXene/PVA hydrogel for bodily motion detection*, *Microelectronic Engineering*, **291**, 112197, doi: <https://doi.org/10.1016/j.mee.2024.112197>.

Zhu, W., Wang, S., Lu, Y., Yang, W., Ge, S., Lou, Z., He, S., *et al.*, 2024, *High-toughness multifunctional conductive hydrogel fibers via microfluidic spinning for flexible strain sensor*, *Industrial Crops and Products*, **222**, 119598, doi: <https://doi.org/10.1016/j.indcrop.2024.119598>.

Zhu, Y., Cai, H., Ding, H., Pan, N. and Wang, X., 2019, *Fabrication of Low-Cost and Highly Sensitive Graphene-Based Pressure Sensors by Direct Laser Scribing Polydimethylsiloxane*, *ACS Applied Materials & Interfaces*, American Chemical Society, **11**(6), 6195–6200, doi: [10.1021/acsami.8b17085](https://doi.org/10.1021/acsami.8b17085).