

DAFTAR PUSTAKA

- Adesina.2012. Effect of Breed on the Composition of Cow Milk under Traditional Management Practices in Ado-Ekiti, Nigeria. *J. Appl. Sci. Environ. Manage*, 16(1), 55–59. www.bioline.org.br/ja
- Aditya, S., Bahutala, M. B., Hibatullah, D. N., Pourazad, P., Wahyono, T., Kumar, M., Penagos-Tabares, F., & Wulansari, N.2023. Evaluation of milk yield and composition, feed intake, chewing activities, and clinical variables in dairy cows under hot-humid climate of tropical zone. *Journal of Thermal Biology*, 114(8), 103608. <https://doi.org/10.1016/j.jtherbio.2023.103608>
- Ahmad, I., & Nguyen, L. T.2017. Water-Glass Transition Temperature Profile During Spray Drying of Sugar-Rich Foods. *Glass Transition and Phase Transitions in Food and Biological Materials*, 239–249. <https://doi.org/10.1002/9781118935682.ch10>
- Akhavan Mahdavi, S., Jafari, S. M., Assadpoor, E., & Dehnad, D.2016. Microencapsulation optimization of natural anthocyanins with maltodextrin, gum Arabic and gelatin. *International Journal of Biological Macromolecules*, 85, 379–385. <https://doi.org/10.1016/j.ijbiomac.2016.01.011>
- Al-Zoubi, N., Gharaibeh, S., Aljaberi, A., & Nikolakakis, I.2021. Spray drying for direct compression of pharmaceuticals. *Processes*, 9(2), 1–25. <https://doi.org/10.3390/pr9020267>
- Amundson H., C., Ishino, K., & Lindsay, R. C.1980. Retention of Free Fatty Acids During Spray Drying of Cheddar Cheese. *Journal of Food Process Engineering*, 4(4), 213–225. <https://doi.org/10.1111/j.1745-4530.1980.tb00633.x>
- An, Haoyi & Zheng, H.2024. No TitleInvestigation of correlations between powder functionalities and powder surface properties for milk protein ingredients. *Journal of Dairy Science*, 108.
- Anam, C., Amiroh, A., Qibtiyah, M., Karina, A. G., Masahid, A. D., & Witono, Y.2023. Formulasi nugget ikan curah berdasarkan karakteristik organoleptik dan fisik. *Agrointek: Jurnal Teknologi Industri Pertanian*, 17(3), 537–548. <https://doi.org/10.21107/agrointek.v17i3.15817>
- Anandharamakrishnan, C., Rielly, C. D., & Stapley, A. G. F.2007. Effects of process variables on the denaturation of whey proteins during spray drying. *Drying Technology*, 25(5), 799–807. <https://doi.org/10.1080/07373930701370175>
- AOAC.1990. *Official Methods of Analysis* (Vol. 1, Issue Volume 1). <https://doi.org/10.1201/9781003354116-6>
- AOAC.1995. *Methods of Analysis of AOAC INTERNATIONAL*.
- AOAC.2005. Official Methods of Analysis of AOAC INTERNATIONAL. In *Aoac* (Issue February).
- Arslan-Tontul, S., Erbas, M., & Gorgulu, A.2019. The Use of Probiotic-Loaded Single- and Double-Layered Microcapsules in Cake Production. *Probiotics and Antimicrobial Proteins*, 11(3), 840–849. <https://doi.org/10.1007/s12602-018-9467-y>
- Atalar, I., & Dervisoglu, M.2015. Optimization of spray drying process parameters for kefir powder using response surface methodology. *Lwt*, 60(2), 751–757. <https://doi.org/10.1016/j.lwt.2014.10.023>

- Barbosa, J., Brandão, T. R. S., & Teixeira, P.2017. Spray drying conditions for orange juice incorporated with lactic acid bacteria. *International Journal of Food Science and Technology*, 52(9), 1951–1958. <https://doi.org/10.1111/ijfs.13472>
- Bellinghausen, R.2019. Spray drying from yesterday to tomorrow: An industrial perspective. *Drying Technology*, 37(5), 612–622. <https://doi.org/10.1080/07373937.2018.1517778>
- Birchal, V. S., Huang, L., Mujumdar, A. S., & Passos, M. L.2006. Spray dryers: Modeling and simulation. *Drying Technology*, 24(3), 359–371. <https://doi.org/10.1080/07373930600564431>
- Boke, H., Aslim, B., & Alp, G.2010. The role of resistance to bile salts and acid tolerance of exopolysaccharides (EPSs) produced by yogurt starter bacteria. *Archives of Biological Sciences*, 62(2), 323–328. <https://doi.org/10.2298/ABS1002323B>
- Chen, X. D., & Patel, K. C.2007. Micro-organism inactivation during drying of small droplets or thin-layer slabs - A critical review of existing kinetics models and an appraisal of the drying rate dependent model. *Journal of Food Engineering*, 82(1), 1–10. <https://doi.org/10.1016/j.jfoodeng.2006.12.013>
- Chever, S., Méjean, S., Dolivet, A., Mei, F., Den Boer, C. M., Le Barzic, G., Jeantet, R., & Schuck, P.2017. Agglomeration during spray drying: Physical and rehydration properties of whole milk/sugar mixture powders. *Lwt*, 83, 33–41. <https://doi.org/10.1016/j.lwt.2017.05.002>
- Chinnaswamy, A. P. I. S.2015. *Spray Drying Techniques for Food Ingredient Encapsulation*.
- Codex Alimentarius Commission.2018. Codex Alimentarius, International Food Standards: Standard For Fermented Milks. *FAO/WHO Food Standards*, 372(2), 2499–2508.
- Costa, A., Bovenhuis, H., & Penasa, M.2020. Changes in milk lactose content as indicators for longevity and udder health in Holstein cows. *Journal of Dairy Science*, 103(12), 11574–11584. <https://doi.org/10.3168/jds.2020-18615>
- Dantas, D., Pasquali, M. A., Cavalcanti-Mata, M., Duarte, M. E., & Lisboa, H. M.2018. Influence of spray drying conditions on the properties of avocado powder drink. *Food Chemistry*, 266, 284–291. <https://doi.org/10.1016/j.foodchem.2018.06.016>
- de Almeida, K. V., Zanetti, V. C., Camelo-Silva, C., Alexandre, L. A., da Silva, A. C., Verruck, S., & Teixeira, L. J. Q.2024. Powdered water kefir: Effect of spray drying and lyophilization on physical, physicochemical, and microbiological properties. *Food Chemistry Advances*, 5(February). <https://doi.org/10.1016/j.focha.2024.100759>
- De Garmo, E. P., Sullivan, W. G., & Cnada, C. P.1994. *Engineering Economics* (Seventh Ed). Mac Millan Publishing Company.
- de Oliveira, A. H., Mata, M. E. R. M. C., Fortes, M., Duarte, M. E. M., Pasquali, M., & Lisboa, H. M.2021. Influence of spray drying conditions on the properties of whole goat milk. *Drying Technology*, 39(6), 726–737. <https://doi.org/10.1080/07373937.2020.1714647>
- Ding Fan, Stoyanova, L. G., & Netrusov, A. I.2022. Microbiome and Metabiotic Properties of Kefir Grains and Kefirs Based on Them. *Microbiology (Russian Federation)*, 91(4), 339–355. <https://doi.org/10.1134/S0026261722100885>

- Diosma, G., Romanin, D. E., Rey-Burusco, M. F., Londero, A., & Garrote, G. L.2014. Yeasts from kefir grains: Isolation, identification, and probiotic characterization. *World Journal of Microbiology and Biotechnology*, 30(1), 43–53. <https://doi.org/10.1007/s11274-013-1419-9>
- Fardiaz.1993. *Analisis mikrobiologi pangan*. PT Raja Grafindo.
- Farnworth, E. R.2005. Kefir? a complex probiotic. *Food Science Technology Bulletin: Functional Foods*, 2(1), 1–17. <https://doi.org/10.1616/1476-2137.13938>
- Felfoul, I., Burgain, J., Perroud, C., Gaiani, C., Scher, J., Attia, H., & Petit, J.2022. Impact of spray-drying conditions on physicochemical properties and rehydration ability of skim dromedary and cow's milk powders. *Drying Technology*, 40(3), 665–677. <https://doi.org/10.1080/07373937.2020.1828448>
- Foerst, P., Kulozik, U., Schmitt, M., Bauer, S., & Santivarangkna, C.2012. Storage stability of vacuum-dried probiotic bacterium *Lactobacillus paracasei* F19. *Food and Bioproducts Processing*, 90(2), 295–300. <https://doi.org/10.1016/j.fbp.2011.06.004>
- Foerster, M., Gengenbach, T., Woo, M. W., & Selomulya, C.2016. The influence of the chemical surface composition on the drying process of milk droplets. *Advanced Powder Technology*, 27(6), 2324–2334. <https://doi.org/10.1016/j.appt.2016.07.004>
- González-Orozco, B. D., García-Cano, I., Jiménez-Flores, R., & Álvarez, V. B.2022. Invited review: Milk kefir microbiota—Direct and indirect antimicrobial effects. *Journal of Dairy Science*, 105(5), 3703–3715. <https://doi.org/10.3168/jds.2021-21382>
- Habtegebriel, H., Wawire, M., & Sila, D.2018. The Effect of Pretreatment (Spray Drying) on the Yield and Selected Nutritional Components of Whole Camel Milk Powder. *Journal of Food Science*, 83(12), 2983–2991. <https://doi.org/10.1111/1750-3841.14361>
- Hadiwiyoto.1994. *Pengujian Mutu Susu Dan Hasil Olahannya*.
- Hariono, B., Erawantini, F., Budiprasojo, A., & Puspitasari, T. D.2021. Perbedaan nilai gizi susu sapi setelah pasteurisasi non termal dengan HPEF (High Pulsed Electric Field). *Action: Aceh Nutrition Journal*, 6(2), 207. <https://doi.org/10.30867/action.v6i2.531>
- Huang, S., Vignolles, M. L., Chen, X. D., Le Loir, Y., Jan, G., Schuck, P., & Jeantet, R.2017. Spray drying of probiotics and other food-grade bacteria: A review. *Trends in Food Science and Technology*, 63, 1–17. <https://doi.org/10.1016/j.tifs.2017.02.007>
- Hunter Associates Laboratory, I.1996. Colour Hunter CIE L* a* b* Color Scale. *Volumen 8*, 8(7), 1–4. <http://www.hunterlab.com>
- Ismawati, N.2016. Nilai Ph, Total Padatan Terlarut, Dan Sifat Sensoris Yoghurt Dengan Penambahan Ekstrak Bit (Beta Vulgaris L.). *Jurnal Aplikasi Teknologi Pangan*, 5(3), 89–93. <https://doi.org/10.17728/jatp.181>
- Ji, J., Fitzpatrick, J., Cronin, K., Maguire, P., Zhang, H., & Miao, S.2016. Rehydration behaviours of high protein dairy powders: The influence of agglomeration on wettability, dispersibility and solubility. *Food Hydrocolloids*, 58, 194–203. <https://doi.org/10.1016/j.foodhyd.2016.02.030>
- Julianto, B., Rossi, E., & Yusmarini.2016. Chemical and Microbiology Characteristics of Kefir. *Jom Faperta*, 3(1), 1–9.

- Kamidi, R. E.2005. A parametric measure of lactation persistency in dairy cattle. *Livestock Production Science*, 96(2–3), 141–148. <https://doi.org/10.1016/j.livprodsci.2004.11.042>
- Kesenkaş, H., Gürsoy, O., & Özbaş, H.2017. Kefir. In *Fermented Foods in Health and Disease Prevention* (pp. 339–361). <https://doi.org/10.1016/B978-0-12-802309-9.00014-5>
- Khalilian Movahhed, M., & Mohebbi, M.2016. Spray Drying and Process Optimization of Carrot-Celery Juice. *Journal of Food Processing and Preservation*, 40(2), 212–225. <https://doi.org/10.1111/jfpp.12598>
- Kilcast, D.2011. Sensory evaluation methods for food shelf life assessment. In *Food and Beverage Stability and Shelf Life*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857092540.2.350>
- Kurniawati, M., Nurliyani, N., Budhijanto, W., & Widodo, W.2022. Isolation and Identification of Lactose-Degrading Yeasts and Characterisation of Their Fermentation-Related Ability to Produce Ethanol. *Fermentation*, 8(4). <https://doi.org/10.3390/fermentation8040183>
- Li, H., Zhao, T., Li, H., & Yu, J.2021. Effect of Heat Treatment on the Property, Structure, and Aggregation of Skim Milk Proteins. *Frontiers in Nutrition*, 8(September), 1–8. <https://doi.org/10.3389/fnut.2021.714869>
- Li, K., & Pan, B., Ma, L., Miao, S., and Ji, J.2020. *Protein Spray-Dried Powder Microcapsules and*.
- Liu, L., Hedegaard, R. V., & Skibsted, L. H.2013. Formation of advanced glycation end products (AGEs) are influenced by lipids in milk powders. *Australian Journal of Chemistry*, 66(9), 1074–1079. <https://doi.org/10.1071/CH13081>
- Liu, Y., Zhang, W., Han, B., Zhang, L., & Zhou, P.2020. Changes in bioactive milk serum proteins during milk powder processing. *Food Chemistry*, 314(January), 126177. <https://doi.org/10.1016/j.foodchem.2020.126177>
- Magalhães, K. T., Dragone, G., De Melo Pereira, G. V., Oliveira, J. M., Domingues, L., Teixeira, J. A., E Silva, J. B. A., & Schwan, R. F.2011. Comparative study of the biochemical changes and volatile compound formations during the production of novel whey-based kefir beverages and traditional milk kefir. *Food Chemistry*, 126(1), 249–253. <https://doi.org/10.1016/j.foodchem.2010.11.012>
- Markovic, I., Ilic, J., Markovic, D., Simonovic, V., & Kosanic, N.2013. Color Measurement of Food Products using CIE L * a * b * and RGB Color Space. *Journal of Hygienic Engineering and Design*, 4, 50–53.
- Marshall, V. M., Cole, W. M., & Brooker, B. E.1984. Observations on the structure of kefir grains and the distribution of the microflora. *Journal of Applied Bacteriology*, 57(3), 491–497. <https://doi.org/10.1111/j.1365-2672.1984.tb01415.x>
- Martini, M. C., Lerebours, E. C., Lin, W. J., Harlander, S. K., Berrada, N. M., Antoine, J. M., & Savaiano, D. A.1991. Strains and species of lactic acid bacteria in fermented milks (yogurts): Effect on in vivo lactose digestion. *American Journal of Clinical Nutrition*, 54(6), 1041–1046. <https://doi.org/10.1093/ajcn/54.6.1041>
- Masyhura, M., Faudi, M., & Surnaherman, S.2021. APLIKASI MALTODEKSTRIN PADA PEMBUATAN YOGURT BUBUK BIJI NANGKA (*Arthocarpus lineus*). *Jurnal Teknologi Pertanian Andalas*, 25(1), 73. <https://doi.org/10.25077/jtpa.25.1.73-80.2021>

- Maury, M., Murphy, K., Kumar, S., Shi, L., & Lee, G.2005. Effects of process variables on the powder yield of spray-dried trehalose on a laboratory spray-dryer. *European Journal of Pharmaceutics and Biopharmaceutics*, 59(3), 565–573. <https://doi.org/10.1016/j.ejpb.2004.10.002>
- Medina-Meza, I. G., & Barnaba, C.2013. Kinetics of Cholesterol Oxidation in Model Systems and Foods: Current Status. *Food Engineering Reviews*, 5(3), 171–184. <https://doi.org/10.1007/s12393-013-9069-0>
- Moghbeli, S., Jafari, S. M., Maghsoudlou, Y., & Dehnad, D.2019. Influence of pectin-whey protein complexes and surfactant on the yield and microstructural properties of date powder produced by spray drying. *Journal of Food Engineering*, 242, 124–132. <https://doi.org/10.1016/j.jfoodeng.2018.08.025>
- Muntu, C. M., & Tenderan, I. P.2022. Pengaruh Laju Alir pada Proses Spray Drying terhadap Karakteristik Fisiko Kimia Mikrosfer Glibenklamid menggunakan Polimer Kitosan dan Penyambung Silang Natrium Tripolifosfat. *MPI (Media Pharmaceutica Indonesiana)*, 4(1), 13–22. <https://doi.org/10.24123/mpi.v4i1.5045>
- National Standardization Agency of Indonesia.2018. *SNI 7552: 2018 Fermented Milk Drink*.
- Ningsih, D. R., Bintoro, V. P., & Nurwantoro, N.2018. Analisis Total Padatan Terlarut, Kadar Alkohol, Nilai pH dan Total Asam pada Kefir Optima dengan Penambahan High Fructose Syrup (HFS). *Jurnal Teknologi Pangan*, 2(2), 84–89. <https://doi.org/10.14710/jtp.2018.20602>
- Nurhasanah, N., Sadewi, S. M., & R. Supriyanto, dan A. L.2019. No Title Analisis kadar protein, lemak, dan total asam laktat dari fermentasi kefir berbahan baku kolostrum sapi. In *Analit: Analytical And Environmental Chemistry* (pp. 4(2): 30–41).
- Prado, M. R., Blandón, L. M., Vandenbergh, L. P. S., Rodrigues, C., Castro, G. R., Thomaz-Soccol, V., & Soccol, C. R.2015. Milk kefir: Composition, microbial cultures, biological activities, and related products. *Frontiers in Microbiology*, 6(OCT), 1–10. <https://doi.org/10.3389/fmicb.2015.01177>
- Prayoga, I. P. A., Ramona, Y., & Suaskara, I. B. M.2021. Bakteri Asam Laktat Bermanfaat Dalam Kefir Dan Perannya Dalam Meningkatkan Kesehatan Saluran Pencernaan. *Simbiosis*, 9(2), 115. <https://doi.org/10.24843/jsimbiosis.2021.v09.i02.p06>
- Putri, E.2016. Kualitas Protein Susu Sapi Segar Berdasarkan Waktu Penyimpanan. *Chempublish Journal*, 1(2), 14–20.
- Ribeiro, D. C. S. Z., Neto, H. A., Lima, J. S., de Assis, D. C. S., Keller, K. M., Campos, S. V. A., Oliveira, D. A., & Fonseca, L. M.2023. Determination of the lactose content in low-lactose milk using Fourier-transform infrared spectroscopy (FTIR) and convolutional neural network. *Heliyon*, 9(1). <https://doi.org/10.1016/j.heliyon.2023.e12898>
- Rizqiati, H., Nurwantoro, N., Febrisiantosa, A., Shauma, C. A., & Khasanah, R.2020. Pengaruh Isolat Protein Kedelai Terhadap Karakteristik Fisik Dan Kimia Kefir Bubuk. *Jurnal Pangan Dan Agroindustri*, 8(3), 111–121. <https://doi.org/10.21776/ub.jpa.2020.008.03.1>
- Rosa, D. D., Dias, M. M. S., Grzeškowiak, Ł. M., Reis, S. A., Conceição, L. L., & Peluzio, M. D. C. G.2017. Milk kefir: Nutritional, microbiological and health benefits. *Nutrition Research Reviews*, 30(1), 82–96. <https://doi.org/10.1017/S0954422416000275>

- Sadat, A., Ezzatpanah, H., & Bakhoda, H.2017. Solubility and structure of milk powders manufactured with the addition of disodium phosphate and tetrasodium pyrophosphate mixtures. *International Journal of Food Properties*, 20(11), 2645–2657. <https://doi.org/10.1080/10942912.2016.1247272>
- Santillana Farakos, S. M., Frank, J. F., & Schaffner, D. W.2013. Modeling the influence of temperature, water activity and water mobility on the persistence of Salmonella in low-moisture foods. *International Journal of Food Microbiology*, 166(2), 280–293. <https://doi.org/10.1016/j.ijfoodmicro.2013.07.007>
- Santos, D., Colette Mauricio, A., Sencadas, V., Domingos Santos, J., Hernandez, M. H., & Gomes, P. S.2018. Spray Drying: An Overview cap 2. *Spray Drying: An Overview*, 29.
- Schroeder, G. F., Gagliostro, G. A., Bargo, F., Delahoy, J. E., & Muller, L. D.2004. Effects of fat supplementation on milk production and composition by dairy cows on pasture: A review. *Livestock Production Science*, 86(1–3), 1–18. [https://doi.org/10.1016/S0301-6226\(03\)00118-0](https://doi.org/10.1016/S0301-6226(03)00118-0)
- Schuck, P., Dolivet, A., & Jeantet, R.2012. Analytical Methods for Food and Dairy Powders. In *Analytical Methods for Food and Dairy Powders*. <https://doi.org/10.1002/9781118307397>
- Seville, P. C., Learoyd, T. P., Li, H. Y., Williamson, I. J., & Birchall, J. C.2007. Amino acid-modified spray-dried powders with enhanced aerosolisation properties for pulmonary drug delivery. *Powder Technology*, 178(1), 40–50. <https://doi.org/10.1016/j.powtec.2007.03.046>
- Siemons, I., Politiek, R. G. A., Boom, R. M., van der Sman, R. G. M., & Schutyser, M. A. I.2020. Dextrose equivalence of maltodextrins determines particle morphology development during single sessile droplet drying. *Food Research International*, 131(January), 108988. <https://doi.org/10.1016/j.foodres.2020.108988>
- Sontakke, M. S., & Salve, S. P.2012. Solar Drying Technologies: A review. *Renewable and Sustainable Energy Reviews*, 16(5), 2652–2670. <http://www.sciencedirect.com/science/article/pii/S1364032112000081>
- Teshome, A.2024. *Factors Affecting Milk Production and Milk Chemical Compositions of dairy cows . Review. March*, 1–6.
- Thomsen, M. K., Lauridsen, L., Skibsted, L. H., & Risbo, J.2005. Two types of radicals in whole milk powder. Effect of lactose crystallization, lipid oxidation, and browning reactions. *Journal of Agricultural and Food Chemistry*, 53(5), 1805–1811. <https://doi.org/10.1021/jf0485483>
- Timilsena, Y. P., Haque, M. A., & Adhikari, B.2020. Encapsulation in the Food Industry: A Brief Historical Overview to Recent Developments. *Food and Nutrition Sciences*, 11(06), 481–508. <https://doi.org/10.4236/fns.2020.116035>
- Tirta, G. D., Martin, L., Bani, M. D., Kho, K., Pramanda, I. T., Pui, L. P., How, Y. H., Lim, C. S. Y., & Devanthi, P. V. P.2023. Spray Drying Encapsulation of *Pediococcus acidilactici* at Different Inlet Air Temperatures and Wall Material Ratios. *Foods*, 12(1). <https://doi.org/10.3390/foods12010165>
- Tomislav Pogačić, Sanja Šinko, Šimun Zamberlin, & Dubravka Samaržija.2013. Microbiota of kefir grains. *Mljekarstvo*, 63(1), 3–14.

- Tontul, I., Ergin, F., Eroğlu, E., Küçükçetin, A., & Topuz, A.2021. The impact of refractance window drying conditions on the physical and microbiological properties of kefir powder. *Food Bioscience*, 43(July). <https://doi.org/10.1016/j.fbio.2021.101317>
- Wang, Y., Wu, J., Lv, M., Shao, Z., Hungwe, M., Wang, J., Bai, X., Xie, J., Wang, Y., & Geng, W.2021. Metabolism Characteristics of Lactic Acid Bacteria and the Expanding Applications in Food Industry. *Frontiers in Bioengineering and Biotechnology*, 9(May), 1–19. <https://doi.org/10.3389/fbioe.2021.612285>
- Waskale, H. S., Bhong, M. G., Waskale, H. S., & Bhong, M. G.2017. Experimental RGB and CIE L*a*b* colour space analysis and comparison for fruits and vegetables. *Jetir*, 4(4), 1–4. <https://www.jetir.org/view?paper=JETIR1704001>
- Widodo, Handaka, R., Wahyuni, E., & Taufiq, T. T.2017. The quality of fermented milk produced using intestinal-origin lactic acid bacteria as starters. *International Food Research Journal*, 24(6), 2371–2376.
- Wiking, L., Gregersen, S. B., Hansen, S. F., & Hammershøj, M.2022. Heat-induced changes in milk fat and milk fat globules and its derived effects on acid dairy gelation – A review. *International Dairy Journal*, 127, 105213. <https://doi.org/10.1016/j.idairyj.2021.105213>
- Wiratno, A. S., Johan, V. S., & Faizah Hamzah.2017. UTILIZATION PEDADA FRUIT (*Sonneratia caseolaris*) IN THE MANUFACTURE OF INSTANT DRINK. *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*, 04.
- Witthuhn, R. C., Schoeman, T., & Britz, T. J. 2004. Isolation and characterization of the microbial population of different South African kefir grains. *International Journal of Dairy Technology*, 57(1), 33–37. <https://doi.org/10.1111/j.1471-0307.2004.00126.x>
- Wszolek, M., Kupiec-Teahan, B., Skov Guldager, H., & Tamime, A. Y.2007. Production of Kefir, Koumiss and other Related Products. *Fermented Milks*, c, 174–216. <https://doi.org/10.1002/9780470995501.ch8>
- Yaakub, N. M., Zainil, H. M., & Xiang, L. J.2019. Effect of spray drying temperature differences on the gross nutritional composition and solubility and sinkability of goat milk powder. *Journal of the Bangladesh Agricultural University*, 17(2), 206–210. <https://doi.org/10.3329/jbau.v17i2.41969>
- Yamamoto, E., Watanabe, R., Ichimura, T., Ishida, T., & Kimura, K.2021. Effect of lactose hydrolysis on the milk-fermenting properties of *Lactobacillus delbrueckii* ssp. *bulgaricus* 2038 and *Streptococcus thermophilus* 1131. *Journal of Dairy Science*, 104(2), 1454–1464. <https://doi.org/10.3168/jds.2020-19244>
- Young, S. L., Sarda, X., & Rosenberg, M.1993. Microencapsulating Properties of Whey Proteins. 1. Microencapsulation of Anhydrous Milk Fat. *Journal of Dairy Science*, 76(10), 2868–2877. [https://doi.org/10.3168/jds.S0022-0302\(93\)77625-0](https://doi.org/10.3168/jds.S0022-0302(93)77625-0)
- Yüksekdağ, Z. N., Beyath, Y., & Aslim, B.2004. Metabolic activities of *Lactobacillus* spp. strains isolated from kefir. *Nahrung - Food*, 48(3), 218–220. <https://doi.org/10.1002/food.200300414>
- Yuliawaty, S. T., & Susanto, W. H.2015. Pengaruh Lama Pengeringan dan Konsentrasi Maltodekstrin Terhadap Karakteristik Fisika Kimia dan Organoleptik Minuman Instan Daun Mengkudu (*Morinda citrifolia* L). *Jurnal Pangan Dan Agroindustri*, 3(1), 41–51.

- Zamora, R., & Hidalgo, F. J. 2005. Coordinate contribution of lipid oxidation and Maillard reaction to the nonenzymatic food browning. *Critical Reviews in Food Science and Nutrition*, 45(1), 49–59. <https://doi.org/10.1080/10408690590900117>
- Zanirati, D. F., Abatemarco, M., Sandes, S. H. de C., Nicoli, J. R., Nunes, Á. C., & Neumann, E. 2015. Selection of lactic acid bacteria from Brazilian kefir grains for potential use as starter or probiotic cultures. *Anaerobe*, 32(December), 70–76. <https://doi.org/10.1016/j.anaerobe.2014.12.007>
- Zapašnik, A., Sokołowska, B., & Bryła, M. 2022. Role of Lactic Acid Bacteria in Food Preservation and Safety. *Foods*, 11(9), 1–17. <https://doi.org/10.3390/foods11091283>