

- Abbas. (2023). Protein profile analysis of tungro and dwarf virus-infected rice plants using SDS-PAGE. *Jurnal Biologi Tropis*, 23(2), 178–186. <https://doi.org/10.29303/jbt.v23i2.6120>
- Abou Galalah, D. I. M., Heikl, H. M., El Sobky, M. M. K., Harbah, N. M., & El Kersh, W. M. (2019). Morphological identification of house dust mite species in Menoufia Governorate and their antigen effect in immunoglobulin E response in allergic patients. *Menoufia Medical Journal*, 32(1), Article 14. https://doi.org/10.4103/mmj.mmj_80_16
- Aggarwal, P., & Senthilkumaran, S. (2023, August 8). Dust mite allergy. In StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Retrieved January 2025, from <https://www.ncbi.nlm.nih.gov/books/NBK560718/>
- Anggraini, D. (2017). Biologi dan preferensi tungau predator *Blattisocius keegani* dan *Cheyletus eruditus* pada tungau *Acarus siro* [Skripsi sarjana, Universitas Brawijaya]. Fakultas Pertanian, Universitas Brawijaya.
- Ammar, A. M., El Zayyat, E. A., Khayyal, A. E., & Elleboudy, N. A. (2021). Population dynamics of some domestic mites in laboratory culture. *The Journal of Basic and Applied Zoology*, 82(1), 15. <https://doi.org/10.1186/s41936-021-00213-2>
- Arasi, S., Corsello, G., Villani, A., & Pajno, G. B. (2018). The future outlook on allergen immunotherapy in children: 2018 and beyond. *Italian Journal of Pediatrics*, 44, 80. <https://doi.org/10.1186/s13052-018-0519-4>
- Astuti, S., Edi, K. Nuraeni, I. (2019). Pengembangan Diversifikasi Produk Tiwul Instan untuk Meningkatkan Daya Saing UKM di Kabupaten Wonosobo. *Jurnal Ilmiah Pengabdian kepada Masyarakat Vol 5 (2)*: 123–134
- Bianco, M., Ventura, G., Calvano, C.D., Losito, I., Cataldi, T.R.I. (2023) 'Food allergen detection by mass spectrometry: From common to novel protein ingredients', *Proteomics*, 23:2200427.
- Bassam, B. J., & Gresshoff, P. M. (2007). Silver staining DNA in polyacrylamide gels. *Nature Protocols*, 2(11), 2649–2654. <https://doi.org/10.1038/nprot.2007.330>
- Bjermer, L., Westman, M., Holmström, M. & Wickman, M.C. (2019). The Complex Pathophysiology of Allergic Rhinitis: Scientific Rationale for the Development of an Alternative Treatment Option. *Allergy, Asthma and Clinical Immunology*, 15(1), 1–15. <https://doi.org/10.1186/s13223-018-0314-1>
- Boster Biological Technology. (2021). SDS-PAGE optimization for western blot. Diakses dari https://www.bosterbio.com/protocol-and-troubleshooting/western-blotting-optimization/sds-page?srsItd=AfmBOoq3b87PxHIBP_mTYDUunrt2ljJpHR3DBXH0VKm4xd7hxaUbUnly
- Breving, R. F. R., Tuda, J. S. B., & Wahongan, G. J. P. (2013). Tungau debu rumah yang ditemukan di Kelurahan Perkamil Kecamatan Paal 2 Kota Manado. *Jurnal e-Biomedik (eBM)*, 1(2), 859-862.
- Boonpiyathad, T., Sözener, Z.C., Satitsuksanoa, P. & Akdis, C.A. (2019). Immunologic Mechanisms in Asthma. *Seminars in Immunology*, 46(October), 101333. <https://doi.org/10.1016/j.smim.2019.101333>
- Brunelle, J. L., & Green, R. (2014). Coomassie Blue Staining. *Methods in Enzymology*, 541, 161–167.

- Carnes, J., Iraola, V., Cho, S. H., & Esch, R. E. (2017). Mite allergen extracts and clinical practice. *Annals of Allergy, Asthma & Immunology*, 118(3), 249–256. <http://dx.doi.org/10.1016/j.anai.2016.08.018>
- Chakravarty, P. R. (2025). Troubleshooting SDS-PAGE sample preparation issues. *GoldBio*. https://goldbio.com/articles/article/troubleshooting-sds-page-sample-preparation-issues?srsId=AfmBOoroV6jv90MRPix8Xby-v5w6AD17QU15dfc11DT7rXPkUauT52Oy#_Toc135737594
- Denmark, H.A., Cromroy, H.L. & Denmark, F.H.A. (2017). House Dust Mites, *Dermatophagoides spp.* (Arachnida: Acari: Pyroglyphidae) 1. Available at: <http://entnemdept.ifas.ufl.edu/creatures/>.
- Douglas, B. (2023). *GelAnalyzer* 23.1, and super-high-throughput DNA barcoding with ONT MinION. *Bento Lab*. <https://bento.bio/blog/2023/12/16/GelAnalyzer-23-1-and-super-high-throughput-dna-barcoding-with-ont-minion/>
- Dowse GK, Turner KJ, Stewart GA, Alpears MP, Woolcock AJ. The association between dermatophagoides mites and the increasing prevalence of asthma in villages communities within the Papua New Guinea highland. *J Allerg Clin Immunol*. 1985;75:75-83.
- Dumut, D. C., Garić, D., Centorame, A., & Radzioch, D. (2022). The gradient-like separation and reduced running time with Tris-Tricine-HEPES buffer for SDS-PAGE. *Analytical Biochemistry*, 655, 114789. <https://doi.org/10.1016/j.ab.2022.114789>
- Erban, T., Klimov, P., Talacko, P., et al. (2018). Proteogenomics of the house dust mite, *Dermatophagoides farinae*: Allergen repertoire, accurate allergen identification, isoforms, and sex-biased proteome differences. *Journal of Proteomics*. <https://doi.org/10.1016/j.jprot.2019.103535>
- Fahy, J. V. (2015). Type 2 inflammation in asthma — present in most, absent in many. *Nature Reviews Immunology*, 15(1), 57–65. <https://doi.org/10.1038/nri3786>
- Fatchiyah, Arumingtyas, E. L., Widyarti, S., & Rahayu, S. (2011). *Biologi molekular: Prinsip dasar analisis*. Jakarta: Penerbit Erlangga.
- Fauzi, A., Santoso, S., & Nurmansyah, A. (2021). Statistik demografi *Dolichotetranychus floridanus* Banks pada dua kultivar nanas (*Ananas comosus* (L.) Merr.). *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 10(4), 660–667. <https://doi.org/10.29244/jpsl.10.4.660-667>
- Farrell, R. E., Jr. (2017). Electrophoresis of RNA. In *RNA methodologies: Laboratory guide for isolation and characterization* (5th ed., pp. 383–426). Academic Press. <https://doi.org/10.1016/B978-0-12-804678-4.00013-0>
- Fuentes-Castillo, D., Cicchino, A., Mironov, S. V., González-Acuña, D., & [nama penulis lainnya]. (2016). Ectoparasites of the black-chinned siskin *Spinus barbatus* (Passeriformes: Fringillidae) in Chile. *Revista Brasileira de Parasitologia Veterinária*, 25(ahead). <https://doi.org/10.1590/s1984-29612016079>
- Gallagher, S. (2012). One-dimensional SDS gel electrophoresis of proteins. *Current Protocols in Protein Science*, 68(1), 10.1.1–10.1.44. <https://doi.org/10.1002/0471140864.ps1001s68>
- Gallagher, S., & Sasse, J. (2001). Protein analysis by SDS-PAGE and detection by Coomassie blue or silver staining. *Current Protocols in Pharmacology*, 2001(May), Appendix 3:3B. <https://doi.org/10.1002/0471141755.pha03bs02>
- Halim, A., Carlsson, M.C., Madsen, C.B., Brand, S., Møller, S.R., Olsen, C.E., Vakhrushev, S.Y., Brimnes, J., Wurtzen, P.A., Petersen, B.L. dan Wandall, H.H. (2015) 'Glycoproteomic analysis of seven major allergenic proteins reveals novel

post-translational modifications', *Molecular & Cellular Proteomics*, 14(1), pp. 191-204. doi: 10.1074/mcp.M114.042614.

- Hosseini, S.M., Nafiseh, S., Mirmoghtadaee, P., Parisa, B., Leila, M. & Shojaee-Aliabadi, S. (2018). Gluten-free Products in Celiac Disease: Nutritional and Technological Challenges and Solutions. *Journal of Research in Medical Sciences*, 23(109)
- Huang Z., Zou X., Chen H., Liao C., Hu H., Luo W., Sun B. (2020). Identifying Potential Co-Sensitization and Cross-Reactivity Patterns Based on Component-Resolved Diagnosis. *Int. Arch. Allergy Immunol.* 181, 81–93. doi: 10.1159/000504320
- Hu RH, Wu CT, Wu TS, Yu FY, Ko JL, Lue KH, Liu YF. Systematic Characterization of the Group 2 House Dust Mite Allergen in *Dermatophagoides microceras*. *Front Cell Infect Microbiol.* 2022 Jan 17;11:793559. doi: 10.3389/fcimb.2021.793559. PMID: 35111694; PMCID: PMC8801679.
- Husain, S., Zahedi, F.D., Mohamad, S. & Abdullah, B. (2019). House Dust Mite-Induced Allergic Rhinitis: Is Prevention an Option? Current Treatment Options in Allergy, 6(4), 338–349. <https://doi.org/10.1007/s40521-019-00225-y>
- Husna, K. (2025). Perbandingan tepung tiwul instan dan campuran liofilisasi telur ayam mentah dengan ragi sebagai pakan untuk perkembangbiakan *Dermatophagoides spp.* [Tesis Magister, Universitas Gadjah Mada]. Universitas Gadjah Mada Repository.
- Hycult Biotech. (2010). Sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE). Retrieved from <https://www.hycultbiotech.com>
- Idowu, O. S., Idoko, D. O., Ogundipe, S. O., & Mensah, E. (2025). Optimizing SDS-PAGE for accurate protein characterization in nutritional research and food quality assessment. *International Journal of Innovative Science and Research Technology*, 10(1), 1008–1013. <https://doi.org/10.5281/zenodo.14744563>
- iNaturalist contributors, iNaturalist (2025). iNaturalist Research-grade Observations. iNaturalist.org. Occurrence dataset <https://doi.org/10.15468/ab3s5x> accessed via GBIF.org on 2025-09-08. <https://www.gbif.org/occurrence/4420740473>
- Jeong, K. Y., Choi, S.-Y., Lee, J.-H., Lee, I.-Y., Yong, T.-S., Lee, J.-S., Hong, C.-S., & Park, J.-W. (2012). Standardization of house dust mite extracts in Korea. *Allergy, Asthma & Immunology Research*, 4(6), 346–350. <https://doi.org/10.4168/aair.2012.4.6.346>
- Jeong, K. Y., Kim, C., & Yong, T.-S. (2010). Enzymatic activities of allergen extracts from three species of dust mites and cockroaches commonly found in Korean home. *The Korean Journal of Parasitology*, 48(2), 151–155. <https://doi.org/10.3347/kjp.2010.48.2.151>
- Karpievitch, Y. V., Polpitiya, A. D., Anderson, G. A., Smith, R. D., & Dabney, A. R. (2010). Liquid Chromatography Mass Spectrometry-Based Proteomics: Biological and Technological Aspects. *Annals of Applied Statistics*, 4(4), 1797–1823. <https://doi.org/10.1214/10-AOAS341>
- Kementerian Kesehatan Republik Indonesia. (2024). Workshop Farmakoterapi Asma Bronkiale dan Penggunaan Sediaan Inhalasi Kortikosteroid yang Efektif pada Pasien Asma — Angkatan 2 Tahun 2024. RSUD Dr. Soetomo. Diakses dari <https://ayosehat.kemkes.go.id/penyakit/asma>
- Kim, G., Hong, M., Kashif, A., Hong, Y., Park, B.S., Mun, J.Y., Choi, H., Lee, J.S., Yang, E.J., Woo, R.S., Lee, S.J., Yang, M. & Kim, I.S. (2021). Der f 38 Is a Novel Tlr4-binding Allergen Related to Allergy Pathogenesis from

- Dermatophagoides Farinae. International Journal of Molecular Sciences, 22(16), 1–16. <https://doi.org/10.3390/ijms22168440>
- Kristin, S. P., Tuda, J. S. B., & Wahongan, G. J. P. (2015). Jenis dan kepadatan tungau debu rumah di Kelurahan Malalayang 1 Kecamatan Malalayang Kota Manado. *Jurnal e-Biomedik (eBm)*, 3(3).
- Kruger, N. J. (2002). The Bradford method for protein quantitation. In *The Protein Protocols Handbook* (pp. 15-21). Humana Press. <https://doi.org/10.1385/1-59259-169-8:15>
- Kucuksezer, U. C., Ozdemir, C., Cevhertas, L., Ogulur, I., Akdis, M., & Akdis, C. A. (2020). Mechanisms of allergen-specific immunotherapy and allergen tolerance. *Allergy International*, 69(4), 549-560. <https://doi.org/10.1016/j.alit.2020.08.002>
- Kurien, B. T., & Scofield, R. H. (2020). Common artifacts and mistakes made in electrophoresis. *Methods in Molecular Biology*. Advance online publication. Available in PMC June 15, 2020.
- Lazar, I. Jr. (2023). *GelAnalyzer 23.1 – User guide*. <http://GelAnalyzer.com/docs/usage/?i=1>
- Lee, H. Y., Lee, S. M., Kang, S. Y., Kim, K., Kim, J. H., Ryu, G., ... & Choi, J. H. (2023). KAAACI guidelines for allergen immunotherapy. *Allergy, Asthma & Immunology Research*, 15(6), 725–756. <https://doi.org/10.4168/aair.2023.15.6.725>
- Life Technologies. (2013). Tris-Glycine Midi Gels protocol (Pub. No. MAN0007889 Rev. A.0). Thermo Fisher Scientific. https://assets.fishersci.com/TFS-Assets/LSG/manuals/MAN0007889_TriscGlycine_Midi_Gels.pdf
- Lix, L. M., Keselman, J. C., & Keselman, H. J. (1996). Consequences of assumption violations revisited: A quantitative review of alternatives to the one-way analysis of variance F test. *Review of Educational Research*, 66(4), 579–619. <https://doi.org/10.3102/00346543066004579>
- Luczynska, C.M., Arruda, L.K., Platts-Mills, T.A.E., Miller, J.D., Lopez, M. dan Chapman, M.D. (1989) 'A two-site monoclonal antibody ELISA for the quantification of the major Dermatophagoides spp. allergens, Der p I and Der f I', *Journal of Immunological Methods*, 118(2), pp. 227-235.
- Mahmood, T., & Yang, P.-C. (2012). Western blot: Technique, theory, and troubleshooting. *North American Journal of Medical Sciences*, 4(9), 429–434. <https://doi.org/10.4103/1947-2714.100998>
- Malia, A., Jamilatun, M., & Aminah. (2020). House dust mites in one of Indonesian detention center in 2020. *Biomedika*, 13(2). <https://doi.org/10.31001/biomedika.v13i2.843>
- Mangurana, W. O. I., Yusnaini, & Sahidin. (2019). Analisis LC-MS/MS (Liquid Chromatography Mass Spectrometry) dan metabolit sekunder serta potensi antibakteri ekstrak n-heksana spons *Callispongia aerizusa* yang diambil pada kondisi tutupan terumbu karang yang berbeda di perairan Teluk Staring. *Jurnal Biologi Tropis*.
- Moote, W., & Kim, H. (2011). Allergen-specific immunotherapy. *Allergy, Asthma & Clinical Immunology*, 7, Article S5. <https://doi.org/10.1186/1710-1492-7-S1-S5>
- Natalia, D. (2015). Peranan Alergen Tungau Debu Rumah (Der p 1 dan Der p 2) dalam Reaksi Alergi. *CDK*, 42(4), p.227.
- Oseroff, C., Christensen, L. H., Westernberg, L., Pham, J., Lane, J., Paul, S., Greenbaum, J., Stranzl, T., Lund, G., Hoof, I., Holm, J., Würtzen, P. A., Meno, K. H., Frazier, A., Schulten, V., Andersen, P. S., Peters, B., & Sette, A. (2017).

- Immunoproteomic analysis of house dust mite antigens reveals distinct classes of dominant T cell antigens according to function and serological reactivity. *Clinical & Experimental Allergy*, 47(4), 577–592. <https://doi.org/10.1111/cea.12829>
- Ostap Laboratory, Department of Physiology, & Pennsylvania Muscle Institute. (n.d.). *SDS-PAGE (Laemmli buffer system)* [PDF]. Perelman School of Medicine, University of Pennsylvania. Retrieved August 23, 2025, from <https://www.med.upenn.edu/ostaplab/assets/user-content/documents/sdspagebuffers.pdf>
- Porto, B. C. Z., Couto, J. C. M., Stainki, D. R., & Monteiro, S. G. (2017). Dermatitis by Cheyletus eruditus in man. *VPrSr*. <https://doi.org/10.1016/j.vprsr.2017.04.001>
- Pratama, Y. A., Marhaeny, H. D., Kasatu, S. M., Rohmah, L., Nurhan, A. D., Rahmadi, M., & Khotib, J. (2023). The optimisation and standardisation of Indonesian house dust mites allergenic extract as a desensitising agent. *Pharmacy Education*, 23(4), 137–139. <https://doi.org/10.46542/pe.2023.234.137139>
- Putri, R. Y. (2020). *Kepadatan tungau debu rumah (Dermatophagoides sp.) pada tempat tidur di salah satu pondok pesantren Bekasi* [Karya tulis ilmiah, STIKes Mitra Keluarga]. STIKes Mitra Keluarga Repository. https://repository.stikesmitrakeluarga.ac.id/repository/RENITA%20YUANA%20PUTRI_201703016_KTI%20TLM_PARASITOLOGI_2020.pdf
- QIAGEN. (2025). Protein analysis: SDS-PAGE – Principle of SDS-PAGE analysis. QIAGEN Knowledge Hub. Retrieved September 17, 2025, from <https://www.qiagen.com/us/knowledge-and-support/knowledge-hub/benchmark-guide/protein/protein-analysis/protein-analysis-sds-page>
- Rahmawati Nurida. (2023). Pengaruh Tepung Hati Ayam dan Tepung Tiwul Instan Sebagai Pakan Untuk Pembiakan Dermatophagoides spp. Diunduh dari <http://etd.repository.ugm.ac.id>
- Reithofer, M. & Jahn-Schmid, B. (2017). Allergens with Protease Activity from House Dust Mites. *International Journal of Molecular Sciences*, 18(7), 11–13. <https://doi.org/10.3390/ijms18071368>
- Rudokas, V., Silimavicius, L., Kucinskaite-Kodze, I., Sliziene, A., Pleckaityte, M. dan Zvirbliene, A. (2024) 'Novel monoclonal antibodies against house dust mite allergen Der p 21 and their application to analyze allergen extracts', *PeerJ*, DOI: 10.7717/peerj.17233.
- Ryu, J.-S., Ree, H.-I., Min, D. Y., & Ahn, M.-H. (2003). A human case of house dust mite Tarsonemus floricolus collected from sputum. *The Korean Journal of Parasitology*, 41(3), 171–173. <https://doi.org/10.3347/kjp.2003.41.3.171>
- Sarwar, M. (2020). House Dust Mites: Ecology, Biology, Prevalence, Epidemiology and Elimination. *Parasitology and Microbiology Research*, 1–26. <https://doi.org/10.5772/intechopen.91891>
- Schägger, H. (2006). Tricine-SDS-PAGE. *Nature Protocols*, 1(1), 16–22. <https://doi.org/10.1038/nprot.2006.4>
- Schägger, H., & von Jagow, G. (1987). Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Analytical Biochemistry*, 166(2), 368–379. [https://doi.org/10.1016/0003-2697\(87\)90587-2](https://doi.org/10.1016/0003-2697(87)90587-2)
- Sembel, Dantje T. (2009). *Entomologi Kedokteran*. Jogjakarta : Andi Offset
- Small, P., Keith, P.K. & Kim, H. (2018). Allergic Rhinitis. *Allergy, Asthma and Clinical Immunology*, 14(s2), 1–11. <https://doi.org/10.1186/s13223-018-0280-7>
- Solarz, K. (2011). *House dust mites, other domestic mites and forensic medicine*. In *Forensic medicine – From old problems to new challenges*. IntechOpen.

<https://doi.org/10.5772/18233>. Available from:

https://www.researchgate.net/publication/221916198_House_Dust_Mites_Other_Domestic_Mites_and_Forensic_Medicine

Stubbs, M. A., Clark, V. L., & McDonald, V. M. (2019). Living well with severe asthma. *Breathe (Sheff)*, 15(2), e40–e49. <https://doi.org/10.1183/20734735.0165-2019>

Suesirisawad, S., Malainua, N., Tungtrongchitr, A., Chatchatee, P., Suratannon, N. & Ngamphaiboon, J. (2015). Dust Mite Infestation in Cooking Flour: Experimental Observations and Practical Recommendations. *Asian Pacific Journal of Allergy and Immunology*, 33(2), 123–128. <https://doi.org/10.12932/AP0484.33.2.2015>

Suryohastari, R. B. (2016). The analysis of defensin from black cumin seed (*Nigella sativa* L.) in mice (*Mus musculus*) treated by black cumin seed using SDS-PAGE technique. *Al-Kaunyah: Jurnal Biologi*, 9(1), 26–36. <https://media.neliti.com/media/publications/270249-analisis-protein-defensin-dari-biji-jint-a0adfab3.pdf>

Thermo Fisher Scientific. (n.d.). Protein gel electrophoresis technical handbook (pp. 16–17). Novex WedgeWell Tris-Glycine gels. Retrieved September 17, 2025, from https://www.pintertrade.com/attachments/view/?attach_id=309327

Thermo Fisher Scientific Inc. (2025). Overview of protein electrophoresis. Thermo Fisher Scientific. <https://www.thermofisher.com/id/en/home/life-science/protein-biology/protein-biology-learning-center/protein-biology-resource-library/pierce-protein-methods/overview-electrophoresis.html>

Thermo Fisher Scientific Inc. (2025). Protein gel staining methods. Diambil dari <https://www.thermofisher.com/id/en/home/life-science/protein-biology/protein-biology-learning-center/protein-biology-resource-library/pierce-protein-methods/protein-gel-stains.html>

Valenta, R., Karaulov, A., Niederberger, V., Gattinger, P., van Hage, M., Flicker, S., Linhart, B., Campana, R., Focke-Tejkl, M., Curin, M., Eckl-Dorna, J., Lupinek, C., Resch-Marat, Y., Vrtala, S., Mittermann, I., Garib, V., Khaitov, M., Valent, P., & Pickl, W. F. (2018). Chapter Five - Molecular aspects of allergens and allergy. In *Advances in Immunology* (Vol. 138, pp. 195–256). Elsevier. <https://doi.org/10.1016/bs.ai.2018.03.002>

Villela, S. M. A., Kraïem, H., Bouhaouala-Zahar, B., Bideaux, C., Aceves Lara, C. A., & Fillaudeau, L. (2020). A protocol for recombinant protein quantification by densitometry. *MicrobiologyOpen*, 9(6), e1027. <https://doi.org/10.1002/mbo3.1027>

Wahyuni, S. (2017) Biokimia Enzim dan Karbohidrat. Available at: <https://www.researchgate.net/publication/347197044>.

Wang, Y., Weng, J., Zhu, C., Ai, R., Zhou, J., Wang, C., Chen, Q. & Fu, L. (2021). Allergenicity Assessment and Allergen Profile Analysis of Different Chinese Wheat Cultivars. *World Allergy Organization Journal*, 14(7), 100559. <https://doi.org/10.1016/j.waojou.2021.100559>

WHO/IUIS Allergen Nomenclature Sub-Committee. (n.d.). Search results for allergen source: house dust mite. Allergen.org. https://allergen.org/search.php?allergen_source=house+dust+mite&search_source=Search

World Health Organizations. The Global Asthma Report 2018 [Internet]. Available from: <http://www.globalasthmanetwork.org/>



UNIVERSITAS
GADJAH MADA

IDENTIFIKASI ALERGEN Der p 1, Der p 2, Der f 1, Der f 2 DARI Dermatophagoides spp. DENGAN METODE SDS-PAGE

Lise Insani Gulo, Prof. dr. E. Elsa Herdiana, M.Kes, Ph.D;dr. Dwi Aris Agung Nugrahaningsih, M.Sc, Ph.D

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Zimmer, J., Vieths, S. & Kaul, S. (2016). Standardization and Regulation of Allergen Products in the European Union. *Current Allergy and Asthma Reports*, 16(3), 1–11. <https://doi.org/10.1007/s11882-016-0599-4>
- Protein Quantification Using ImageJ. (n.d.). OpenWetWare. Retrieved February 20, 2025, from https://openwetware.org/wiki/Protein_Quantification_Using_ImageJ
- Potter, M. F. (2024). House dust mites. University of Kentucky, Martin-Gatton College of Agriculture, Food and Environment. Retrieved from <https://entomology.ca.uky.edu/ef646>
- Reithofer, M., & Jahn-Schmid, B. (2017). Allergens with protease activity from house dust mites. *International Journal of Molecular Sciences*, 18(7), 1368.
- The principle and method of polyacrylamide gel electrophoresis (SDS-PAGE). (2017). MBL Life Science. <https://ruo.mbl.co.jp/bio/e/support/method/sds-page.html>
- Windaswari, P., & Poerwanto, S. H. (2019). Tungau debu rumah di area Kampus Universitas Gadjah Mada, Daerah Istimewa Yogyakarta. *Bioma*, 15(2), 115–124. [https://doi.org/10.21009/Bioma15\(2\).3](https://doi.org/10.21009/Bioma15(2).3)
- Zeytun, E., Doğan, S., Ünver, E., & Ozcicek, F. (2018). Correction: Evaluation of *Dermatophagoides pteronyssinus* (Trouessart) and *D. farinae* Hughes (Acari: Pyroglyphidae) sensitivity in patients with allergic rhinitis: A comparative study. *Systematic and Applied Acarology*, 23(2), 404. <https://doi.org/10.11158/saa.23.2.17>